Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Polyhedron 23 (2004) 3221–3242
POLYHEDRON
www.elsevier.com/locate/poly

Author Index to Volume 23

Abboud, K.A., see Murugesu, M., 2779
Abboud, K.A., see Wang, S.-Y.S., 2733
Abdel-Halim, H.M., see Kettunen, M., 1649
Abruña, H.D., see Sydora, O.L., 2841
Abrutis, A., see Pasko, S., 735
Abu-Surrah, A.S., see Kettunen, M., 1649
Abu-Youssef, M.A.M., see Goher, M.A.S., 2349
Abu-Youssef, M.A.M., see Mautner, F.A., 1217
Abul-Haj, M., Quirós, M. and Salas, J.M., Divalent transition metal complexes of the anionic form of 4,7-dihydro-1,2,4-triazolo[1,5-*a*]pyrimidine-7-one: crystal structure of the zinc(II) compound, 743
Abul-Haj, M., Quirós, M. and Salas, J.M., Dinuclear Pd(II) complexes with the anionic form of 4,5-dihydro-1,2,4-triazolo[1,5-a]pyrimidine-5-one, 2373
Abuskhuna, S., McCann, M., Briody, J., Devereux, M. and McKee, V., Synthesis and structure of Mn(II), Cu(II) and Zn(II) complexes containing bis-imidazole ligands, 1731
Abuskhuna, S., Briody, J., McCann, M., Devereux, M., Kavanagh, K., Fontecha, J.B. and McKee, V., Synthesis, structure and antifungal activity of dimeric Ag(I) complexes containing bis-imidazole ligands, 1249
Aguado, R., see Arnáiz, F.J., 537
Aguirre, G., see Iglesias, A.L., 3051
Ahlgren, M., see Kettunen, M., 1649
Ahmad, S., see Fettouhi, M., 1
Ahmed, M., Schwendt, P., Marek, J. and Sivák, M., Synthesis, solution and crystal structures of dinuclear vanadium(V) oxo monoperoxo complexes with mandelic acid: $(NR_4)_2[V_2O_2(O_2)_2(mand)_2]\cdot xH_2O$ [R=H, Me, Et; mand=mandelato(2−)=$C_8H_6O_3^{2-}$], 655
Ahsen, V., see Yılmaz, F., 1931
Ai, C.-C., see Yin, M.-C., 529
Ainscough, E.W., Brodie, A.M., Burrell, A.K., Derwahl, A., Jameson, G.B. and Taylor, S.K., Platinum(II) and palladium(II) complexes containing a mixed donor 'P_2N' multidentate ligand, 1159
Airoldi, C., see Sales, J.A.A., 719
Ajith, T.A., see John, R.P., 2549
Akbar Ali, M., Mirza, A.H., Ravoof, T.B.S.A. and Bernhardt, P.V., Synthetic, spectroscopic and X-ray crystallographic structural study of the monomeric [Cu(pysme)(sac)(MeOH)] and dimeric $[Cu(6mptsc)(sac)]_2$ complexes [pysme=anion of the pyridine-2-carboxaldehyde Schiff base of *S*-methyldithiocarbazate, 6mptsc=the anion of the 6-methyl-2-pyridinecarbaldehydethiosemicarbazone and sac=the sacchari-nate anion], 2031
Akiba, M., see Mochida, K., 177
Akilan, P., see Thirumavalavan, M., 519
Akita, M., see Takahashi, Y., 225
Akiyama, E., see Asaji, T., 1605
Aktaş, B., see Gonca, E., 1845
Al-Allaf, T.A.K., see Amin, O.H., 2013
Al-Hayaly, L.J., see Amin, O.H., 2013
Al-Jibori, S.A., see Amin, O.H., 2013
Al-Sogair, F.M., see Sulfab , Y., 583
Alam, T.M., see Coker, E.N., 1739
Alberti, M., see Sedo, O., 1199
Ali, M.A., Mirza, A.H., Tan, A.L., Wei, L.K. and Bernhardt, P.V., The preparation and characterization of seven-coordinate tin(IV) complexes of the 2,6-diacetylpyridine Schiff bases of S-alkyl/aryl-dithiocarbazates and the X-ray crystal structure of the $[Sn(dapsme)I_2]$ complex (dapsme=doubly deprotonated form of the 2,6-diacetylpyridine Schiff base of *S*-methyldithiocarbazate), 2037
Ali, A.M., see Chew, K.-B., 1385
Ali, M.A., see Ravoof, T.B.S.A., 2491
Ali, M.A., Mirza, A.H., Hamid, M.H.S.A., Bujang, F.H. and Bernhardt, P.V., The preparation and characterization of tin(IV) complexes of 2-quinolinecarboxaldehyde Schiff bases of *S*-methyl- and *S*-benzyldithiocarbazates and the X-ray crystal and molecular structures of the 2-quinolinecarboxaldehyde Schiff base of *S*-benzyldithiocarbazate (Hqaldsbz) and its tin(IV) complex $[Sn(qaldsbz)I_3]$, 2405
Ali, A.M., see Crouse, K.A., 161
Alleyne, B.D., see Li, J., 419
Allis, D.G., Burkholder, E. and Zubieta, J., A new octamolybdate: observation of the θ-isomer in $[Fe(tpyprz)_2]_2[Mo_8O_{26}]\cdot 3.7H_2O$ (tpyprz=tetra-2-pyridylpyrazine), 1145
Almeida, M., see Belo, D., 1351
Alvarez, H.M., Tanski, J.M. and Rabinovich, D., Poly(mercaptoimidazolyl)borate chemistry and the predominance of κ^3-*S,S,H* over κ^2-*S,S* or κ^3-*S,S,S* coordination modes: unexpected formation of square pyramidal Ni(II) complexes, 395
Alvarez, H.M., Gillespie, P.A., Gause, C.D., Rheingold, A.L., Golen, J.A. and Rabinovich, D., Thallium(I) bis(mercaptoimidazolyl)borates, 617
Amada, K., see Mochida, K., 177
Amin, O.H., Al-Hayaly, L.J., Al-Jibori, S.A. and Al-Allaf, T.A.K., Heterobimetallic complexes of palladium(II) and platinum(II) bridged by the ligand 5-phenyl-1,3,4-oxadiazole-2-thione, 2013
Amudha, P., see Thirumavalavan, M., 519
Anacona, J.R., see Marquez, V.E., 1317
Anagnostis, J. and Turnbull, M.M., Rotational barriers in dialkylaminochlorophosphines: methyl-substituted piperidinochlorophenylphosphines, 125
Anbalagan, V. and Srivastava, T.S., Spectral and photophysical properties of mono and dinuclear Pt(II) and Pd(II) complexes: An unusual emission behaviour, 3173
Andruh, M., see Pascu, M., 673
Anpilova, E.L., see Garnovskii, A.D., 1909
Aranyos, V., Hagfeldt, A., Grennberg, H. and Figgemeier, E., Electropolymerisable bipyridine ruthenium(II) complexes: synthesis, spectroscopic and electrochemical characterisation of 4-((2-thienyl) ethenyl)- and 4,4′-di((2-thienyl) ethenyl)-2, 2′-bipyridine ruthenium complexes, 589

doi:10.1016/S0277-5387(04)00439-5

Arce, H., Montero, M.L., Sáenz, A. and Castaño, V.M., Effect of pH and temperature on the formation of hydroxyapatite at low temperatures by decomposition of a Ca–EDTA complex, 1897
Ardisson, J.D., see de Castro, V.D., 63
Ardisson, J.D., see Menezes, D.C., 2103
Ardizzoia, G.A., Brenna, S., Castelli, F., Galli, S., LaMonica, G., Masciocchi, N. and Maspero, A., Metal imidazolato polymers: synthesis, characterization and crystal structure of new silver(I) triphenylphosphine derivatives, 3063
Arevalo, I., see Gómez, M., 611
Arif, A.M., see Harvey, B.G., 2725
Arnáiz, F.J., Aguado, R., Pedrosa, M.R. and Maestro, M.A., Dioxomolybdenum(VI) thionates: molecular structure of dioxo-bis(pyridine-2-thiolate-*N*,*S*)molybdenum(VI), 537
Arnold, J., see Inyushin, S., 2937
Arora, M., see Chawla, S.K., 3007
Arul Prakasam, B., Ramalingam, K., Saravanan, M., Bocelli, G. and Cantoni, A., Effect of free and chelating phosphine coordination environments on the NiS_2P_2 chromophore: synthesis, NMR and other spectral studies. Crystal and molecular structures of (*N*,*N*-dipropyldithiocarbamato)di(triphenylphosphine)nickel(II) perchlorate and (*N*,*N*-dipropyldithiocarbamato)1,2-bis((diphenylphosphino)ethane)nickel(II) tetraphenylborate, 77
Arvin, M.E., see Joshi, H.K., 429
Asaji, T., Akiyama, E., Tajima, F., Eda, K., Hashimoto, M. and Furukawa, Y., Salts of tetrachloroauric acid with pyridine *N*-oxide having various base/acid ratios of 1/1, 4/3, 3/2 and 2/1: crystal structures, ^{35}Cl NQR and phase transitions, 1605
Ataç, A., see Can, N., 1109
Atilla, D., see Yılmaz, F., 1931
Aury, S., see Giroux, S., 2393
Ayala, J.D., see de Castro, V.D., 63

Badr, A.M.A., see Goher, M.A.S., 2349
Bai, G., Vidovic, D., Roesky, H.W. and Magull, J., A novel potassium-centered highly symmetrically polynuclear zirconium complex: $K[\{(Cp^*Zr)_3(\mu_3\text{-}N)(\mu_3\text{-}NH)(\mu\text{-}NH_2)_3\}_4(NH_2)_5(NH_3)_7]$, 1125
Baik, M.-H., Friesner, R.A. and Parkin, G., Theoretical investigation of the metal–metal interaction in dimolybdenum complexes with bridging hydride and methyl ligands, 2879
Bailey, A., Griffith, W.P., Leung, D.W.C., White, A.J.P. and Williams, D.J., Ozonolysis for the preparation of high-oxidation state transition metal complexes and the X-ray crystal structure of $Co(py)_2(OAc)_2(H_2O)_2$, 2631
Bailey Walsh, R.D., see Bose, D., 2045
Baitalik, S., Dutta, B. and Nag, K., Spectroscopic and redox properties of $Rh^{III}Ru^{II}$ and $Ru^{II}Ru^{II}$ complexes derived from 2,2′-bipyridine, pyrazole-3,5-bis(benzimidazole) and 1,2,4-triazole-3,5-dicarboxylic acid as bridging ligands, 913
Bajpai, S., see Srivastava, P.C., 1629
Bajpai, S.M., see Srivastava, P.C., 1629
Baker, R.T., see Westcott, S.A., 2665
Bandyopadhyay, S., Das, A., Mukherjee, G.N., Cantoni, A., Bocelli, G., Chaudhuri, S. and Ribas, J., Synthesis, X-ray crystal structures, physicochemical and magnetic studies on copper(II) *N*-(2-carboxyphenyl) iminodiacetate polymers, 1081
Banerjee, J., see Bose, D., 2045
Baran, M., see Ryazanov, M., 879
Baranovski, V.I. and Korolkov, D.V., Electron density distribution, polarizability and bonding in the octahedral clusters $[Mo_6S_8(CN)_6]^{6-}$, $[Re_6S_8(CN)_6]^{4-}$ and $Rh_6(CO)_{16}$, 1519
Barba-Behrens, N., see Téllez, F., 2481
Barba-Behrens, N., see López-Sandoval, H., 1837
Barbosa, M., see Díaz, C., 1027
Bardak, F., see Can, N., 1109
Baril-Robert, F. and Beauchamp, A.L., Preparation and crystal structure of (2,2′-bibenzimidazole)dihalobis(triphenylphospine)rhenium(III) halides, 1139
Bark, T., see Dias, S.I.G., 1011
Barquín, M., González Garmendia, M.J., Pacheco, S., Pinilla, E., Seco, J.M. and Torres, M.R., Synthesis, spectroscopic, magnetic and EPR results and crystal structure of di-μ-(*N*-methyl-*N*-methoxy-2-pyridinamine)bis[(2,2′-bipyridine)copper(II)]hexafluorophosphate, 1695
Barral, M.C., González-Prieto, R., Herrero, S., Jiménez-Aparicio, R., Priego, J.L., Royer, E.C., Torres, M.R. and Urbanos, F.A., Synthesis and crystal structure of high and low spin diruthenium complexes with diphenylformamidine and diphenyltriazene ligands, 2637
Barros-García, F.J., Bernalte-García, A., Higes-Rolando, F.J., Luna-Giles, F. and Pedrero-Marín, R., X-ray and spectroscopic characterisation of cobalt(III) and nickel(II) complexes with 2-(2-pyridyl)iminotetrahydro-1,3-thiazine hydrochloride water (1/2) ($PyTzHCl \cdot 2H_2O$) in the solid state and study of its interaction with cobalt(II) and nickel(II) in aqueous solution, 1453
Barszcz, B., Głowiak, T., Jezierska, J. and Tomkiewicz, A., Synthesis of new pyrazole-containing binuclear and mononuclear Cu(II) complexes: crystal structure, EPR, magnetic and spectroscopic properties, 1309
Barteczak, T.J., see Małecki, J.G., 885
Basu Baul, T.S., Lycka, A., Butcher, R. and Smith, F.E., Synthesis, X-ray crystal structures and multinuclear NMR characterization of Hg(II) complexes of 2-[(*E*)-2-(aryl)-1-diazenyl]pyridine, 2323
Batista, A.A., see de Araujo, M.P., 3163
Batsanov, A.S., see Coventry, D.N., 2789
Batsanov, A.S., see Venkatasubramanian, U., 629
Bau, R., see Li, J., 419
Bayır, Z.A., see Kalkan, A., 3155
Beauchamp, A.L., see Baril-Robert, F., 1139
Beeby, A., see Leslie, W., 2769
Beer, P.D., see Wong, W.W.H., 2821
Beheshti, A., Brooks, N.R., Clegg, W. and Sichani, S.E., Synthesis, crystal structures and spectroscopic characterization of two neutral heterobimetallic clusters $MS_4Cu_4(pz^{Me2})_6X_2$ (where M=Mo (**1**) or W (**2**), X=Cl (**1**) or disordered Cl/Br (**2**) and pz^{Me2}=3,5-dimethylpyrazole), 3143
Bellabarba, R.M. and Saunders, G.C., Intramolecular dehydrofluorinative coupling of pentamethylcyclopentadienyl and phosphine ligands in iridium complexes, 2659
Belo, D., Santos, I.C. and Almeida, M., 5,6-Dicyano-2,3-dithiopyrazine (dcdmp) chemistry: synthesis and crystal structure of Au(III)(dcdmp)$_2$ complexes and 2,3,7,8-tetracyano-1,4,6,9-tetraazothianthrene, 1351
Bentiss, F., Lagrenée, M., Vezin, H., Wignacourt, J.-P. and Holt, E.M., Syntheses and crystal structures of two mononuclear Zn(II) complexes with the 2,5-bis(2-pyridyl)-1,3,4-thiadiazole ligand, 1903
Bercaw, J.E., see Piro, N.A., 2797
Bergman, R.G., see Corkey, B.K., 2943
Bermejo, M.R., see Sanmartín, J., 963
Bermejo, E., Castiñeiras, A., Fostiak, L.M., Santos, I.G., Swearingen, J.K. and West, D.X., Spectral and structural studies of Zn and Cd complexes of 2-pyridineformamide N(4)-ethylthiosemicarbazone, 2303
Bernalte-García, A., see Barros-García, F.J., 1453
Bernhard, G., see Koban, A., 1793
Bernhardt, P.V., Dyahningtyas, T.E., Han, S.C., Harrowfield, J.M., Chool Kim, Il., Kim, Y., Koutsantonis, G.A., Rukmini, E. and Thuéry, P., Stereocontrol in complexes of cyclam-like macrocycles – influences of chirality, 869
Bernhardt, P.V., see Ali, M.A., 2405
Bernhardt, P.V., see Ali, M.A., 2037
Bernhardt, P.V., see Akbar Ali, M., 2031

Bhat, S.G., see Joseph, M., 3069
Bhattacherjee, A., see Saha, S., 1811
Bicherov, A.V., see Garnovskii, A.D., 1909
Bindu, P., Kingston, J.V. and Sudheendra Rao, M.N., Dianionic silicate derivatives of transition metals: synthesis by a facile ion exchange route, characterization and thermolysis studies, 679
Bird, P.H., see Thompson, L.K., 1175
Blackman, A.G., see Polson, M.I.J., 1427
Blackman, A.G., see Lundin, N.J., 97
Blanco, L.M., see Garnovskii, A.D., 1909
Boča, R., Boča, M., Gembický, M., Jäger, L., Wagner, C. and Fuess, H., Versatile coordination mode of dicyanamide in nickel(II) complexes containing polyamines as blocking ligands, 2337
Boča, M., see Boča, R., 2337
Bocelli, G., see Arul Prakasam, B., 77
Bocelli, G., see Bandyopadhyay, S., 1081
Bögge, H., see Müller, A., 2381
Bolte, M., see Ilkhechi, A.H., 2597
Bombieri, G., see de Castro, V.D., 63
Boncella, J.M., see Wang, S.-Y.S., 2733
Booncoon, S., see Youngme, S., 1685
Borah, R., see Sarmah, S., 1097
Borodkin, G.S., see Garnovskii, A.D., 1909
Borowiec, J., Trojnar, I. and Wołowiec, S., Mono- and dizinc complexes of diporphyrins with flexible spacers of variable length, 33
Bosch, M., see Werner, H., 2645
Bose, D., Banerjee, J., Rahaman, S.H., Mostafa, G., Fun, H.-K., Bailey Walsh, R.D., Zaworotko, M.J. and Ghosh, B.K., Polymeric end-to-end bibridged cadmium(II)thiocyanates containing monodentate and bidentate N-donor organic blockers: supramolecular synthons based on π–π and/or C–H···π interactions, 2045
Bose, D., Rahaman, S.H., Mostafa, G., Walsh, R.D.B., Zaworotko, M.J. and Ghosh, B.K., Synthesis, structure and properties of $[Zn(dpa)(N_3)_2]$ and $[Zn(dpa)(N_3)(NO_3)]_2$ (dpa=2,2′-dipyridylamine): composition tailored architectures, 545
Botar, B., see Müller, A., 2381
Boudalis, A.K., Raptopoulou, C.P., Terzis, A. and Perlepes, S.P., 2,2′-Bipyrimidine (bpym) in iron(III) carboxylate chemistry: preparation and characterization of $[Fe_2O(O_2CMe)_2(bpym)_2(H_2O)_2](ClO_4)_2$ and the influence of weak interactions in the formation of metal clusters, 1271
Bouyagui Tamboura, F., Marcel Haba, P., Gaye, M., Salam Sall, A., Hamady Barry, A. and Jouini, T., Structural studies of bis-(2,6-diacetylpyridine-bis-(phenylhydrazone)) and X-ray structure of its Y(III), Pr(III), Sm(III) and Er(III) complex, 1191
Bowen, R.J., Caddy, J., Fernandes, M.A., Layh, M. and Mamo, M.A., Synthesis of phosphine stabilised group 11 1-azaallyl complexes; molecular structure of $bu^t_3PAuCH(R)C(bu^t) = NR$ ($R = SiMe_3$), 2273
Boyd, L.A., see Venkatasubramanian, U., 629
Boyle, T.J., see Coker, E.N., 1739
Bradford, F.E., Connor, L.P., Kilner, C.A. and Halcrow, M.A., Iron complexes of 3-(pyrazinyl)-1,2,4-triazole ligands, 2141
Brandow, S.L., see Schull, T.L., 1375
Bravic, G., see Karmakar, R., 949
Bravo, J., see Rodríguez, M.C., 1045
Brbot-Šaranović, A., see Cindrić, M., 1859
Bregadze, V., see Semioshkin, A., 2135
Brellochs, B., see Semioshkin, A., 2135
Brenna, S., see Ardizzoia, G.A., 3063
Brett, C.M. and Bursten, B.E., Theoretical studies of 18-electron $M(C_nH_n)(C_{10-n}H_{10-n})$ (M = Fe, Ru, Os; n = 3, 4, 5) sandwich complexes, 2993
Breza, M., see Brudíková, K., 2235
Bridgewater, B.M., see Docrat, A., 481
Briody, J., see Abuskhuna, S., 1731
Briody, J., see Abuskhuna, S., 1249
Brodie, A.M., see Ainscough, E.W., 1159
Brookhart, M., see Corkey, B.K., 2943
Brooks, N.R., see Beheshti, A., 3143
Brożyna, A., see Drożdżewski, P., 1785
Brudíková, K. and Breza, M., MP2 studies of the bis(methoxycarbimido)amine ligand and its anion, 2235
Brusko, V.V., see Zabirov, N.G., 2243
Brylev, K.A., see Naumov, N.G., 599
Bucher, E., see Mautner, F.A., 1217
Bujang, F.H., see Ali, M.A., 2405
Burkholder, E., see Allis, D.G., 1145
Burkut Koçak, M., see Yilmaz, I., 1279
Burlov, A.S., see Garnovskii, A.D., 1909
Burney, C., see Green, J.C., 2915
Burrell, A.K., see Polson, M.I.J., 1427
Burrell, A.K., see Ainscough, E.W., 1159
Bursten, B.E., see Brett, C.M., 2993
Burzlaff, N., see Peters, L., 245
Bushuk, B.A., see Bushuk, S.B., 2615
Bushuk, S.B., Carré, F.H., Guy, D.M.H., Douglas, W.E., Kalvinkovskya, Y.A., Klapshina, L.G., Rubinov, A.N., Stupak, A.P. and Bushuk, B.A., Hypercoordinate silicon and phosphorus acetylene compounds: crystal structure determinations and fluorescence spectroscopic study, 2615
Butcher, R.J., see Pramanik, N.R., 1595
Butcher, R., see Schull, T.L., 1375
Butcher, R.J., see Srivastava, P.C., 1629
Butcher, R., see Basu Baul, T.S., 2323
Butcher, R.J., see Sau, D.K., 5
Butler, J.M., Gray, G.M. and Claude, J.P., Synthesis, characterization and X-ray crystallography of a metallacrown ether complex containing a $Ru^{II}(bpy)_2^{2+}$ chromophore and its $Mo(CO)_4$ analog, 1719
Byabartta, P., see Jasimuddin, S., 727
Byington, L.K., see Schull, T.L., 1375

Caballero, A., Carrión, M.C., Espino, G., Jalón, F.A. and Manzano, B.R., Ruthenium hydride complexes with a heteroscorpionate ligand derived from methane: 2-phenoxy-bis(pyrazol-1-yl)methane. The hemilabile role of the ligand in substitution and proton transfer reactions, 361
Caddy, J., see Bowen, R.J., 2273
Cai, R.-F., see Luo, J., 1243
Calabrese, J.C., see Westcott, S.A., 2665
Camm, K.D., Furtado, S.J., Gott, A.L. and McGowan, P.C., Synthesis and structural studies of bis-amino-functionalised ferrocene salts and ferrocenium salts, 2929
Campello, M.P.C., see Paulo, A., 331
Campo, J.A., see Criado, R., 301
Can, N., Sözerli Can, S.E., Ataç, A. and Bardak, F., Structural characterization and luminescence properties of an isonicotinic acid N-oxide Mn(II) complex, 1109
Cano, M., see Criado, R., 301
Cantoni, A., see Bandyopadhyay, S., 1081
Cantoni, A., see Arul Prakasam, B., 77
Cao, L.-H., see Zhu, Q.-Y., 2259
Carballo, R., Castiñeiras, A., Covelo, B., García-Martínez, E., Niclós, J. and Vázquez-López, E.M., Solid state coordination chemistry of mononuclear mixed-ligand complexes of Ni(II), Cu(II) and Zn(II) with α-hydroxycarboxylic acids and imidazole, 1505
Carducci, M.D., see Joshi, H.K., 429
Carlos Galvez-Ruiz, J., see López-Sandoval, H., 1837
Carpentier, J.-F., see Kunrath, F.A., 2437
Carrano, C.J., see Shirin, Z., 239
Carré, F.H., see Bushuk, S.B., 2615

Carrión, M.C., see Caballero, A., 361
Casagrande Jr., O.L., see Kunrath, F.A., 2437
Castaño, V.M., see Arce, H., 1897
Castellano, E.E., see Silva, W.C., 1063
Castellano, E.E., see Scarpellini, M., 511
Castellano, E.E., see Soares, L.F., 205
Castellano, E.E., see de Araujo, M.P., 3163
Castelli, F., see Ardizzoia, G.A., 3063
Castiñeiras, A., see Carballo, R., 1505
Castiñeiras, A., see Bermejo, E., 2303
Cataldo, F., Polyynes: a new class of carbon allotropes. About the formation of dicyanopolyynes from an electric arc between graphite electrodes in liquid nitrogen, 1889
Chadha, R.K., see Shankar, R., 71
Chaichit, N., see Youngme, S., 1685
Chaichit, N., see Youngme, S., 1641
Chailuecha, C., see Youngme, S., 1641
Chakraborty, S., see Maiti, D., 831
Chakravarty, A.R., see Gupta, S., 643
Chakravarty, A.R., see Mukherjee, A., 3081
Chakravarty, A.R., see Mukherjee, A., 2177
Chan, T.-L., see Lu, W.-J., 1089
Chan, H.-S., see Lu, W.-J., 1089
Chand, B., Ray, U., Mostafa, G., Lu, T.-H. and Sinha, C., 2D Extended supramolecular structures via π–π interactions of 1D coordination polymers of cadmium(II) complexes of arylazoimidazole using azido and thiocyanato bridging ligands, 1669
Chanda, N., see Maiti, D., 831
Chao, H., see Hong, X.-L., 815
Chapman, P.A., see Scales, S.J., 2169
Chattopadhyay, P., see Dhara, P.K., 2457
Chaudhuri, S., see Sau, D.K., 5
Chaudhuri, S., see Bandyopadhyay, S., 1081
Chawla, S.K., Arora, M., Nättinen, K., Rissanen, K. and Yakhmi, J.V., Syntheses and crystal structures of three novel Cu(II) coordination polymers of different dimensionality constructed from Cu(II) carboxylates (carboxylate=malonate (mal), 2 acetate (ac), fumarate (fum)) and conformationally flexible 1,4-bis(imidazole-1-yl-methylene)benzene (IX), 3007
Chen, J.-X., Liu, S.-X. and Gao, E.-Q., Syntheses, structures and fluorescence of three novel 3D coordination polymers $[Cd_3(TMA)_2(H\text{-}PRZ)(H_2O)_3(OH)]\cdot H_2O$, $Cd_2Na_2(TMA)_2(H_2O)_4$ and $[Cd_2Co(TMA)_2\ (H_2O)_4]\cdot 2H_2O$ (TMA=trimesic acid, PRZ=piperazine), 1877
Chen, C., Yang, Y.-L., Huang, K.-L., Sun, Z.-H., Wang, W., Yi, Z., Liu, Y.-L. and Pang, W.-Q., Hydrothermal synthesis and intercalation behavior of a layered titanium phosphate $Ti_2(H_2PO_4)(HPO_4)(PO_4)_2\cdot 0.5C_6N_2H_{16}$, with an extended γ-phase intercalated into organic amine, 3033
Chen, W., see Cheng, J., 1075
Chen, J.-D., see Yeh, C.-W., 1947
Chen, C., see Yang, Y., 1535
Chen, Lijuan, see Zhang, Q., 1975
Chen, S., see Zhang, Q., 1975
Chen, H.-B., Zhang, H., Yang, J.-M. and Zhou, Z.-H., Transformation of maleato manganese(II): temperature effect and coordination modes, 987
Cheng, P., see Liang, M., 2203
Cheng, J.-K., Zhang, J., Kang, Y., Qin, Y.-Y., Li, Z.-J. and Yao, Y.-G., Syntheses, structures and photoluminescent properties of 1D, 2D, 3D silver (I) coordination polymers with flexible long-chain dinitriles and tetranitriles, 2209
Cheng, P., see Sun, Y.-J., 211
Cheng, J., Cui, D., Chen, W., Tang, T. and Huang, B., Syntheses and crystal structures of bis(tetrahydrofurfurylindenyl) lanthanocene chlorides $(C_4H_7OCH_2C_9H_6)_2LnCl$ (Ln=La, Lu), 1075
Cherkasov, R.A., see Zabirov, N.G., 2243
Chetty, K.V., see Kannan, S., 1527
Chew, K.-B., see Crouse, K.A., 161
Chew, K.-B., Tarafder, M.T.H., Crouse, K.A., Ali, A.M., Yamin, B.M. and Fun, H., Synthesis, characterization and bio-activity of metal complexes of bidentate N–S isomeric Schiff bases derived from *S*-methyldithiocarbazate (SMDTC) and the X-ray structure of the bis[*S*-methyl-β-*N*-(2-furyl-methylketone)dithiocarbazato]-cadmium(II) complex, 1385
Cho, I.-K., see Kim, J., 1333
Choi, K.Y., see Kim, J., 1333
Choi, K.-Y., Jeon, Y.-M., Ryu, H., Oh, J.-J., Lim, H.-H. and Kim, M.-W., Synthesis and characterization of *syn–anti* carboxylate-bridged one-dimensional copper(II) complexes with bis(2-pyridylmethyl)-amino acids, 903
Choi, S.-N., Jung, W.-S., Lee, M.-J., Lee, Y.-M. and Kim, Y.-I., Synthesis and physicochemical properties of charge transfer compounds derived from the reaction of tetrathiafulvalene with copper(II), 2111
Chool Kim, Il., see Bernhardt, P.V., 869
Choudhury, C.R., see Karmakar, R., 949
Christopher Thomas, J. and Peters, J.C., Structural and spectroscopic studies of three-coordinate copper(I) supported by bis(phosphino)borate ligands, 2901
Christou, G., see Murugesu, M., 2779
Chung, Y.K., see Joung, U.G., 1587
Churchill, D.G., see Docrat, A., 481
Chutia, P., Kumari, N., Sharma, M., Derek Woollins, J., Slawin, A.M.Z. and Kumar Dutta, D., Ruthenium(II) carbonyl complexes containing tertiary phosphine chalcogenide ligands of the type Ph_3PX; X=O, S, Se, 1657
Cian, A.D., see Pelascini, F., 3193
Cindrić, M., Vrdoljak, V., Kajfež Novak, T., Strukan, N., Brbot-Šaranović, A., Novak, P. and Kamenar, B., Synthesis, characterization and crystal structures of molybdenum(VI) and (V) complexes with differently N-substituted β′-hydroxy-β-enaminones, 1859
Cingolani, A., see Pettinari, C., 451
Císařová, I., see Štěpnička, P., 921
Ciunik, Z., see Pruchnik, F.P., 103
Ciunik, Z., see Galani, A., 2021
Ciunik, Z., see Ruman, T., 219
Claramunt, R.M., Santa María, M.D., Elguero, J. and Trofimenko, S., Isomer distribution in thallium hydrotris(polymethylenepyrazol-1-yl)borates (thallium scorpionates): a multinuclear NMR study, 2985
Claude, J.P., see Butler, J.M., 1719
Clegg, W., see Hossaini Sadr, M., 637
Clegg, W., see Beheshti, A., 3143
Clegg, W., see Gibson, V.C., 189
Cloke, F.G.N., Hitchcock, P.B., Kuchta, M.C. and Morley-Smith, N.A., Mononuclear tantalum (V) pentalene complexes: synthesis of $[Ta\{\eta^8\text{-}C_8H_4(1,4\text{-}Si^iPr_3)_2\}X_3]$ (X = CH_3, Cl, I) and the X-ray crystal structures of $[Ta\{\eta^8\text{-}C_8H_4(1,4\text{-}Si^iPr_3)_2\}(CH_3)_3]$, $[Ta\{\eta^8\text{-}C_8H_4(1,4\text{-}Si^iPr_3)_2\}(CH_3)_2Cl]$, $[Ta\{\eta^8\text{-}C_8H_4(1,4\text{-}Si^iPr_3)_2\}(CH_3)Cl_2]$ and $[Ta\{\eta^8\text{-}C_8H_4(1,4\text{-}Si^iPr_3)_2\}I_3]$, 2625
Coker, E.N., Boyle, T.J., Rodriguez, M.A. and Alam, T.M., Structurally characterized magnesium carboxylates with tuned melting points, 1739
Cole-Hamilton, D.J., see Zubiri, M.R.I., 693
Collange, E., Metteau, L., Richard, P. and Poli, R., Synthesis and structure of a new organometallic polyoxomolybdate, $Cp'_2Mo_6O_{17}$, 2605
Collison, D., see John, G.H., 3097
Connor, L.P., see Bradford, F.E., 2141
Constable, E.C., Handel, R., Housecroft, C.E., Neuburger, M., Schofield, E.R. and Zehnder, M., Efficient syntheses of 4′-(2-

thienyl)- and 4′-(3-thienyl)-2,2′:6′,2″-terpyridine: preparation and characterization of Fe(II), Ru(II), Os(II) and Co(II) complexes, 135
Contreras, R., see López-Sandoval, H., 1837
Contreras, R., see Téllez, F., 2481
Cook, R.A., see Mehnert, C.P., 2679
Cooper, G.J.T., see Pickering, A.L., 2075
Copley, R.C.B., see Venkatasubramanian, U., 629
Corkey, B.K., Taw, F.L., Bergman, R.G. and Brookhart, M., Aromatic and aldehyde carbon–hydrogen bond activation at cationic Rh(III) centers. Evaluation of electronic substituent effects on aldehyde binding and C–H oxidative addition, 2943
Correia, J.D.G., see Paulo, A., 331
Coutsolelos, A.G., see Raptopoulou, C., 1777
Covelo, B., see Carballo, R., 1505
Coventry, D.N., Batsanov, A.S., Goeta, A.E., Howard, J.A.K. and Marder, T.B., Synthesis and molecular structures of α-diimines and their zinc and palladium dichloride complexes, 2789
Cowley, A.R., see Ravoof, T.B.S.A., 2491
Coxall, R.A., see Smith, A.A., 1557
Crabtree, R.H., see Miecznikowski, J.R., 2857
Crane, T.W., see Cross, J.L., 2831
Creighton, M.A., see Rudd, M.D., 1923
Criado, R., Cano, M., Campo, J.A., Heras, J.V., Pinilla, E. and Torres, M.R., Mono and binuclear rhodium dicarbonyl complexes containing the hydridotris(3-*p*-chlorophenylpyrazol-1-yl)borate ligand (Tp^{PhCl}). X-ray structures of the binuclear complex $[(OC)_2Rh(\mu{:}\kappa^2,\kappa^1\text{-}Tp^{PhCl})Rh(Cl)(CO)_2]$ and of three isomers of $[Rh(\kappa^2\text{-}Tp^{PhCl})(CO)_2]$, 301
Cronin, L., see Pickering, A.L., 2075
Cross, J.L., Garrett, A.D., Crane, T.W., White, P.S. and Templeton, J.L., Coordination and reactivity of acetonitrile in tungsten(IV) complexes: oxidation, methylation and dimerization of coordinated acetonitrile, 2831
Crouse, K.A., Chew, K.-B., Tarafder, M.T.H., Kasbollah, A., Ali, A.M., Yamin, B.M. and Fun, H.-K., Synthesis, characterization and bio-activity of *S*-2-picolyldithiocarbazate (S2PDTC), some of its Schiff bases and their Ni(II) complexes and X-ray structure of *S*-2-picolyl-β-*N*-(2-acetylpyrrole)dithiocarbazate, 161
Crouse, K.A., see Chew, K.-B., 1385
Crouse, K.A., see Ravoof, T.B.S.A., 2491
Cruz, A., see López-Sandoval, H., 1837
Cui, Y.-J., see Meng, H., 2357
Cui, D., see Cheng, J., 1075
Cui, K., see Zhu, H.-B., 1131
Cummins, C.C., see Sceats, E.L., 2751
Cusack, J., Drew, M.G.B. and Spalding, T.R., Syntheses and spectroscopy of diamine complexes of Zn(II) and Cd(II) ethylxanthates and the molecular structures of $[M(S_2COEt)_2TMEDA]$: formation of CdS nanoparticles from $[Cd(S_2COEt)_2]$ and $[Cd(S_2COEt)_2TMEDA]$, 2315

Daff, P.J., see Etienne, M., 379
Dahan, F., see Etienne, M., 379
Dai, J.-C., see Xia, S.-Q., 1003
Dai, J., see Zhu, Q.-Y., 2259
Dai, J., Yang, W., Ren, Z.-G., Zhu, Q.-Y. and Jia, D.-X., Copper(I) and palladium(II) complexes of 4,5-bis(methylthio)-1,3-dithiole-2-thione, coordination and S···S contact assembled ribbon structures, 1447
Dai, Z.-Y., see Zhu, H.-B., 1131
Dai, J., see Jia, D.-X., 937
Dang, D.-B., see Zou, Y., 2253
Dang, D.-B., see Liu, W.-L., 2125
Daniele, S., see Guillon, H., 1467
Danopoulos, A.A., see Winston, S., 2813
Daphnomili, D., see Raptopoulou, C., 1777
Das, S.K., see Madhu, V., 1235
Das, A. and Mukhopadhyay, S., Kinetics of oxidation of glyoxylic acid by [ethylenebis(biguanide)]silver(III) in aqueous media, 895
Das, A., see Bandyopadhyay, S., 1081
Das, S.K., see Müller, A., 2381
Dastidar, P., see Subramanian, P.S., 2515
Davies, C.J., Solan, G.A. and Fawcett, J., Synthesis and structural characterisation of cobalt(II) and iron(II) chloride complexes containing bis(2-pyridylmethyl)amine and tris(2-pyridylmethyl)-amine ligands, 3105
Day, M.W., see Wenger, O.S., 2955
de Almeida Neves, E.F., see Scarpellini, M., 511
de Araujo, M.P., Valle, E.M.A., Ellena, J., Castellano, E.E., dos Santos, E.N. and Batista, A.A., *mer*-$[RuCl_3(P\text{–}P)H_2O]$ (P–P=dppb or diop) as a starting material for the synthesis of binuclear complexes. Crystallographic structures of $[(dppb)ClRu\text{–}\mu(Cl)_3\text{–}RuCl(dppb)]$ and $[(\eta^6\text{-}C_6H_6)Ru\text{–}\mu(Cl)_3\text{–}RuCl(dppb)]$. Imine hydrogenation using mono- and binuclear ruthenium complexes, 3163
De Bellis, V.M., see Oliveira, M.R.L., 1153
de Castro, B., see Sousa, C., 1401
de Castro, V.D., de Lima, G.M., Porto, A.O., Siebald, H.G.L., de Souza Filho, J.D., Ardisson, J.D., Ayala, J.D. and Bombieri, G., Synthesis, structural characterisation and thermal decomposition of $[\{Pt(dppf)(2\text{-}SPy)\}\{BF_4\}]$ (dppf = 1,1′-bisdiphenylphosfi- noferrocene and 2-SPy = 2-mercaptopyridine) – a source for a Fe–Pt containing alloy, 63
de Faria Franca, E., see Oliveira, M.R.L., 1153
de Gelder, R., see Mohamadou, A., 1969
de Lima, G.M., see Menezes, D.C., 2103
de Lima, G.M., see de Castro, V.D., 63
de Souza, V.R., see Raimondi, A.C., 2069
de Souza Filho, J.D., see de Castro, V.D., 63
Decken, A., see Scales, S.J., 2169
Decken, A., see He, X.-F., 155
Decurtins, S., see Liu, S.-X., 1185
Deligeorgiev, T., see Minkovska, S., 3147
Demertzis, M.A., see Galani, A., 2021
Derek Woollins, J., see Zubiri, M.R.I., 693
Derek Woollins, J., see Chutia, P., 1657
Derek Woollins, J., see Rodriguez i Zubiri, M., 865
Derrah, E.J., see Scales, S.J., 2169
Derwahl, A., see Ainscough, E.W., 1159
Desmurs, J.-R., see Giroux, S., 2393
Devereux, M., see Abuskhuna, S., 1249
Devereux, M., see Abuskhuna, S., 1731
Dhara, P.K., Pramanik, S., Lu, T.-H., Drew, M.G.B. and Chattopadhyay, P., Copper(II) complexes of new tetradentate NSNO pyridylthioazophenol ligands: synthe- sis, spectral characterization and crystal structure, 2457
Di Vaira, M., see Raptopoulou, C., 1777
Dias, A.R., see Ribeiro, A.F.G., 2715
Dias, H.V.R. and Wang, X., Sterically demanding methyl tris(pyrazolyl)borate ligands: synthesis and characterization of thallium(I) complexes supported by $[MeB(3\text{-}(t\text{-}Bu)Pz)_3]^-$ and $[MeB(3\text{-}(Mes)Pz)_3]^-$, 2533
Dias, S.I.G., Heirtzler, F., Bark, T., Labat, G. and Neels, A., Helical zinc complexes of pyrazine–pyridine hybrids, 1011
Diaz, C., Barbosa, M. and Godoy, Z., Monobranched and hyperbranched dendrimers based on cyclophosphazene containing nitrile and phosphine donors and their Fe and Ru organometallic derivatives, 1027
Dinda, J., Jasimuddin, Sk., Mostafa, G., Hung, C.-H. and Sinha, C., Silver(I) complexes of the naphthyl-azoimine function: single crystal X-ray structure of bis-[1-ethyl-2-(naphthyl-α-azo)imidazole]silver(I) perchlorate, 793
Ding, H., see Meng, H., 2357

DiPasquale, A.G., see Soper, J.D., 323
Dispenziere, N.C., see Mehnert, C.P., 2679
diTargiani, R.C., see Karambelkar, V.V., 471
Djuran, M.I., see Radanović, D.D., 2183
Djurovich, P.I., see Li, J., 419
Docrat, A., Morlok, M.M., Bridgewater, B.M., Churchill, D.G. and Parkin, G., N–H···O hydrogen bonding interactions in tetrahedral [ZnS_4] complexes of relevance to zinc enzymes: the synthesis, structures and reactivity of *tris*(2-mercapto-1-arylimidazolyl)hydroborato zinc(2-mercapto-1-arylimidazole) complexes, {[Tm^{Ar}]Zn(mim^{Ar})} [ClO_4] (Ar=Ph, *p*-Tol), 481
Dodds, C.A., Jagoda, M.,Reglinski, J. and Spicer, M.D., Soft scorpionate complexes of the fourth and fifth period elements arsenic and tin, 445
Dokorou, V., see Galani, A., 2021
Dong, S.-J., see Guo, Q.-L., 1461
Donnadieu, B., see Etienne, M., 379
Donnici, C.L., see Menezes, D.C., 2103
Donohoe, D.J., see Venkatasubramanian, U., 629
Doriguetto, A.C., see Menezes, D.C., 2103
Doriguetto, A.C., see Soares, L.F., 205
dos Santos, E.N., see de Araujo, M.P., 3163
Doucet, F., see Schneider, C., 3185
Douglas, W.E., see Bushuk, S.B., 2615
Drago, V., see Fernandes, C., 1419
Drašković, N.S., see Radanović, D.D., 2183
Dressick, W.J., see Schull, T.L., 1375
Drew, M.G.B., see Cusack, J., 2315
Drew, M.G.B., see Kannan, S., 1527
Drew, M.G.B., see Dhara, P.K., 2457
Driessen, W.L., see Mohamadou, A., 1969
Driessen, W.L., see van Albada, G.A., 2387
Drożdżewski, P., Brożyna, A. and Kubiak, M., Synthesis, X-ray crystal structure and vibrational spectra of a polymeric copper(II) complex with 2-thiopheneacetic acid, 1785
Du, G.-H., see Yu, L., 823
Du, W.-X., see Xia, S.-Q., 1003
Du, M., see Zhang, L.-P., 857
Durivage, J.C., see Joshi, H.K., 429
Dury, M., see Giroux, S., 2393
Dutta, B., see Baitalik, S., 913
Dyahningtyas, T.E., see Bernhardt, P.V., 869
Dzięgielewski, J.O., see Małecki, J.G., 885

Eagle, A.A., Gable, R.W., Thomas, S., Sproules, S.A. and Young, C.G., Sulfur atom transfer reactions of tungsten(VI) and tungsten(IV) chalcogenide complexes, 385
Eda, K., see Asaji, T., 1605
Eichhorn, D.M., see Siemer, C.J., 235
El-Sayed, L., see Iskander, M.F., 23
Elguero, J., see Claramunt, R.M., 2985
Ellena, J., see Soares, L.F., 205
Ellena, J., see Menezes, D.C., 2103
Ellena, J., see de Araujo, M.P., 3163
Ellena, J., see Oliveira, M.R.L., 1153
Ellis, D., see Venkatasubramanian, U., 629
Elsegood, M.R.J., see Gibson, V.C., 189
Emseis, P., Failes, T.W., Hibbs, D.E., Leverett, P. and Williams, P.A., Intramolecular NH–π and π–π interactions in ternary cobalt(III) complexes of aromatic aminoacids: a structural and NMR study, 1749
Enemark, J.H., see Joshi, H.K., 429
Ephritikhine, M., see Salmon, L., 623
Ephritikhine, M., see Villiers, C., 1613
Ernst, R.D., see Harvey, B.G., 2725
Escuer, A., Mautner, F.A., Sanz, N. and Vicente, R., New examples of the unusual X-phenylcyanamido bridging ligands. Crystal structure and magnetic properties of Mn^{II} derivatives, 1409
Escuer, A., see Milios, C.J., 83
Espino, G., see Caballero, A., 361
Etienne, M., Hierso, J.-C., Daff, P.J., Donnadieu, B. and Dahan, F., Mono and dinuclear hydrotris(3,5-dimethylpyrazolyl)borato tantalum complexes, 379
Evans, W., Kozimor, S.A. and Ziller, J.W., Bis(pentamethylcyclopentadienyl) U(III) oxide and U(IV) oxide carbene complexes, 2689
Exley, C., see Schneider, C., 3185

Fabbrizzi, L., Licchelli, M., Poggi, A., Sacchi, D. and Zampa, C., A chromogenic penta-aza scorpionand for nickel(II) and copper(II) ions, 373
Fachinetti, G., see Pardey, A.J., 1677
Failes, T.W., see Emseis, P., 1749
Fang, J., see Yao, J., 1169
Fanwick, P.E., see Foss, O., 3021
Faria, F.P., see Sales, J.A.A., 719
Fawcett, J., Platt, A.W.G., Vickers, S. and Ward, M.D., Lanthanide halide and nitrate complexes with potentially tridentate bisphosphine dioxide – ether donors, 2561
Fawcett, J., see Davies, C.J., 3105
Fedieva, M., see Minkovska, S., 3147
Fedorov, V.E., see Naumov, N.G., 599
Fenske, D., see Naumov, N.G., 599
Fernandes, M.A., see Bowen, R.J., 2273
Fernandes, C., Wardell, J.L., Horn Jr., A., Skakle, J.M.S. and Drago, V., Reactions of [{bis(2-pyridylmethyl)amine}trichloroiron(III)] with $(HOCH_2)_3CNHCO(CH_2)_nCONHC(CH_2OH)_3$ $(n = 0 - 2)$: crystal structures of (μ-oxo)bis[(oxalato){[bis(pyridylmethyl)amine]iron(III)}] and $(HOCH_2)_3CNHCO(CH_2)_2CONHC(CH_2OH)_3$, 1419
Ferreira da Silva, J.L., see Ribeiro, A.F.G., 2715
Ferrence, G.M., see Morissette, M., 263
Fettouhi, M., Wazeer, M.I.M., Ahmad, S. and Isab, A.A., X-ray structure and ^{77}Se, ^{31}P and ^{13}C MAS NMR of the dinuclear complex 1,2-*bis*(selenourea)-1\κSe,2\κSe-1,2-*bis*(trimethylphosphine)digold(I) chloride, 1
Fiedler, J., see Knödler, A., 701
Figgemeier, E., see Aranyos, V., 589
Figueroa, J.S., see Sceats, E.L., 2751
Firman, T.K., see Hay, B.P., 145
Flood, A.H., see Polson, M.I.J., 1427
Flores-Parra, A., see Téllez, F., 2481
Flores-Parra, A., see López-Sandoval, H., 1837
Fondo, M., see Sanmartín, J., 963
Fontecha, J.B., see Abuskhuna, S., 1249
Ford, S., see Morley, C.P., 2967
Foro, S., see Iskander, M.F., 23
Foss, O., Husebye, S., Törnroos, K.W. and Fanwick, P.E., Synthesis and X-ray crystal structures of six [TeL_4][MF_6] salts, where L is ethylene- or trimethylene-thiourea and M is Si, Ge or Sn. Five Te(II) complexes with a novel type of structure linked together by unusual N–H···F hydrogen bonds, 3021
Fostiak, L.M., see Bermejo, E., 2303
Fox, M.A., see Venkatasubramanian, U., 629
Franco, D.W., see Silva, W.C., 1063
Franco, D.W., see Scarpellini, M., 511
Freijanes, E., see Rodríguez, M.C., 1045
Freire, C., see Sousa, C., 1401
Freire, C., see Ribeiro, A.F.G., 2715
Friesner, R.A., see Baik, M.-H., 2879
Fromm, K.M. and Gueneau, E.D., Structures of alkali and alkaline earth metal clusters with oxygen donor ligands, 1479
Fu, R.-B., see Zhang, J.-J., 2265

Fu, Z.-Y., see Xia, S.-Q., 1003
Fuess, H., see Boča, R., 2337
Fun, H.-K., see Bose, D., 2045
Fun, H., see Chew, K.-B., 1385
Fun, H.-K., see Crouse, K.A., 161
Funaioli, T., see Pardey, A.J., 1677
Furtado, S.J., see Camm, K.D., 2929
Furukawa, Y., see Asaji, T., 1605

Gable, R.W., see Eagle, A.A., 385
Gahan, L.R., see Sharrad, C.A., 2217
Galani, A., Kovala-Demertzi, D., Kourkoumelis, N., Koutsodimou, A., Dokorou, V., Ciunik, Z., Russo, U. and Demertzis, M.A., Organotin adducts of indomethacin: synthesis, crystal structures and spectral characterization of the first organotin complexes of indomethacin, 2021
Galler, J.L., Goodchild, S., Gould, J., McDonald, R. and Sella, A., Tris-pyrazolylborate complexes of redox inactive lanthanides – the structures of $[(Tp^{Me2})_2NdX]$ (X=Cl, NPh_2, dpm, H_2BEt_2), 253
Galli, S., see Ardizzoia, G.A., 3063
Gameiro, P., see Sousa, C., 1401
Gamez, P., see Song, Y., 1769
Gao, S., see Luo, J., 1243
Gao, S., see Zheng, X.-J., 1257
Gao, E.-Q., see Chen, J.-X., 1877
Gao, S., see Zou, Y., 2253
Gao, M.Z., see Gao, J., 59
Gao, J., Zingaro, R.A. and Gao, M., A silica immobilized cobalt complex: absorption of dioxygen and the redox ability in aqueous solution, 59
García-Deibe, A.M., see Sanmartín, J., 963
García-Fontán, S., see Rodríguez, M.C., 1045
García-Martínez, E., see Carballo, R., 1505
Gardinier, J.R., see Reger, D.L., 291
Garnovskii, A.D., Kharisov, B.I., Anpilova, E.L., Bicherov, A.V., Korshunov, O.Yu., Burlov, A.S., Méndez-Rojas, M.A., Blanco, L.M., Borodkin, G.S., Uflyand, I.E. and Ortiz Méndez, U., New β-aminovinylketonates with annealated 1,2-benzothiazine-1,1-dioxide fragment, 1909
Garrett, A.D., see Cross, J.L., 2831
Gaiterer, K., see Mautner, F.A., 1217
Gaubeur, I., Guekezian, M., Terra, L.H.S. Ávila, Moraes, M.C.B., Lago, C.L., Matos, J.R. and Suárez-Iha, M.E.V., Synthesis, characterization, thermodynamic and thermal studies of Zn(II) complexes with di-2-pyridyl ketone salicyloylhydrazone, 2095
Gause, C.D., see Alvarez, H.M., 617
Gaye, M., see Bouyagui Tamboura, F., 1191
Gelder, R. de, see van Albada, G.A., 2387
Gembický, M., see Boča, R., 2337
Gennari, M., Giannetto, M., Lanfranchi, M., Marchiò, L., Pellinghelli, M.A. and Tegoni, M., Synthesis, structure and electrochemical properties of a nickel complex with the hydrotris[thioxotriazolyl-3-(2-pyridyl)]borate podand ligand, 1829
Ghosh, B.K., see Bose, D., 2045
Ghosh, B.K., see Bose, D., 545
Ghosh, S., see Pramanik, N.R., 1595
Giannetto, M., see Gennari, M., 1829
Gibson, V.C., see O'Reilly, R.K., 2921
Gibson, V.C., Redshaw, C., Clegg, W., Elsegood, M.R.J., Siemeling, U. and Türk, T., Synthesis and X-ray crystal structures of hydridotris(3,5-dimethylpyrazolyl)borate (Tp′) molybdenum(VI) bis(imido) complexes, 189
Gil de Muro, I., Lezama, L., Insausti, M. and Rojo, T., Layered $[BaMn_{1-x}M_x(C_3H_2O_4)_2(H_2O)_4]$ (M = Fe, Co or Cu) solid solutions: thermal, spectroscopic and magnetic properties, 929
Giles, B.T., see Venkatasubramanian, U., 629
Gillespie, P.A., see Alvarez, H.M., 617
Gipson, S.L., see Kim, J., 1371
Giroux, S., Aury, S., Rubini, P., Parant, S., Desmurs, J.-R. and Dury, M., A spectroscopic investigation of the complexing ability of catecholate or salicylate derivatives towards aluminium(III), 2393
Głowiak, T., see Barszcz, B., 1309
Głowiak, T., see Valigura, D., 2447
Głowiak, T., see Stachová, P., 1303
Godinho, S.S.M.C., Royo, B., Lobato, M.T., Herdtweck, E. and Romão, C.C., Synthesis and structure of diphenylphosphine derivatives of molybdenocene, 1263
Godoy, Z., see Díaz, C., 1027
Goeta, A.E., see Coventry, D.N., 2789
Goh, T.K.H.H., see Rasika Dias, H.V., 273
Goher, M.A.S., Hafez, A.K., Abu-Youssef, M.A.M., Badr, A.M.A., Gspan, C. and Mautner, F.A., New metal(II) complexes containing monodentate and bridging 3-aminopyridine and azido ligands, 2349
Goher, M.A.S., see Mautner, F.A., 1217
Goldberg, D.P., see Karambelkar, V.V., 471
Goldsmith, J.I., see Sydora, O.L., 2841
Golen, J.A., see Alvarez, H.M., 617
Gomes, P.T., see Ribeiro, A.F.G., 2715
Gómez, M., Peris, E., Teruel, H., Arevalo, I., Mata, J.A. and Muller, G., Novel ferrocenyl-oxazoline ligands: first preparation of non-symmetrical bis(oxazoline), 611
Gonca, E., Köseoğlu, Y., Aktaş, B. and Gül, A., Octakis(1-naphthylmethylthio) substituted porphyrazine derivatives, 1845
González Garmendia, M.J., see Barquín, M., 1695
González-Prieto, R., see Barral, M.C., 2637
Goodchild, S., see Galler, J.L., 253
Gordon, K.C., see Polson, M.I.J., 1427
Gott, A.L., see Camm, K.D., 2929
Gou, S.-H., see Zhu, H.-B., 1131
Gou, S., see Yao, J., 1169
Gould, J., see Galler, J.L., 253
Govindaswamy, P., see Lalrempuia, R., 1069
Govindaswamy, P., Mozharivskyj, Y.A. and Rao Kollipara, M., Synthesis and characterization of cyclopentadienylruthenium(II) complexes containing *N,N′*-donor Schiff base ligands: crystal and molecular structure of $[(\eta^5\text{-}C_5H_5)Ru(C_5H_4N\text{-}2\text{-}CH{=}N\text{–}C_6H_4\text{–}p\text{-}OCH_3)(PPh_3)]PF_6$, 1567
Govindaswamy, P., Mozharivskyj, Y.A. and Kollipara, M.R., New neutral and cationic η^6-arene ruthenium complexes with phosphine and amine ligands: syntheses and molecular structures of $[(\eta^6\text{-}p\text{-cymene})Ru(NH_2CH_2C_6H_5)Cl_2]$, $[(\eta^6\text{-}C_6Me_6)Ru(PPh_2Py)Cl_2]$ and $[(\eta^6\text{-}C_6Me_6)Ru(PPh_2Py)Cl]^+$, 3115
Grant, G.J., Patel, K.N., Helm, M.L., Mehne, L.F., Klinger, D.W. and VanDerveer, D.G., Heteroleptic platinum(II) complexes with crown thioethers and diimine ligands: the crystal structures of [Pt(9S3)(2,2′-bipy)]$(PF_6)_2$ and [Pt(9S3)(4,4-dimethyl-2,2′-bipy)]-$(PF_6)_2{\cdot}2.5CH_3NO_2$, 1361
Gray, G.M., see Butler, J.M., 1719
Gray, H.B., see Wenger, O.S., 2955
Green, J.C. and Burney, C., Open shell metallocenes and exchange splitting of ligand bands: a reassignment of the photoelectron spectra of manganocene, 2915
Grennberg, H., see Aranyos, V., 589
Griffin, R.G., see Sceats, E.L., 2751
Griffith, W.P., see Bailey, A., 2631
Grove, H., see Thompson, L.K., 1175
Gruhn, N.E., see Joshi, H.K., 429
Gspan, C., see Goher, M.A.S., 2349
Gspan, C., see Mautner, F.A., 1217
Gu, Xiao-Mei, see Jia, D.-X., 937
Guekezian, M., see Gaubeur, I., 2095
Gueneau, E.D., see Fromm, K.M., 1479

Guilardi, S., see Oliveira, M.R.L., 1153
Guillon, H., Daniele, S., Hubert-Pfalzgraf, L.G. and Letoffe, J.M., Synthesis, characterisation and thermal decomposition study of cerium(IV) 2-(2′-hydroxyphenyl)-2-oxazoline derivatives, 1467
Guinesi, L.S., see Júnior, G.C., 1953
Guo, W., Peng, Z., Li, D. and Zhou, Y., Synthesis and structural characterization of zinc(II) and cadmium(II) complexes with 2-oxo-1,3-dithiole-4,5-dithiolate and 1,10-phenanthroline, 1701
Guo, Q.-L., Zhu, W.-X., Ma, S.-L., Dong, S.-J. and Xu, M.-Q., Assembly of superanion capsules of *p*-sulfonatothiacalix[4]arenes with transition metal ions and diaza-crown ether, 1461
Guo, Q.-L., Zhu, W.-X., Liu, Y.-C., Yuan, D.-Q., Zhang, J., Ma, S.-L., Anionic capsules of p-sulfonatothiacalix[4]arene with trivalent lanthanide ions and diaza-crown ether, 2055
Gül, A., see Yasemin Yenilmez, H., 787
Gül, A., see Gonca, E., 1845
Gupta, S., Mukherjee, A., Nethaji, M. and Chakravarty, A.R., An angular trinuclear copper(II) complex as a model for the active site of multicopper oxidases, 643
Gurešić, D.M., see Radanović, D.D., 2183
Gütlich, P.p, see Saha, S., 1811
Guy, D.M.H., see Bushuk, S.B., 2615
Guyard-Duhayon, C., see Salunke-Gawali, S., 2541

Haase, W., see Iskander, M.F., 23
Hafez, A.K., see Goher, M.A.S., 2349
Hagfeldt, A., see Aranyos, V., 589
Halcrow, M.A., see Bradford, F.E., 2141
Hamady Barry, A., see Bouyagui Tamboura, F., 1191
Hamamci, S., see Yilmaz, V.T., 841
Hamid, M.H.S.A., see Ali, M.A., 2405
Hamilton, I.G., see Lundin, N.J., 97
Han, S., see Kim, J., 1333
Han, S.C., see Bernhardt, P.V., 869
Han, Y., see Ma, C., 1207
Handel, R., see Constable, E.C., 135
Harlow, R.L., see Westcott, S.A., 2665
Harrison, A., see Smith, A.A., 1557
Harrowfield, J.M., see Bernhardt, P.V., 869
Hartshorn, C.M., see McMorran, D.A., 1055
Harvey, B.G., Arif, A.M. and Ernst, R.D., Incorporation of polybasic aromatic amines into ruthenium(II) chloro complexes, 2725
Hasegawa, T., see Raimondi, A.C., 2069
Hashimoto, M., see Asaji, T., 1605
Hata, Y., see Kitano, T., 283
Haufe, S., see Morissette, M., 263
Havel, J., see Šedo, O., 1199
Hay, B.P., Uddin, J. and Firman, T.K., Eight-coordinate stereochemistries of U(IV) catecholate and aquo complexes, 145
Hazarika, P., see Sarmah, S., 1097
Hazell, A., Is bipyridine planar in metal complexes?, 2081
He, X., see Zhang, Q., 1975
He, X.-F., Vogels, C.M., Decken, A. and Westcott, S.A., Pyridyl benzimidazole, benzoxazole and benzothiazole platinum complexes, 155
He, X., Zhang, P., Song, T.-Y., Mu, Z.-C., Yu, J.-H., Wang, Y. and Xu, J.-N., Hydrothermal synthesis and structure of a molybdenum(VI) phosphate cluster and a three dimensional cobalt molybdenum(V) phosphate, 2153
Heirtzler, F., see Dias, S.I.G., 1011
Helliwell, M., see Smith, A.A., 1557
Helliwell, M., see John, G.H., 3097
Helm, M.L., see Grant, G.J., 1361
Henderson, K.W., see Nassar, R., 2499
Henling, L.M., see Wenger, O.S., 2955
Henriques, R.T., see Ribeiro, A.F.G., 2715
Heras, J.V., see Criado, R., 301
Herdtweck, E., see Godinho, S.S.M.C., 1263
Herrero, S., see Barral, M.C., 2637
Heu, M., see Kim, J., 1333
Hey-Hawkins, E., see Karakus, M., 2281
Hey-Hawkins, E., see Höcher, T., 1393
Hibbs, D.E., see Emseis, P., 1749
Hierso, J.-C., see Etienne, M., 379
Higes-Rolando, F.J., see Barros-García, F.J., 1453
Higgins, K.A., see Nordell, K.J., 2161
Hikichi, S., see Takahashi, Y., 225
Hill, M.S., Hitchcock, P.B. and Smith, N., Routes to titanium tetrazole complexes, 801
Hitchcock, P.B., see Cloke, F.G.N., 2625
Hitchcock, P.B., see Hill, M.S., 801
Hitchcock, P.B., see López-Sandoval, H., 1837
Ho, N.N., see Li, J., 419
Höcher, T., Salisbury, B.A., Theopold, K.H. and Hey-Hawkins, E., Phosphanylalkylcyclopentadienyl ligands: synthesis, molecular structures and catalytic properties of $[\{(\eta^5\text{-}C_5H_4)CMe_2PHR\}CrCl_2(PMe_2Ph)]$ (R = Ph, ^{t}Bu), 1393
Hodson, E. and Simpson, S.J., Synthesis and characterisation of $[(\eta^6\text{-cymene})Ru(L)X_2]$ compounds: single crystal X-ray structure of $[(\eta^6\text{-cymene})Ru(P\{OPh\}_3)Cl_2]$ at 203 K, 2695
Holt, E.M., see Bentiss, F., 1903
Hong, C.S. and You, Y.S., Synthesis, crystal structures and magnetic studies of terephthalato-bridged binuclear nickel(II) complexes, 1379
Hong, C.S. and You, Y.S., Synthesis, crystal structures and magnetic properties of Cu(II) compounds bridged by the terephthalate ligand and hydrogen bonds, 3043
Hong, X.-L., Chao, H., Yao, J.-H., Li, H. and Ji, L.-N., Synthesis, characterization, electrochemistry and solvatochromic studies of $[Ru(dppt)(dien)]^{2+}$ and $[Ru(pta)(dien)]^{2+}$, 815
Horn Jr., A., see Fernandes, C., 1419
Hossaini Sadr, M., Clegg, W. and Reza Bijhanzade, H., Synthesis and characterization of two pentanuclear complexes $(NEt_4)_2[MS_4(CuBp)_4]$ (M=Mo, W; Bp=H_2B(pyrazolyl)$_2$) and crystal structure determination of $(NEt_4)_2[WS_4(CuBp)_4]$, 637
Hou, H.-W., see Mao, H.-Y., 1961
Hou, H.-W., see Liu, H.-L., 1799
Hou, H.-W., see Liu, H.-L., 943
Houlis, J.F., see Merwin, R.K., 2873
Housecroft, C.E., see Constable, E.C., 135
Howard, J.A.K., see Venkatasubramanian, U., 629
Howard, J.A.K., see Coventry, D.N., 2789
Howell, S.L., see Polson, M.I.J., 1427
Howie, R.A., Moura, M.V.H., Wardell, J.L. and Wardell, S.M.S.V., Further study of tris(cyclohexyl)stannane compounds, Cy_3SnX. Syntheses of the compounds with X=Br, I, N_3 and NCS and redetermination of the crystal structures of Cy_3SnX (X=Br and I), 2331
Hu, X.-L., Li, Y.-Z. and Luo, Q.-H., Characterization and crystal structure of lanthanide cryptates of a ligand derived from 2,6-diformyl-pyridine, 49
Hu, H.-L., see Yeh, C.-W., 1947
Hu, J.-J., see Yu, L., 823
Hu, S.-M., see Zhang, J.-J., 2265
Hu, X.-Y., see Shi, Y.-C., 567, 749
Hu, Sheng-Min, see Xia, S.-Q., 1003
Hu, X.-Y., see Shi, Y.-C., 15
Huang, W., see Yao, J., 1169
Huang, H., Yu, H.-B. Liu, S.-Y. and Shi, M., Neutral coordination frameworks with host–guest properties constructed by dicopper(II) units and 4,7-phenanthroline, 55
Huang, K.-L., see Chen, Chao, 3033
Huang, W., see Zhu, H.-B., 1131
Huang, B., see Cheng, J., 1075

Hubert-P., L.G., see Pasko, S., 735
Hubert-Pfalzgraf, L.G., see Guillon, H., 1467
Hung, C.-H., see Dinda, J., 793
Hursthouse, M.B., Levason, W., Ratnani, R., Reid, G., Synthesis and spectroscopic properties of Mo(VI) complexes with phosphine oxide ligands and the crystal structures of $[MoO_2X_2(OPMe_3)_2]$ (X=Cl or Br) and $[MoO_2Br_2\{o\text{-}C_6H_4(P(O)Ph_2)_2\}]\cdot 2CH_2Cl_2$, 1915
Husebye, S., see Foss, O., 3021

Iglesias, A.L., Aguirre, G., Somanathan, R., Parra-Hake, M., New chiral Schiff base–Cu(II) complexes as cyclopropanation catalysts, 3051
İhsan Okur, A., see Yasemin Yenilmez, H., 787
Ilkhechi, A.H., Scheibitz, M., Bolte, M., Lerner, H.-W. and Wagner, M., On the way to ferrocene-based multiple-decker sandwich complexes, 2597
Incarvito, C.D., see Voo, Janis K., 405
Incarvito, C.D., see Karambelkar, V.V., 471
Incarvito, C.D., see Niu, W., 1019
Incarvito, C.D., see Pariya, C., 439
Insausti, M., see Gil de Muro, I., 929
Inyushin, S., Shafir, A., Sheats, J.E., Minihane, M., Whitten Jr., C.E. and Arnold, J., Synthesis and X-ray structures of metallocenium diamines of iron and cobalt, 2937
Isab, A.A., see Fettouhi, M., 1
Iskander, M.F., El-Sayed, L., Salem, N.M.H., Haase, W., Linder, H.J. and Foro, S., Synthesis, characterization and magnetochemical studies of some copper(II) complexes derived from *n*-salicylidene-*n*-alkanoylhydrazins: X-ray crystal and molecular structure of bis [monochloro(μ-*n*-salicylidenemyristoylhydrazine)ono(−1)] dicopper(II), 23
Islam, N.S., see Sarmah, S., 1097

Jadeja, R.N., Shah, J.R., Suresh, E. and Paul, P., Synthesis and structural characterization of some Schiff bases derived from 4-[{(aryl)-imino}ethyl]-3-methyl-1-(4′-methylphenyl)-2-pyrazolin-5-one and spectroscopic studies of their Cu(II) complexes, 2465
Jäger, L., see Boča, R., 2337
Jagoda, M., see Dodds, C.A., 445
Jalón, F.A., see Caballero, A., 361
Jameson, G.B., see Ainscough, E.W., 1159
Jasimuddin, Sk., Byabartta, P., Mostafa, G., Lu, T. and Sinha, C., Synthesis, spectral studies, crystal structure and redox properties of homoleptic tris-chelated ruthenium(II)-arylazoimidazoles, 727
Jasimuddin, Sk., see Dinda, J., 793
Jasmin, C., see Sreeja, P.B., 575
Jaworska, M., see Małecki, J.G., 885
Jaworska, M., see Machura, B., 1819
Jaworska, M., see Machura, B., 2523
Jaworska, M., see Machura, B., 2005
Jeffery Leigh, G., see López-Sandoval, H., 1837
Jeliazkova, B., see Minkovska, S., 3147
Jeon, Y.-M., see Choi, K.-Y., 903
Jeong, J.H., see Roh, S.G., 2063
Jezierska, J., see Kurzak, B., 1939
Jezierska, J., see Barszcz, B., 1309
Jeżowska-Bojczuk, M., see Kurzak, B., 1939
Ji, L.-N., see Hong, X.-L., 815
Jia, D.-X., Dai, J., Zhu, Q.-Y., Zhang, Y. and Gu, X.-M., Syntheses, crystal structures and thermo analyses of thiostannates $[Ni(en)_3]_2Sn_2S_6$ and $[Ni(dien)_2]_2Sn_2S_6$, 937
Jia, D.-X., see Dai, J., 1447
Jia, D.-X., see Zhu, Q.-Y., 2259
Jiang, Q., see Ma, C., 779
Jiang, Z.-H., see Liang, M., 2203
Jiang, Z.-H., see Sun, Y.-J., 211
Jiménez-Aparicio, R., see Barral, M.C., 2637
Jin, L.-P., see Zheng, X.-J., 1257
Jin, L.-P., see Sun, C.-Y., 2227
Jin, L.-P., see Sun, C.-Y., 2085
Joe, D.J., see Joung, U.G., 1587
John, R.P., Sreekanth, A., Rajakannan, V., Ajith, T.A. and Kurup, M.R.P. New copper(II) complexes of 2-hydroxyacetophenone *N*(4)-substituted thiosemicarbazones and polypyridyl co-ligands: structural, electrochemical and antimicrobial studies, 2549
John, G.H., May, I., Collison, D. and Helliwell, M., Synthesis, structural and spectroscopic characterisation of three di-μ-fluoro-bis[dioxouranyl] complexes, 3097
Jones, W.D., see Oster, S.S., 2959
Jones, W.D., see Vetter, A.J., 413
Joseph, M., Suni, V., Prathapachandra Kurup, M.R., Nethaji, M., Kishore, A. and Bhat, S.G., Structural, spectral and antimicrobial studies of copper(II) complexes of 2-benzoylpyridine *N*(4)-cyclohexyl thiosemicarbazone, 3069
Joshi, H.K., Arvin, M.E., Durivage, J.C., Gruhn, N.E., Carducci, M.D., Westcott, B.L., Lichtenberger, D.L. and Enemark, J.H., Photoelectron spectra of potassium salts of hydrotris(pyrazol-1-yl)borates: electronic structure of the electron withdrawing scorpionates $Tp^{(CF_3)_2}$, Tp^{*Cl} and comparison to Tp* and Tp, 429
Jouini, T., see Bouyagui Tamboura, F., 1191
Joung, U.G., Kim, T.H., Joe, D.J., Lee, B.Y., Shin, D.M. and Chung, Y.K., Pyridineenolato and pyridineenamido complexes of zirconium, titanium and aluminum, 1587
Jung, W.-S., see Choi, S.-N., 2111
Júnior, G.C., Silva, A.P.S. and Guinesi, L.S., Synthesis, characterization and electropolymerization of a new polypyrrole iron(II) Schiff-base complex, 1953

Kafarski, P., see Kurzak, B., 1939
Kahol, P.K., see Siemer, C.J., 235
Kaim, W., see Knödler, A., 701
Kajfež Novak, T., see Cindrić, M., 1859
Kala, U.L., see Sreekanth, A., 41
Kalita, D., see Sarmah, S., 1097
Kalkan, A., Koca, A. and Bayır, Z.A., Unsymmetrical phthalocyanines with alkynyl substituents, 3155
Kalvinkovskya, Y.A., see Bushuk, S.B., 2615
Kamenar, B., see Cindrić, M., 1859
Kandaswamy, M., see Thirumavalavan, M., 519
Kandaswamy, M., see Saravanakumar, D., 665
Kandaz, M., Koca, A. and Özkaya, A.R., A new redox-active multisite ligand: synthesis, spectroscopy and electrochemistry of its mono and dinuclear complexes and the interaction of (*E*,*E*)M (M=Ni) complex with Pd^{II} and Ag^{I}, 1987
Kang, Y., see Cheng, J.-K., 2209
Kannan, S., Rajalakshmi, N., Chetty, K.V., Venugopal, V. and Drew, M.G.B., Complexes of the uranyl ion with bis(diphenylphosphino)methane dioxide, 1527
Kannappan, R., Tanase, S., Tooke, D.M., Spek, A.L., Mutikainen, I., Turpeinen, U. and Reedijk, J., Separation of actinides and lanthanides: crystal and molecular structures of *N*,*N*′-bis(3,5-di-*t*-butylsalicylidene)-4,5-dimethyl-1,2-phenylenediamine and its uranium complex, 2285
Karakus, M., Lönnecke, P. and Hey-Hawkins, E., Zwitterionic ferrocenyldithiophosphonates: the molecular structure of $[FcP(S)S(OCH_2CH_2NH_2Me)]$ $[Fc=Fe(\eta^5\text{-}C_5H_4)(\eta^5\text{-}C_5H_5)]$, 2281
Karamalides, A., see Raptopoulou, C., 1777
Karambelkar, V.V., diTargiani, R.C., Incarvito, C.D., Zakharov, L.N., Rheingold, A.L., Stern, C.L. and Goldberg, D.P., Multiple bonding modes exhibited by heteroscorpionate N_2S(alkylthiolate) ligands with Zn(II) and Fe(II), 471
Karmakar, R., Choudhury, C.R., Bravic, G., Sutter, J.-P. and Mitra, S., A novel manganese(III) quadridentate Schiff-base dimeric complex: synthesis, crystal structure and magnetic properties, 949

Kasbollah, A., see Crouse, K.A., 161
Kautz, J.A., see Rudd, M.D., 1923
Kavanagh, K., see Abuskhuna, S., 1249
Kefalloniti, E., see Milios, C.J., 83
Keita, B., see Lu, Y.-W., 1579
Kelly, A.E., see Yoon, S., 2805
Kessler, V.G., see Starikova, Z.A., 109
Kettunen, M., Abu-Surrah, A.S., Abdel-Halim, H.M., Repo, T., Leskelä, M., Laine, M., Mutikainen, I. and Ahlgren, M., Synthesis, spectroscopy and molecular structures of new salicylketiminato nickel(II) complexes, 1649
Kharisov, B.I., see Garnovskii, A.D., 1909
Kilner, C.A., see Bradford, F.E., 2141
Kim, Y.-I., see Choi, S.-N., 2111
Kim, Y., see Bernhardt, P.V., 869
Kim, J. and Gipson, S.L., Oxidatively induced one-electron reductive elimination of pentafluorophenyl from $[Mo(C_6F_5)(CO)_5]^-$, 1371
Kim, M.-W., see Choi, K.-Y., 903
Kim, J., Han, S., Cho, I.-K., Choi, K.Y., Heu, M., Yoon, S. and Suh, B.J., Synthesis of a cyano-bridged Fe_2Mn linear unit and a Fe_2Mn_2 square unit by using the $[fac\text{-}Fe\{HB(pz)_3\}(CN)_3]^-$ building block, 1333
Kim, T.H., see Joung, U.G., 1587
Kingston, J.V., see Bindu, P., 679
Kirk, M.L. and Peariso, K., Ground and excited state spectral comparisons of models for sulfite oxidase, 499
Kishore, A., see Sreeja, P.B., 575
Kishore, A., see Joseph, M., 3069
Kitano, T., Sohrin, Y., Hata, Y., Mukai, H., Wada, H. and Ueda, K., Highly selective extraction of Cu(II) and Zn(II) using $[B(3\text{-}iPrpz)_4]^-$ (iPrpz=isopropylpyrazolyl), 283
Klapshina, L.G., see Bushuk, S.B., 2615
Klinger, D.W., see Grant, G.J., 1361
Knödler, A., Fiedler, J. and Kaim, W., Characterization of the mixed-valent intermediate (n=3) of the complex series $\{(\mu,\eta^3\text{:}\ \eta^3\text{-}L)[(Ru(terpy)]_2\}^{n+}$ with the unsaturated bridging ligand N,N'-bis(α-picolinoyl)hydrazido(2−)=L^{2-}, 701
Knight, D.A., see Schull, T.L., 1375
Koban, A. and Bernhard, G., Complexation of uranium(VI) with glycerol 1-phosphate, 1793
Koca, A., see Kandaz, M., 1987
Koca, A., see Kalkan, A., 3155
Kodai, I., see Wen, M., 2117
Kollipara, M.R., see Govindaswamy, P., 3115
Kollipara, M.R., see Lalrempuia, R., 1069
Koman, M., see Valigura, D., 2447
Koman, M., see Stachová, P., 1303
Koner, S., see Saha, S., 1811
Kopel, P., Trávníček, Z., Marek, J. and Mrozinski, J., Syntheses and study on nickel(II) complexes with thiodiglycolic acid and nitrogen-donor ligands. X-ray structures of $[Ni(bpy)(tdga)(H_2O)] \cdot 4H_2O$ and $[(en)Ni(\mu\text{-}tdga)_2Ni(en)] \cdot 4H_2O$ ($tdgaH_2$=thiodiglycolic acid), 1573
Kopel, P., Trávníček, Z., Zbořil, R. and Marek, J., Synthesis, X-ray and Mössbauer study of iron(II) complexes with trithiocyanuric acid ($ttcH_3$). The X-ray structures of $[Fe(bpy)_3](ttch) \cdot 2bpy \cdot 7H_2O$ and $[Fe(Phen)_3](ttch_2)(ClO_4) \cdot 2CH_3OH \cdot 2H_2O$, 2193
Korabik, M., see Stachová, P., 1303
Korabik, M., see Valigura, D., 2447
Koreneva, O.V., see Tretyakov, E.V., 763
Korolkov, D.V., see Baranovski, V.I., 1519
Korshunov, O.Yu., see Garnovskii, A.D., 1909
Köseoğlu, Y., see Gonca, E., 1845
Kourkoumelis, N., see Galani, A., 2021
Koutsantonis, G.A., see Bernhardt, P.V., 869
Koutsodimou, A., see Galani, A., 2021
Koval, I.A., see Song, Y., 1769
Kovala-Demertzi, D., see Galani, A., 2021
Kowalski, K., Zakrzewski, J. and Rybarczyk-Pirek, A., $[(\eta^5\text{-}C_5H_5)Fe(CO)_2]$(Fp)-complexes of the parabanic acid mono- and dianion: synthesis, X-ray structures and reactivity of the heterocyclic ligand, 1441
Kozimor, S.A., see Evans, W.J., 2689
Krempner, C., Reinke, H., Weichert, K. and Spannenberg, A., Diastereoselective formation of a *meso*-disilane-1,2-diol – a dianionic siloxide ligand for Ti and Zr, 2475
Kress, J., see Pelascini, F., 3193
Krisyuk, V.V., Turgambaeva, A.E. and Rhee, S.-W., Homobinuclear copper(I) hexafluoroacetylacetonate complexes with non-cyclic diene ligands, 809
Krivolapov, D.B., see Zabirov, N.G., 2243
Kruszynski, R., see Małecki, J.G., 885
Kruszynski, R., see Machura, B., 2523
Kruszynski, R., see Machura, B., 2005
Kruszynski, R., see Machura, B., 1819
Kubiak, M., see Drożdżewski, P., 1785
Kuchta, M.C., see Cloke, F.G.N., 2625
Kumar, R., see Srivastava, P.C., 1629
Kumar, M., see Shankar, R., 71
Kumar Dutta, D., see Chutia, P., 1657
Kumar Lahiri, G., see Maiti, D., 831
Kumara Swamy, K.C., see Satish Kumar, N., 979
Kumari, N., see Chutia, P., 1657
Kunrath, F.A., Casagrande Jr., O.L., Toupet, L. and Carpentier, J.-F., Synthesis and reactivity in salt metathesis reactions of trivalent $[La(Tp^{Me2})_2X]$ (X=Cl, I) complexes: crystal structures of $[La(Tp^{Me2})_2Cl]$ and $[La(Tp^{Me2})_2(\kappa^2\text{-}pz^{Me2})]$, 2437
Kuroda-Sowa, T., see Wen, M., 2117
Kurup, M.R.P., see John, R.P., 2549
Kurup, M.R.P., see Sreekanth, A., 969
Kurzak, B., Woźna, A., Jezierska, J., Jeżowska-Bojczuk, M., Szczepanik, W. and Kafarski, P., Copper(II) complexes of several monophosphono dipeptides: the role of phosphonic oxygen and thioether sulfur in complex stabilization, 1939
Kuzmina, N., see Ryazanov, M., 879
Kyritsakas, N., see Pelascini, F., 3193

Labat, G., see Dias, S.I.G., 1011
Lago, C.L., see Gaubeur, I., 2095
Lagrenée, M., see Bentiss, F., 1903
Laine, M., see Kettunen, M., 1649
Lalrempuia, R., Govindaswamy, P., Mozharivskyj, Y.A. and Kollipara, M.R., Reactivity studies of cyclopentadienyl bis(triphenylphosphine)ruthenium(II) complex towards some polypyridyl ligands, 1069
Lam, C.-K., see Zhang, L.-P., 2413
Lam, K.C., see Westcott, S.A., 2665
Lamač, M., see Štěpnička, P., 921
LaMonica, G., see Ardizzoia, G.A., 3063
Lanfranchi, M., see Gennari, M., 1829
Larrazábal, G., see Parada, J., 1341
Lath, R., see Srivastava, P.C., 1629
Latorre, R.O., see Paredes-García, V., 1869
Layh, M., see Bowen, R.J., 2273
Leban, I., see Popović, Z., 1293
Lee, B.Y., see Joung, U.G., 1587
Lee, T.-W., Po-Kwan Lau, J. and Wong, W.-T., Synthesis and characterization of coordination polymers of Zn(II) with 1,3-bis(4-pyridyl)propane and 4,4′-pyridine ligands, 999
Lee, M.-J., see Choi, S.-N., 2111
Lee, H.-J., see Nam, H.J., 115
Lee, Y.-M., see Choi, S.-N., 2111
Lerner, H.-W., see Ilkhechi, A.H., 2597
Leskelä, M., see Kettunen, M., 1649

Leslie, W., Poole, R.A., Murray, P.R., Yellowlees, L.J., Beeby, A. and Williams, J.A.G., Near infra-red luminescence from bis-terpyridyl iridium(III) complexes incorporating electron-rich pendants, 2769
Letoffe, J.M., see Guillon, H., 1467
Leung, D.W.C., see Bailey, A., 2631
Levason, W., Matthews, M.L., Patel, B., Reid, G. and Webster, M., Titanium(IV) iodide complexes with phosphine and arsine donor ligands and the crystal structures of the iron(II)/(III) redox pair $[FeI_2\{o\text{-}C_6H_4(AsMe_2)_2\}_2]^{0/+}$, 605
Levason, W., see Hursthouse, M.B., 1915
Lever, A.B.P., see Thompson, L.K., 1175
Leverett, P., see Emseis, P., 1749
Lezama, L., see Gil de Muro, I., 929
Li, J.-S., see Yu, L., 823
Li, L.-C., see Zheng, X.-J., 1257
Li, G., see Mao, H.-Y., 1961
Li, F.-F., see Ma, J.-F., 553
Li, Y.-Z., see Liu, W.-L., 849
Li, W.-F., Sun, H.-M., Shen, Q., Zhang, Y. and Yu, K.-B., Synthesis, structural characterization and catalysis of ethyl-substituted indenylnickel (II) halides, 1473
Li, L., see Ma, J.-F., 553
Li, G., see Liu, H.-L., 943
Li, D., see Ma, C., 1207
Li, Z.-J., see Cheng, J.-K., 2209
Li, Y.-R., see Luo, J., 1243
Li, Y., see Lu, J., 755
Li, H., see Hong, X.-L., 815
Li, Y.-Z., see Hu, X.-L., 49
Li, Y.-Z., see Liu, W.-L., 2125
Li, Y., see Liang, H., 1619
Li, J., Djurovich, P.I., Alleyne, B.D., Tsyba, I., Ho, N.N., Bau, R. and Thompson, M.E., Synthesis and characterization of cyclometalated Ir(III) complexes with pyrazolyl ancillary ligands, 419
Li, X., see Liang, H., 1619
Li, D., see Guo, W., 1701
Li, B., Zhu, X., Zhou, J., Peng, Y. and Zhang, Y., Syntheses and structures of five cadmium(II) coordination polymers from 1,2-bis(1,2,4-triazol-1-yl)ethane, 3133
Li, Y.-M., see Zhang, J.-J., 2265
Li, G.-H., see Meng, H., 2357
Liang, M., Wang, Q.-L., Yu, L.-H., Liao, D.-Z., Jiang, Z.-H., Yan, S.-P. and Cheng, P., A novel 3D malonato-bridged compound $Cu(mal)(pz)_2$: synthesis, spectroscopy, crystal structure and magnetism, 2203
Liang, H., Liu, J., Li, X. and Li, Y., Synthesis, structure and norbornene polymerization behavior of neutral palladium complexes, 1619
Liao, D.-Z., see Sun, Y.-J., 211
Liao, D.-Z., see Liang, M., 2203
Licchelli, M., see Fabbrizzi, L., 373
Lichtenberger, D.L., see Joshi, H.K., 429
Lim, H.-H., see Choi, K.-Y., 903
Lin, Z., see Westcott, S.A., 2665
Lin, H.-H., see Zhu, Q.-Y., 2259
Linder, H.J., see Iskander, M.F., 23
Lippard, S.J., see Yoon, S., 2805
Litvinov, I.A., see Zabirov, N.G., 2243
Liu, Y.-H., see Shi, Y.-C., 1541
Liu, L., see Meng, H., 2357
Liu, Y., see Yang, Y., 1535
Liu, Y., see Huang, H., 55
Liu, W.-L., Zou, Y., Lu, C.-S., Dang, D.-B., Li, Y.-Z., Yao, Y.-G. and Meng, Q.-J., Self-assembly, structure and magnetic properties of carboxylate-bridged Cu(II)–M(II) (M=Mg, Ca, Sr, Ba) complexes with a new metalloligand as a building block, 2125
Liu, Y.-C., see Guo, Q.-L., 2055
Liu, W.-L., Zou, Y., Ni, C.-L., Ni, Z.-P., Li, Y.-Z., Yao, Y.-G. and Meng, Q.-J., Synthesis and characterization of copper(II) Schiff base complexes derived from salicylaldehyde and glycylglycylglycine, 849
Liu, W.-L., see Zou, Y., 2253
Liu, R.-C., see Yu, L., 823
Liu, J., see Zhang, Q., 1975
Liu, H.-L., see Mao, H.-Y., 1961
Liu, S.-X., Neels, A., Stoeckli-Evans, H., Pilkington, M., Wallis, J.D. and Decurtins, S., Organosulfur donor with hydroxy groups and its conducting salt: crystal structures and physical properties, 1185
Liu, J.-F., see Ma, J.-F., 553
Liu, H.-L., Mao, H.-Y., Zhang, H.-Y., Xu, C., Wu, Q.-A., Li, G., Zhu, Y. and Hou, H.-W., Two novel heterometallacrowns: syntheses and crystal structures of two copper(II) complexes with malonate and *o*-pthalate, 943
Liu, H.-L., Mao, H.-Y., Xu, C., Zhang, H.-Y., Hou, H.-W., Wu, Q.-A., Zhu, Y., Ye, B.-X. and Yuan, L.-J., Four novel sulfur-rich complexes: syntheses, crystal structures of three nickel(II) and one cobalt(II) complex with derivatives of Lawesson's Reagent, 1799
Liu, Y.-L., see Chen, C., 3033
Liu, J., see Liang, H., 1619
Liu, S.-X., see Chen, J.-X., 1877
Lobato, M.T., see Godinho, S.S.M.C., 1263
Lobbia, G.G., see Pettinari, C., 451
Loening, N.M., see Sceats, E.L., 2751
Long, D.-L., see Pickering, A.L., 2075
Longo, C., see Pardey, A.J., 1677
Lönnecke, P., see Karakus, M., 2281
López-Sandoval, H., Richaud, A., Contreras, R., Jeffery Leigh, G., Hitchcock, P.B., Flores-Parra, A., Carlos Galvez-Ruiz, J., Cruz, A., Nöth, H. and Barba-Behrens, N., Triangulo-μ_3-sulfido-trinickel(II) cone-shaped clusters and anion traps: structural characterization, 1837
Loroño, D., see Marquez, V.E., 1317
Lu, T.-H., see Dhara, P.K., 2457
Lu, T., see Jasimuddin, Sk., 727
Lü, C.-H., see Lu, J., 755
Lu, W.-J., see Zhang, L.-P., 169
Lu, W.-J., Zhang, L.-P., Chan, H.-S., Chan, T.-L. and Mak, T.C.W., Di-protonated 1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane tetra-*N*-oxide, a bulky di-cation that induces the assembly of unusual lanthanide(III) complexes, 1089
Lu, W.-J., see Zhang, L.-P., 857
Lu, C.-S., see Liu, W.-L., 2125
Lu, Y.-W., Keita, B. and Nadjo, L., Rational approach of the stoichiometries of lanthanide complexes with α_2-$[P_2W_{17}O_{61}]^{10-}$ heteropolytungstate in aqueous solution, 1579
Lu, J., Lü, C.-H., Yu, J.-H., Xu, J.-Q., Li, Y., Zhang, X., Wang, T.-G. and Yang, Q.-X., Syntheses, structures and third-order nonlinear optical properties of heterometal and homometal clusters containing iron, 755
Lu, C.-S., see Zou, Y., 2253
Lu, T.-H., see Chand, B., 1669
Lu, C., see Zhang, Q., 1975
Luna-Giles, F., see Barros-García, F.J., 1453
Lundin, N.J., Hamilton, I.G. and Blackman, A.G., Synthesis and hypodentate Cu(II) complexes of new tripodal tetraamine ligands incorporating a long pendant arm, 97
Luo, J., Zhou, X.-G., Gao, S., Weng, L.-H., Shao, Z.-H., Zhang, C.-M., Li, Y.-R., Zhang, J. and Cai, R.-F., Synthesis and characterization of copper(II) azide complexes containing polyamines as co-ligands, 1243
Luo, Q.-H., see Hu, X.-L., 49
Lutz, P.J., see Pelascini, F., 3193
Lycka, A., see Basu Baul, T.S., 2323

Ma, J.-F., Yang, J., Zheng, G.-L., Li, L., Zhang, Y.-M., Li, F.-F. and Liu, J.-F., Four new coordination polymers of Cu(II) with 1,1′-(1,4-butanediyl)bis(imidazole), 553
Ma, Y.-Q., see Yu, L., 823
Ma, S.-L., see Guo, Q.-L., 1461
Ma, C., Han, Y. and Li, D., Synthesis and crystal structures of diorganotin dicyanoethylene-1,2-dithiolate compounds and their derivatives with 4,4′-Bipy or Phen, 1207
Ma, C., Jiang, Q. and Zhang, R., Syntheses, characterizations and crystal structures of new organotin complexes with 2-mercapto-6-nitrobenzothiazole, 779
Ma, C. and Sun, J., Hydrogen bonding and π–π stacking interaction in the coordination of sulfur and nitrogen donor heterocycle to organotin(IV): syntheses and crystal structures of di- and triorganotin(IV) derivatives with 1-(4-hydroxyphenyl)-1*H*-tetrazole-5-thiol, 1547
Ma, C., Zhang, J. and Zhang, R., Syntheses, characterizations and crystal structures of new triorgano-tin or -germanium complexes with 1H-5-mercapto-1,2,3-triazolato, 1981
Ma, S.-L., see Guo, Q.-L., 2055
Małecki, J.G., Dzięgielewski, J.O., Jaworska, M., Kruszynski, R. and Bartczak, T.J., Synthesis, molecular, crystal and electronic structures of $[(C_6H_6)RuCl(HPz)_2]Cl$ and $[(C_6H_6)RuCl_2(Me_2HPz)]$, 885
Macgregor, S.A., see Venkatasubramanian, U., 629
Machura, B., Jaworska, M. and Kruszynski, R., X-ray and electronic structure of the $[ReCl_3(pzH)_2(PPh_3)]$ and $[ReCl_3(3,5\text{-}Me_2pzH)_2(PPh_3)]$ complexes, 1819
Machura, B., Jaworska, M. and Kruszynski, R., Synthesis, crystal, molecular and electronic structure of the $[ReBr_3(NO)(AsPh_3)(pzH)]$ complex, 2523
Machura, B., Electronic structure and UV–Vis spectroscopy of $[Re(NO)Br_3(PPh_3)_2]$ and $[Re(NO)Br_3(OPPh_3)_2]$ complexes, 2363
Machura, B., Jaworska, M. and Kruszynski, R., DFT calculation and X-ray structure of the $[ReCl_3(pzH)_3]$ complex, 2005
Madhu, V. and Das, S.K., Near-IR absorption due to supramolecular electronic interaction in an extended 3D hydrogen-bonding network material: synthesis, crystal structure and properties of $[4,4'\text{-}H_2bpy][Cu(mnt)_2]$, 1235
Maekawa, M., see Wen, M., 2117
Maestro, M.A., see Arnáiz, F.J., 537
Magull, J., see Neculai, A.M., 183
Magull, J., see Bai, G., 1125
Mahjoub, A., see Morsali, A., 2427
Mahr, N., see Werner, H., 2645
Maiti, D., Paul, H., Chanda, N., Chakraborty, S., Mondal, B., Puranik, V.G. and Kumar Lahiri, G., Synthesis, structure, spectral and electron-transfer properties of octahedral-$[Co^{III}(L)_2]^+$/$[Zn^{II}(L)_2]$ and square planar-$[Cu^{II}(L)\{OC(=O)CH_3\}]$ complexes incorporating anionic form of tridentate bis(8-quinolinyl)amine $[N^1C_9H_6\text{–}N^2\text{–}C_9H_6N^3, L^-]$ ligand, 831
Mak, T.C.W., see Zhang, L.-P., 2413
Mak, T.C.W., see Zhang, L.-P., 857
Mak, T.C.W., see Lu, W.-J., 1089
Mak, T.C.W., see Zhang, L.-P., 169
Mal, D., see Saha, S., 1811
Mamo, M.A., see Bowen, R.J., 2273
Mandal, S.S., see Pramanik, N.R., 1595
Mangrich, A.S., see Raimondi, A.C., 2069
Manning, T.D. and Parkin, I.P., Vanadium(IV) oxide thin films on glass and silicon from the atmospheric pressure chemical vapour deposition reaction of $VOCl_3$ and water, 3087
Manzano, B.R., see Caballero, A., 361
Mao, H.-Y., see Liu, H.-L., 943
Mao, H.-Y., see Liu, H.-L., 1799
Mao, H.-Y., Shen, X.-Q., Li, G., Zhang, H.-Y., Xu, C., Liu, H.-L., Wang, E.-B., Wu, Q.-A., Hou, H.-W. and Zhu, Y., Novel hydrogen-bonded and π–π interaction networks generated from the reaction of copper(II) chloride hydrates with heterocyclic diimines (2,2′-bipyridine, 1,10-phenanthroline) and bidentate diamine (ethylene-diamine), 1961
Mao, H.-Y., see Shen, X.-Q., 1851
Marcel Haba, P., see Bouyagui Tamboura, F., 1191
Marchetti, F., see Pettinari, C., 451
Marchiò, L., see Gennari, M., 1829
Marder, T.B., see Westcott, S.A., 2665
Marder, T.B., see Coventry, D.N., 2789
Marek, J., see Ahmed, M., 655
Marek, J., see Kopel, P., 2193
Marek, J., see Kopel, P., 1573
Marquez, V.E., Anacona, J.R. and Loroño, D., Crystal structure and electrochemistry of copper(II) macrocycles containing terpyridine, 1317
Martini, D., see Pettinari, C., 451
Martiška, L., see Valigura, D., 2447
Mascarenhas, Y.P., see Soares, L.F., 205
Masci, B., see Thuéry, P., 649
Masciocchi, N., see Ardizzoia, G.A., 3063
Maspero, A., see Ardizzoia, G.A., 3063
Mata, J.A., see Gómez, M., 611
Matković-Čalogović, D., see Popović, Z., 1293
Matos, J.R., see Gaubeur, I., 2095
Matsuo, H., Miyazaki, Y., Takemura, H., Matsuoka, S., Sakashita, H. and Yoshimura, K., ^{11}B NMR study on the interaction of boric acid with Azomethine H, 955
Matsuoka, S., see Matsuo, H., 955
Matthews, M.L., see Levason, W., 605
Maunder, G.H., Russo, M.R. and Sella, A., NO to NO_2^- conversion by divalent lanthanides: synthesis and crystal structure of $[Sm(Tp^{Me2,4\text{-}Et})_2NO_2]$, 2709
Mautner, F.A., see Escuer, A., 1409
Mautner, F.A., see Goher, M.A.S., 2349
Mautner, F.A., Gspan, C., Gatterer, K., Goher, M.A.S., Abu-Youssef, M.A.M., Bucher, E. and Sitte, W., Synthesis and characterization of three 5-(4-pyridyl)tetrazolato complexes obtained by reaction of 4-cyanopyridine with metal azides from aqueous solutions, 1217
May, I., see John, G.H., 3097
Mayer, J.M., see Soper, J.D., 323
McCann, M., see Abuskhuna, S., 1249
McCann, M., see Abuskhuna, S., 1731
McDonald, R., see Galler, J.L., 253
McDonald, R., see Morissette, M., 263
McGowan, P.C., see Camm, K.D., 2929
McKee, V., see Abuskhuna, S., 1249
McKee, V., see Abuskhuna, S., 1731
McMorran, D.A., Hartshorn, C.M. and Steel, P.J., Copper(II) complexes of bis- and tetrakis-(2-pyridylsulfanylmethyl)benzenes, 1055
McRory, C.P., see Scales, S.J., 2169
Mehne, L.F., see Grant, G.J., 1361
Mehnert, C.P., Cook, R.A., Dispenziere, N.C. and Mozeleski, E.J., Biphasic hydroformylation catalysis in ionic liquid media, 2679
Melník, M., see Stachová, P., 1303
Melník, M., see Valigura, D., 2447
Méndez-Rojas, M.A., see Garnovskii, A.D., 1909
Menezes, D.C., de Lima, G.M., Porto, A.O., Donnici, C.L., Ardisson, J.D., Doriguetto, A.C. and Ellena, J., Synthesis, characterisation and thermal decomposition of tin(IV) dithiocarbamate derivatives – single source precursors for tin sulfide powders, 2103
Menezes, D.C., see Soares, L.F., 205
Meng, Q.-J., see Liu, W.-L., 2125
Meng, Q.-J., see Liu, W.-L., 849
Meng, H., Li, G.-H., Xing, Y., Yang, Y.-L., Cui, Y.-J., Liu, L., Ding, H. and Pang, W.-Q., Hydrothermal synthesis and characterization

of a new 3D iron phosphatooxalate templated by organo-amine, 2357
Meng, Q.-J., see Zou, Y., 2253
Merca, A., see Müller, A., 2381
Merwin, R.K., Ontko, A.C., Houlis, J.F. and Roddick, D.M., Synthesis and characterization of CpMn(dfepe)(L) complexes (dfepe = $(C_2F_5)_2PCH_2CH_2P(C_2F_5)_2$; L = CO, H_2, N_2): an unusual example of a dihydride to dihydrogen photochemical conversion, 2873
Metteau, L., see Collange, E., 2605
Michaelides, A., Papadimitriou, C.D., Plakatouras, J.C., Skoulika, S. and Veltsistas, P.G., Synthesis, characterization and crystal structure of *catena*-bis(1,10-phenanthroline)-μ-chloranilatocadmium(II): a zig-zag polymer based on eight-coordinated square antiprismatic units, 2587
Miecznikowski, J.R. and Crabtree, R.H., Transfer hydrogenation reduction of ketones, aldehydes and imines using chelated iridium(III) *N*-heterocyclic bis-carbene complexes, 2857
Milios, C.J., Kefalloniti, E., Raptopoulou, C.P., Terzis, A., Escuer, A., Vicente, R. and Perlepes, S.P., 2-Pyridinealdoxime [(py)CHNOH] in manganese(II) carboxylate chemistry: mononuclear, dinuclear, tetranuclear and polymeric complexes and partial transformation of (py)CHNOH to picolinate(−1), 83
Miller, A.E., see Sydora, O.L., 2841
Miller, D.O., see Thompson, L.K., 1175
Milton, H.L., see Rodriguez i Zubiri, M., 865
Milton, H.L., Wheatley, M.V., Slawin, A.M.Z. and Woollins, J.D., Synthesis and coordination of 2-diphenylphosphinothiophenocarboxamide and bis-(2,5-diphenylphosphinepicolinamide), 2575
Milton, H.L., see Slawin, A.M.Z., 3125
Milton, H.L., see Zubiri, M.R.I., 693
Milton, H.L., Wheatley, M.V., Slawin, A.M.Z. and Woollins, J.D., Synthesis and coordination of 2-diphenylphosphinopicolinamide, 3211
Minihane, M., see Inyushin, S., 2937
Minkovska, S., Fedieva, M., Jeliazkova, B. and Deligeorgiev, T., Thermally activated and light-induced metal ion complexation of 5′-(hydroxy)spiroindolinonaphthooxazines in polar solvents, 3147
Mironov, Y.V., see Naumov, N.G., 599
Mirza, A.H., see Ali, M.A., 2405
Mirza, A.H., see Akbar Ali, M., 2031
Mirza, A.H., see Ali, M.A., 2037
Mitra, S., see Karmakar, R., 949
Miyazaki, Y., see Matsuo, H., 955
Mochida, K., Amada, K., Sugimoto, H., Akiba, M. and Sato, K., Preparation of polystyrene-supported hydrogermanes and their reduction of organic halides, 177
Mohamadou, A., see van Albada, G.A., 2387
Mohamadou, A., van Albada, G.A., Driessen, W.L., de Gelder, R. and Reedijk, J., Crystal structures, spectroscopy and EPR of two distortion isomers of Cu(II) perchlorate with 2,2′-bi-imidazoline, 1969
Mondal, B., see Maiti, D., 831
Mondal, S., see Saha, S., 1811
Montero, M.L., see Arce, H., 1897
Moraes, M.C.B., see Gaubeur, I., 2095
Morissette, M., Haufe, S., McDonald, R., Ferrence, G.M. and Takats, J., Steric saturation of the ytterbium coordination environment: $(Tp^{rBu,Me})Yb(OMes)$, a four coordinate, monomeric, base-free divalent lanthanide complex, its solvation with tetrahydrofuran and comparison to the β-diketonate complex, $(Tp^{rBu,Me})Yb(dpm)$, 263
Morley, C.P., Ford, S. and Vaira, M.D., Palladium complexes of novel azo-compounds derived from cycloalkeno-1,2,3-selenadiazoles: X-ray crystal structure of cyclohexeno-1,2,3-selenadiazole, 2967
Morley-Smith, N.A., see Cloke, F.G.N., 2625
Morlok, M.M., see Docrat, A., 481
Moro-oka, Y., see Takahashi, Y., 225
Morsali, A. and Mahjoub, A., Coordination polymers of lead(II) with 4,4′-bipyridine: syntheses and structures, 2427
Mostafa, G., see Dinda, J., 793
Mostafa, G., see Chand, B., 1669
Mostafa, G., see Jasimuddin, Sk., 727
Mostafa, G., see Bose, D., 2045
Mostafa, G., see Bose, D., 545
Moura, M.V.H., see Howie, R.A., 2331
Mozeleski, E.J., see Mehnert, C.P., 2679
Mozharivskyj, Y.A., see Govindaswamy, P., 1567
Mozharivskyj, Y.A., see Govindaswamy, P., 3115
Mozharivskyj, Y.A., see Lalrempuia, R., 1069
Mroziński, J., see Stachová, P., 1303
Mrozinski, J., see Kopel, P., 1573
Mrozińsky, J., see Valigura, D., 2447
Mu, Z.-C., see He, X., 2153
Mukai, H., see Kitano, T., 283
Mukherjee, A., Saha, M.K., Nethaji, M. and Chakravarty, A.R., Dicopper(II) Schiff base aminobenzoates with discrete molecular and 1D-chain polymeric structures, 2177
Mukherjee, M., see Saha, S., 1811
Mukherjee, G.N., see Bandyopadhyay, S., 1081
Mukherjee, A., see Gupta, S., 643
Mukherjee, A., Nethaji, M. and Chakravarty, A.R., Synthesis, crystal structure and imine bond activation of a copper(II) Schiff base complex, 3081
Mukhopadhyay, A. and Pal, S., Complexes of nickel with tetradentate ligands formed by ring opening of 1-benzoyl-3,5-dimethyl-5-(1′-benzoylhydrazido)pyrazoline, 1997
Mukhopadhyay, S., see Das, A., 895
Mulla, R.M. and Nandibewoor, S.T., Mechanistic and spectral investigation of the oxidation of 4-hydroxycoumarin by aqueous alkaline permanganate using the stopped flow technique, 2507
Muller, G., see Gómez, M., 611
Müller, A., see Pascu, M., 673
Müller, A., Botar, B., Das, S.K., Bögge, H., Schmidtmann, M. and Merca, A., On the complex hedgehog-shaped cluster species containing 368 Mo atoms: simple preparation method, new spectral details and information about the unique formation, 2381
Munakata, M., see Wen, M., 2117
Murray, P.R., see Leslie, W., 2769
Murugesu, M., Abboud, K.A. and Christou, G., New hexanuclear and dodecanuclear Fe(III) clusters with carboxylate and alkoxide-based ligands from cluster aggregation reactions, 2779
Mutikainen, I., see Kettunen, M., 1649
Mutikainen, I., see van Albada, G.A., 993
Mutikainen, I., see Song, Y., 1769
Mutikainen, I., see Kannappan, R., 2285

Nadjo, L., see Lu, Y.-W., 1579
Nag, K., see Baitalik, S., 913
Nam, H.J., Lee, H.-J. and Noh, D.-Y., Novel mercury(II) complexes of 1,3-dithiole-2-thiones containing the 2-pyridyl moiety: syntheses, X-ray crystal structures and solution behavior, 115
Nandibewoor, S.T., see Mulla, R.M., 2507
Narula, S.P., see Shankar, R., 71
Nassar, R., Noll, B.C. and Henderson, K.W., Solid-state studies of the Horner–Wittig reagent $[\{\{Ph_2P(O)\}_2CHLi \cdot (THF)\}_2 \cdot THF]$ and its mixed-anion intermediate $[\{\{Ph_2P(O)\}_2CHLi\}_4 \cdot \{Ph_2P(O)_2Li\}_2 \cdot 8C_6H_6]$ formed by reaction with dioxygen, 2499
Nättinen, K., see Chawla, S.K., 3007
Naumov, N.G., Brylev, K.A., Mironov, Y.V., Virovets, A.V., Fenske, D. and Fedorov, V.E., Synthesis and structures of new octahedral water-soluble heterometal rhenium–molybdenum clusters, 599
Navarro, D., see Sanmartín, J., 963
Nayar, C.R., see Sreekanth, A., 41

Neculai, D., see Neculai, A.M., 183
Neculai, A.M., Neculai, D., Roesky, H.W. and Magull, J., Synthesis and structure of $LLnBr_2$ ($L = Et_2N\ CH_2CH_2NC(Me)CHC(Me)$-$NCH_2CH_2NEt_2$; Ln = Y, Sm and Yb), 183
Neels, A., see Dias, S.I.G., 1011
Neels, A., see Liu, S.-X., 1185
Nethaji, M., see Mukherjee, A., 2177
Nethaji, M., see Philip, V., 1225
Nethaji, M., see Gupta, S., 643
Nethaji, M., see Joseph, M., 3069
Nethaji, M., see Mukherjee, A., 3081
Neuburger, M., see Constable, E.C., 135
Neves, A., see Scarpellini, M., 511
Newlands, M.J., see Thompson, L.K., 1175
Ni, C.-L., see Liu, W.-L., 849
Ni, Z.-P., see Liu, W.-L., 849
Niclós, J., see Carballo, R., 1505
Niel, V., see Thompson, L.K., 1175
Nikiforov, G.B., Roesky, H.W., Noltemeyer, M. and Schmidt, H.-G., Reactivity of $Ti(bipy)_3$ and preparation of the $Li(THF)_4[Al(bipy)_2]$ complex with the dinegative bipy ligand, 561
Niu, J.-Y., Wang, Z.-L. and Wang, J.-P., Hydrothermal synthesis and structure characterization of a Keggin tungstocobaltate $[Co(2,2'\text{-bipy})_3]_2H_2[CoW_{12}O_{40}]\cdot 9.5H_2O$, 773
Niu, W., Wong, E.H., Weisman, G.R., Zakharov, L.N., Incarvito, C.D. and Rheingold, A.L., Copper(II) and zinc(II) complexes of amide pendant-armed cross-bridged tetraamine ligands, 1019
Noh, D.-Y., see Nam, H.J., 115
Noll, B.C., see Nassar, R., 2499
Noltemeyer, M., see Nikiforov, G.B., 561
Nordell, K.J., Schultz, K.N., Higgins, K.A. and Smith, M.D., Hydrothermal synthesis of two new lead-containing coordination polymers: $^2_\infty[PbCl_2(4,4'\text{-bipy})]$ and $^2_\infty[Pb_2(NO_3)_4(H_2O)_2(4,4'\text{-bipy})_2](4,4'\text{-bipy})_2$, 2161
Nöth, H., see López-Sandoval, H., 1837
Novak, P., see Cindrić, M., 1859
Nunes, F.S., see Raimondi, A.C., 2069

Oh, J.-J., see Choi, K.-Y., 903
Okamoto, K.-I., see Saha, S., 1811
Okawa, H., see Saravanakumar, D., 665
Oliveira, M.R.L., Rubinger, M.M.M., Guilardi, S., de Faria Franca, E., Ellena, J. and De Bellis, V.M., Preparation, crystal structure and spectroscopic characterization of novel N-*R*-sulfonyldithiocarbimate platinum(II) complexes, 1153
Oñate, E., see Rodríguez, M.C., 1045
Ontko, A.C., see Merwin, R.K., 2873
O'Reilly, R.K., Gibson, V.C., White, A.J.P. and Williams, D.J., Five-coordinate iron(II) complexes bearing tridentate nitrogen donor ligands as catalysts for atom transfer radical polymerisation, 2921
Ortiz Méndez, U., see Garnovskii, A.D., 1909
Oster, S.S. and Jones, W.D., Synthesis, structure and reactivity of $[Ir(dippe)(\mu\text{-}Cl)]_2$, $[Ir(dippe)_2][Ir(dippe)Cl_2]$ and $[Ir(dippe)_2]Cl$, 2959
Ovcharenko, V.I., see Tretyakov, E.V., 763
Owen, J.S., see Piro, N.A., 2797
Özçeşmeci, İ., see Yasemin Yenilmez, H., 787
Özkaya, A.R., see Kandaz, M., 1987

Pacheco, S., see Barquín, M., 1695
Pal, S., see Mukhopadhyay, A., 1997
Pang, W.-Q., see Meng, H., 2357
Pang, W., see Yang, Y., 1535
Pang, W.-Q., see Chen, C., 3033
Papadimitriou, C.D., see Michaelides, A., 2587
Parada, J. and Larrazábal, G., The origin of optical activity in complexes of the type $[Co(diimine)_2carbohydrate]^{2+}$, 1341
Parant, S., see Giroux, S., 2393
Pardey, A.J., Longo, C., Funaioli, T. and Fachinetti, G., Hydrocarboxylation and stepwise alternating oligomerization of carbon monoxide and ethylene catalyzed by *cis*-$[Rh(CO)_2(amine)_2](PF_6)$ complexes in a wet liquid tetrabutylammonium hydrogensulfate, 1677
Paredes-García, V., Latorre, R.O. and Spodine, E., Electronic and magnetic properties of iron (III) dinuclear complexes with carboxylate bridges, 1869
Pariya, C., Incarvito, C.D., Rheingold, A.L. and Theopold, K.H., Preparation and ligand substitution reactions of $Tp^{Ms}Ru(COD)H$ including intramolecular ligand metalation, 439
Parkin, I.P., see Manning, T.D., 3087
Parkin, G., Preface, 2595
Parkin, G., see Baik, M.-H., 2879
Parkin, G., see Docrat, A., 481
Parra-Hake, M., see Iglesias, A.L., 3051
Parsons, S., see Smith, A.A., 1557
Pascu, M., Andruh, M., Müller, A. and Schmidtmann, M., Binuclear coordination compounds as building-blocks in designing polynuclear complexes, 673
Pasko, S., Hubert-Pfalzgraf, L.G., Abrutis, A. and Vaissermann, J., Synthesis and molecular structures of cobalt(II) β-diketonate complexes as new MOCVD precursors for cobalt oxide films, 735
Patel, K.N., see Grant, G.J., 1361
Patel, B., see Levason, W., 605
Paul, H., see Maiti, D., 831
Paul, P., see Jadeja, R.N., 2465
Paulo, A., Correia, J.D.G., Campello, M.P.C. and Santos, I., A short ride on scorpionates: from d- to f-elements, 331
Pavlović, G., see Popović, Z., 1293
Peariso, K., see Kirk, M.L., 499
Pedrero-Marín, R., see Barros-García, F.J., 1453
Pedrosa, M.R., see Arnáiz, F.J., 537
Pelascini, F., Wesolek, M., Peruch, F., Cian, A.D., Kyritsakas, N., Lutz, P.J. and Kress, J., Iron complexes of terdentate nitrogen ligands: formation and X-ray structure of three new dicationic complexes, 3193
Pellei, M., see Pettinari, C., 451
Pellinghelli, M.A., see Gennari, M., 1829
Peng, Y., see Li, B., 3133
Peng, Z., see Guo, W., 1701
Peris, E., see Gómez, M., 611
Perlepes, S.P., see Boudalis, A.K., 1271
Perlepes, S.P., see Milios, C.J., 83
Peruch, F., see Pelascini, F., 3193
Peters, J.C., see Christopher Thomas, J., 2901
Peters, L. and Burzlaff, N., Complexes bearing an enantiopure *N,N,O* scorpionate ligand derived from (−)-menthone, 245
Peters, J.C., see Thomas, J.C., 489
Petříček, S., Syntheses of lanthanide bromide complexes from oxides and the crystal structures of $[LnBr_3(DME)_2]$ (Ln=Pr, Nd, Sm, Eu), $[LnBr_3(THF)_4]$ (Ln=Pr, Sm) and $[EuBr_2(THF)_5][EuBr_4(THF)_2]$, 2293
Pettinari, C., Cingolani, A., Lobbia, G.G., Marchetti, F., Martini, D., Pellei, M., Pettinari, R. and Santini, C., Copper and silver derivatives of scorpionates and related ligands, 451
Pettinari, R., see Pettinari, C., 451
Philip, V., Suni, V., Prathapachandra Kurup, M.R. and Nethaji, M., Structural and spectral studies of nickel(II) complexes of di-2-pyridyl ketone N^4,N^4-(butane-1,4-diyl) thiosemicarbazone, 1225
Phipps, D.E., see Wong, W.W.H., 2821
Phuengphai, P., see Youngme, S., 1685
Pickering, A.L., Cooper, G.J.T., Long, D.-L. and Cronin, L., Facile synthesis and structures of infinite one-dimensional silver(I) coordination polymers, 2075
Pilkington, M., see Liu, S.-X., 1185
Pinilla, E., see Barquín, M., 1695
Pinilla, E., see Criado, R., 301

Piro, N.A., Owen, J.S. and Bercaw, J.E., Pyridinium-derived *N*-heterocyclic carbene ligands: syntheses, structures and reactivity of *N*-(2′-pyridyl)pyridin-2-ylidene complexes of nickel(II), palladium(II) and platinum(II), 2797
Plakatouras, J.C., see Michaelides, A., 2587
Platt, A.W.G., see Fawcett, J., 2561
Po-Kwan Lau, J., see Lee, T.-W., 999
Poggi, A., see Fabbrizzi, L., 373
Poli, R., see Collange, E., 2605
Polson, M.I.J., Howell, S.L., Flood, A.H., Burrell, A.K., Blackman, A.G. and Gordon, K.C., Synthesis and electronic properties of mononuclear osmium(II) and rhenium(I) complexes containing ligands derived from [2,3-a:3′,2′-c]dipyridophenazine (ppb), 1427
Poole, R.A., see Leslie, W., 2769
Popović, Z., Roje, V., Pavlović, G., Matković-Čalogović, D., Rajić, M. and Leban, I., Complexes of zinc(II) halides with *N*-benzyl- and *N*-*p*-tolyl-2-oxo-1-naphthylideneamine – preparation and characterization, 1293
Porto, A.O., see de Castro, V.D., 63
Porto, A.O., see Menezes, D.C., 2103
Prado, A.G.S., see Sales, J.A.A., 719
Pramanik, S., see Dhara, P.K., 2457
Pramanik, N.R., Ghosh, S., Raychaudhuri, T.K., Ray, S., Butcher, R.J. and Mandal, S.S., Synthesis, characterization and crystal structure of oxomolybdenum (VI) and (IV) complexes of some tridentate ONS donor ligands, 1595
Prathapachandra Kurup, M.R., see Joseph, M., 3069
Prathapachandra Kurup, M.R., see Sreeja, P.B., 575
Prathapachandra Kurup, M.R., see Philip, V., 1225
Prathapachandra Kurup, M.R., see Sreekanth, A., 41
Priego, J.L., see Barral, M.C., 2637
Priyadarshni, G., see Saravanakumar, D., 665
Pruchnik, M., see Pruchnik, F.P., 103
Pruchnik, F.P., Ciunik, Z. and Pruchnik, M., New one- and two-dimensional rhodium–tin polynuclear complexes, synthesis, properties and structural characterization, 103
Puranik, V.G., see Salunke-Gawali, S., 2541
Puranik, V.G., see Maiti, D., 831

Qin, Y.-Y., see Cheng, J.-K., 2209
Quirós, M., see Abul-Haj, M., 743
Quirós, M., see Abul-Haj, M., 2373

Rabinovich, D., see Alvarez, H.M., 395
Rabinovich, D., see Alvarez, H.M., 617
Radanović, D.D., Rychlewska, U., Djuran, M.I., Warżajtis, B., Drašković, N.S. and Gurešić, D.M., Alkaline earth metal complexes of the edta-type with a six-membered diamine chelate ring: crystal structures of $[Mg(H_2O)_6][Mg(1,3\text{-pdta})] \cdot 2H_2O$ and $[Ca(H_2O)_3Ca(1,3\text{-pdta})(H_2O)] \cdot 2H_2O$: comparative stereochemistry of edta-type complexes, 2183
Rahaman, S.H., see Bose, D., 545, 2045
Raimondi, A.C., de Souza, V.R., Toma, H.E., Mangrich, A.S., Hasegawa, T. and Nunes, F.S., An unusual vanadium(II) promoted hydrogenation of a magnesium tetraiminediphenolate compound yielding an asymmetric oxovanadium(IV) macrocyclic complex, 2069
Rajakannan, V., see John, R.P., 2549
Rajalakshmi, N., see Kannan, S., 1527
Rajić, M., see Popović, Z., 1293
Ramalingam, K., see Arul Prakasam, B., 77
Rane, S.Y., see Salunke-Gawali, S., 2541
Rao Kollipara, M., see Govindaswamy, P., 1567
Raptopoulou, C.P., see Milios, C.J., 83
Raptopoulou, C.P., see Boudalis, A.K., 1271
Raptopoulou, C., Daphnomili, D., Karamalides, A., Di Vaira, M., Terzis, A. and Coutsolelos, A.G., Perhalogenated porphyrinic derivatives with indium and thallium: the X-ray structures of (β-Cl_4TPP)Tl(Cl), (β-Cl_4TPP)In(Cl) and (T*p*FTPP)Tl(Cl), 1777
Rasika Dias, H.V. and Goh, T.K.H.H., Fluorinated tris(pyrazolyl)-borates. Syntheses and characterization of sodium and copper complexes of $[HB(3\text{-}(CF_3),5\text{-}(Ph)Pz)_3]^-$, 273
Ratnani, R., see Hursthouse, M.B., 1915
Ravoof, T.B.S.A., Crouse, K.A., Tahir, M.I.M., Cowley, A.R. and Ali, M.A., Synthesis, characterization and bioactivity of mixed-ligand Cu(II) complexes containing *S*-methyldithiocarbazate derivatives and saccharinate ligands and the X-ray crystal structure of the copper–saccharinate complex containing *S*-methyl-β-*N*-(6-methylpyrid-2-yl)methylenedithiocarbazate, 2491
Ravoof, T.B.S.A., see Akbar Ali, M., 2031
Ray, S., see Pramanik, N.R., 1595
Ray, U., see Chand, B., 1669
Raychaudhuri, T.K., see Pramanik, N.R., 1595
Redshaw, C., see Gibson, V.C., 189
Reedijk, J., see Song, Y., 1769
Reedijk, J., see Kannappan, R., 2285
Reedijk, J., see van Albada, G.A., 993
Reedijk, J., see van Albada, G.A., 2387
Reedijk, J., see Mohamadou, A., 1969
Reger, D.L., Smith, D.M.C., Shimizu, K.D. and Smith, M.D., Syntheses and solid state structures of europium and terbium complexes of *N*,*N*′-bis(2-pyridylmethyl)urea and *N*,*N*′-bis(3-pyridylmethyl)oxalamide, 711
Reger, D.L., Gardinier, J.R. and Smith, M.D., Synthesis of *meta*-$C_6H_4[C(1\text{-pyrazolyl})_2(2\text{-pyridyl})]_2$, a fixed geometry bitopic heteroscorpionate and the crystal structure of its unusual square planar silver(I) complex, 291
Reglinski, J., see Taylor, M.K., 3201
Reglinski, J., see Dodds, C.A., 445
Reid, G., see Hursthouse, M.B., 1915
Reid, G., see Levason, W., 605
Reinke, H., see Krempner, C., 2475
Ren, Z.-G., see Dai, J., 1447
Repo, T., see Kettunen, M., 1649
Reza Bijhanzade, H., see Hossaini Sadr, M., 637
Rezai-Adaryani, M., see Salavati-Niasari, M., 1325
Rhee, S.-W., see Krisyuk, V.V., 809
Rheingold, A.L., see Voo, J.K., 405
Rheingold, A.L., see Pariya, C., 439
Rheingold, A.L., see Karambelkar, V.V., 471
Rheingold, A.L., see Alvarez, H.M., 617
Rheingold, A.L., see Niu, W., 1019
Rhile, I.J., see Soper, J.D., 323
Ribas, J., see Bandyopadhyay, S., 1081
Ribeiro, A.F.G., Gomes, P.T., Dias, A.R., Ferreira da Silva, J.L., Teresa Duarte, M., Henriques, R.T. and Freire, C., Reactions between isocyanides and a binuclear nickel(II) phosphine complex linked by a bridged bis(cyclopentadienyl) ligand. X-ray molecular structure of $[(CN^tBu)(PPh_3)Ni\{\mu\text{-}(\eta\text{-}C_5H_4)CMe_2(\eta\text{-}C_5H_4)\}Ni(PPh_3)(CN^t\text{-}Bu)][PF_6]_2$, 2715
Richard, P., see Collange, E., 2605
Richaud, A., see López-Sandoval, H., 1837
Riordan, C.G., see Voo, J.K., 405
Rissanen, K., see Chawla, S.K., 3007
Robertson, S., see Venkatasubramanian, U., 629
Roddick, D.M., see Merwin, R.K., 2873
Rodríguez, M.C., Bravo, J., Freijanes, E., Oñate, E., García-Fontán, S. and Rodríguez-Seoane, P., Synthesis and reactivity of $[Re(ClCH_2Cl)(CO)_3L][A]$ and $[Re(OSO_2CF_3)(CO)_3L]$ (L=$Ph_2PO(CH_2)_2OPPh_2$; A=BF_4, $[B\{3,5\text{-}(CF_3)_2C_6H_3\}_4]$): the crystal structure of $[Re(OSO_2CF_3)(CO)_3L]$ and $[Re(NCCH_3)(CO)_3L][BF_4]$, 1045
Rodríguez-Seoane, P., see Rodríguez, M.C., 1045
Rodriguez, M.A., see Coker, E.N., 1739

Rodriguez i Zubiri, M., Milton, H.L., Slawin, A.M.Z. and Derek Woollins, J., The preparation and coordination of 1,3-C_6H_4-{C(O)N(PPh_2)CH_2Ph}$_2$ – a new multidentate ligand, 865
Roesky, H.W., see Neculai, A.M., 183
Roesky, H.W., see Bai, G., 1125
Roesky, H.W., see Nikiforov, G.B., 561
Roh, S.G., Yoon, J.U. and Jeong, J.H., Synthesis and characterization of a chiral Zn(II) complex based on a *trans*-1,2-diaminocyclohexane derivative and catalytic reduction of acetophenone, 2063
Roje, V., see Popović, Z., 1293
Rojo, T., see Gil de Muro, I., 929
Romanenko, G.V., see Tretyakov, E.V., 763
Romão, C.C., see Godinho, S.S.M.C., 1263
Rosair, G.M., see Venkatasubramanian, U., 629
Royer, E.C., see Barral, M.C., 2637
Royo, B., see Godinho, S.S.M.C., 1263
Rubinger, M.M.M., see Oliveira, M.R.L., 1153
Rubini, P., see Giroux, S., 2393
Rubinov, A.N., see Bushuk, S.B., 2615
Rudd, M.D., Creighton, M.A. and Kautz, J.A., Synthesis and characterization of chalcogenoic aminophosphines: X-ray structures of $Bu^t_2P(E)NHPr^n$ (E=Se, Te), $Ph_2P(Se)$-$NHPr^n$ and {$Et_2P(Se)$}$_2NPr^n$, 1923
Rukmini, E., see Bernhardt, P.V., 869
Ruman, T., Ciunik, Z. and Wołowiec, S. Complexes of heteroscorpionate trispyrazolylborate ligands. Part XII. Variable hapticity of hydrobis(3-phenyl-5-isopropylpyrazolyl)(3,5-dimethylpyrazolyl)borate in its rhodium(I) complexes with COD and NBD, 219
Russo, M.R., see Maunder, G.H., 2709
Russo, U., see Galani, A., 2021
Ryazanov, M., Troyanov, S., Baran, M., Szymczak, R. and Kuzmina, N., Synthesis, crystal structure and magnetic properties of dinuclear manganese(II) diketonate with cyanopyridine-N-oxide bridging ligands [Mn(hfac)$_2$(4-cpyNO)]$_2$, 879
Rybarczyk-Pirek, A., see Kowalski, K., 1441
Rychlewska, U., see Radanović, D.D., 2183
Ryu, H., see Choi, K.-Y., 903

Sacchi, D., see Fabbrizzi, L., 373
Sáenz, A., see Arce, H., 1897
Saha, S., Mal, D., Koner, S., Bhattacherjee, A., Gütlich, P., Mondal, S., Mukherjee, M. and Okamoto, K.-I., Synthesis, X-ray structure and magnetic properties of the azido adducts of quadridentate Schiff base manganese(III) complexes, 1811
Saha, N., see Sau, D.K., 5
Saha, M.K., see Mukherjee, A., 2177
Saito, T., see Sakai, N., 2611
Sakai, N. and Saito, T., Synthesis and structures of tetranuclear rhenium–cobalt mixed metal sulfide clusters [$Re_3CoS_4Cl_6$(PMe_2Ph)$_4$], 2611
Sakashita, H., see Matsuo, H., 955
Salam Sall, A., see Bouyagui Tamboura, F., 1191
Salas, J.M., see Abul-Haj, M., 743
Salas, J.M., see Abul-Haj, M., 2373
Salavati-Niasari, M. and Rezai-Adaryani, M., Template condensation reactions of formaldehyde with amines and 2,3-butanedihydrazone: preparation and properties of nickel(II) complexes of 18-membered decaaza macrocycles, 1325
Saleh, M.T., see Scales, S.J., 2169
Salem, N.M.H., see Iskander, M.F., 23
Sales, J.A.A., Faria, F.P., Prado, A.G.S. and Airoldi, C., Attachment of 2-aminomethylpyridine molecule onto grafted silica gel surface and its ability in chelating cations, 719
Salisbury, B.A., see Höcher, T., 1393
Salmon, L., Thuéry, P. and Ephritikhine, M., Crystal structure of the first octanuclear uranium(IV) complex with compartmental Schiff base ligands, 623
Salunke-Gawali, S., Rane, S.Y., Puranik, V.G., Guyard-Duhayon, C. and Varret, F., Three dimensional hydrogen-bonding network in a copper complex of 2-hydroxy-1,4-naphthoquinone: structural, spectroscopic and magnetic properties, 2541
Sambasiva Rao, P., see Srinivasan, R., 1115
Sanmartin, J., García-Deibe, A.M., Fondo, M., Navarro, D. and Bermejo, M.R., Synthesis and crystal structure of a mononuclear iron(III) (η^2-acetato) complex of a β-*cis* folded salen type ligand, 963
Santa María, M.D., see Claramunt, R.M., 2985
Santini, C., see Pettinari, C., 451
Santos, I.C., see Belo, D., 1351
Santos, I.G., see Bermejo, E., 2303
Santos, I., see Paulo, A., 331
Sanz, N., see Escuer, A., 1409
Saravanakumar, D., Sengottuvelan, N., Priyadarshni, G., Kandaswamy, M. and Okawa, H., Synthesis of unsymmetrical 'end-off' phenoxo and oximinato di bridged copper(II) and nickel(II) complexes: spectral, electrochemical and magnetic properties, 665
Saravanan, M., see Arul Prakasam, B., 77
Sarmah, S., Kalita, D., Hazarika, P., Borah, R. and Islam, N.S., Synthesis of new dinuclear and mononuclear peroxovanadium(V) complexes containing biogenic co-ligands: a comparative study of some of their properties, 1097
Satish Kumar, N. and Kumara Swamy, K.C., Synthesis and structures of unsymmetrical bis- and tris-cyclotriphosphazenes, 979
Sato, K., see Mochida, K., 177
Sau, D.K., Butcher, R.J., Chaudhuri, S. and Saha, N., Synthesis and spectroscopic characterization of new cobalt(III) complexes with 5-methyl-3-formyl pyrazole 3-hexamethyleneiminyl thiosemicarbazone (HMPz3Hex): X-ray crystallographic identification of HMPz3Hex and [Co(MPz3Hex)$_2$]Br·H_2O with evidence for unusual rotation about the azomethine double bond of the ligand on complexation with cobalt(III), 5
Saunders, G.C., see Bellabarba, R.M., 2659
Scales, S.J., Zhang, H., Chapman, P.A., McRory, C.P., Derrah, E.J., Vogels, C.M., Saleh, M.T., Decken, A. and Westcott, S.A., Synthesis, characterization and cytotoxi-cities of palladium(II) and platinum(II) complexes containing fluorinated pyridinecarboxaldimines, 2169
Scarpellini, M., Neves, A., Castellano, E.E., de Almeida Neves, E.F. and Franco, D.W., A structural model for oxidized type II copper nitrite reductase with a polyimidazole tripodal ligand, 511
Sceats, E.L., Figueroa, J.S., Cummins, C.C., Loening, N.M., Van der Wel, P. and Griffin, R.G., Complexes obtained by electrophilic attack on a dinitrogen-derived terminal molybdenum nitride: electronic structure analysis by solid state CP/MAS ^{15}N NMR in combination with DFT calculations, 2751
Scheibitz, M., see Ilkhechi, A.H., 2597
Schmidt, H.-G., see Nikiforov, G.B., 561
Schmidtmann, M., see Pascu, M., 673
Schmidtmann, M., see Müller, A., 2381
Schneider, C., Doucet, F., Strekopytov, S. and Exley, C., The solubility of an hydroxyaluminosilicate, 3185
Schneider, M.E., see Werner, H., 2645
Schofield, E.R., see Constable, E.C., 135
Schull, T.L., Butcher, R., Dressick, W.J., Brandow, S.L., Byington, L.K. and Knight, D.A., *Cis*-[$PtCl_2$(*p*TPPTP(H)$_7$)$_2$]Cl_2 · 4-H_2O · (CH_3-CH(OH) CH_3): a platinum phosphine complex exhibiting both inter- and intra-molecular hydrogen bonding, 1375
Schultz, K.N., see Nordell, K.J., 2161
Schultz, F.A., see Sheets, J.R., 1037
Schwendt, P., see Ahmed, M., 655
Seco, J.M., see Barquín, M., 1695

Šedo, O., Voráč, Z., Alberti, M. and Havel, J., Laser ablation synthesis of new phosphorus and phosphorus-sulfur clusters and their TOF mass spectrometric identification, 1199
Seisenbaeva, G.A., see Starikova, Z.A., 109
Sella, A., see Maunder, G.H., 2709
Sella, A., see Galler, J.L., 253
Semioshkin, A., Brellochs, B. and Bregadze, V., Reactions of *closo*-$[B_{12}H_{12}]^{2-}$ anion with aromatic acylchlorides: synthesis of novel 1,2-disubstituted dodecaborates $[1\text{-HO-2-ArCOB}_{12}H_{10}]^{2-}$, 2135
Sengottuvelan, N., see Saravanakumar, D., 665
Shafir, A., see Inyushin, S., 2937
Shah, J.R., see Jadeja, Rajendra N., 2465
Shankar, R., Kumar, M., Chadha, R.K. and Narula, S.P., Reactivity behavior of (hydroxy)diorganotin(IV)methanesulfonates with ionic nucleophiles – synthesis and structural characterization of novel diorganostannate salts, $[R_2Sn(\mu\text{-OH})(OSO_2Me)(ONO_2)]_2\ 2Bu_4N$, 71
Shao, Z.-H., see Luo, J., 1243
Sharma, M., see Chutia, P., 1657
Sharrad, C.A. and Gahan, L.R., Synthesis and characterization of cobalt(III) complexes with sinambic amplector ligands, 2217
Sheats, J.E., see Inyushin, S., 2937
Sheets, J.R. and Schultz, F.A., Coupled electron-transfer and spin-exchange reactions of metal–bis[tris(pyrazolyl)methane] complexes, 1037
Shen, Q., see Li, W.-F., 1473
Shen, X.-Q., Zhong, H.-J., Zheng, H., Zhang, H.-Y., Zhao, G.-H., Wu, Q.-A., Mao, H.-Y., Wang, E.-B. and Zhu, Y., Crystal structure, thermal decomposition kinetics and antimicrobial activities of $[Zn(eatz)_2(OAc)_2]$ (eatz=5-ethyl-2-amino-1,3,4-thiadiazole), 1851
Shen, X.-Q., see Mao, H.-Y., 1961
Shen, P.-W., see Sun, Y.-J., 211
Shen, W.-B., see Shi, Y.-C., 15
Shen, W.-B., see Shi, Y.-C., 749
Shen, W.-Z., see Sun, Y.-J., 211
Shi, Y.-C., Yang, H.-M., Song, H.-B. and Liu, Y.-H., Syntheses and crystal structures of a ferrocene-containing enaminone and its copper complex, 1541
Shi, Y.-C., Yang, H.-M., Song, H.-B., Yan, C.-G. and Hu, X.-Y., Syntheses and crystal structures of the potential tridentate ligand formed from condensation of ferrocenoylacetone and S-benzyldithiocarbazate and its bivalent metal complexes, 567
Shi, M., see Huang, H., 55
Shi, Y.-C., Yang, H.-M., Shen, W.-B., Yan, C.-G. and Hu, X.-Y., Syntheses and crystal structures of ferrocene-containing enaminones and their copper complexes, 15
Shi, Y.-C., Reactions of Mo–Mo singly-bonded complexes $[(\eta^5\text{-}RC_5H_4)_2Mo_2(CO)_6]$ with diphenylditelluride in the presence of $^nBu_4NI$. Crystal structures of complexes $[(\eta^5\text{-}C_5H_5Mo(CO)_3Te]$ and *cis*/ae-$[(\eta^5\text{-}C_2H_5O_2CC_5H_4)_2Mo_2(\mu\text{-Te})_2\ (\mu\text{-TePh})_2]$, 1663
Shi, Y.-C., Shen, W.-B., Yang, H.-M., Song, H.-B. and Hu, X.-Y., Copper and nickel complexes of the tetradentate ligand derived from the condensation of ferrocenoylacetone with 1,2-diaminoethane, 749
Shimizu, K.D., see Reger, D.L., 711
Shin, D.M., see Joung, U.G., 1587
Shirin, Z. and Carrano, C.J., New heteroscorpionate ligands with hydrogen bond donor and acceptor groups: synthesis, characterization and reactivity with divalent Co, Zn and Ni ions, 239
Shvedenkov, Yu.G., see Tretyakov, E.V., 763
Sichani, S.E., see Beheshti, A., 3143
Siebald, Helmuth G.L., see de Castro, V.D., 63
Siemeling, U., see Gibson, V.C., 189
Siemer, C.J., VanStipdonk, M.J., Kahol, P.K. and Eichhorn, D.M., A coordination polymer from a cyanoscorpionate complex, 235
Silva, W.C., Castellano, E.E. and Franco, D.W., Structural and reactivity changes in ruthenium ammines induced by the NO ligand, 1063
Silva, R.M., see Soares, L.F., 205
Silva, A.P.S., see Júnior, G.C., 1953
Simpson, S.J., see Hodson, E., 2695
Sinha, ., see Dinda, J., 793
Sinha, C., see Chand, B., 1669
Sinha, C., see Jasimuddin, Sk., 727
Sitte, W., see Mautner, F.A., 1217
Sivák, M., see Ahmed, M., 655
Skakle, J.M.S., see Fernandes, C., 1419
Skoulika, S., see Michaelides, A., 2587
Slawin, A.M.Z., see Zubiri, M.R.I., 693
Slawin, A.M.Z., see Milton, H.L., 2575
Slawin, A.M.Z., see Chutia, P., 1657
Slawin, A.M.Z., see Rodriguez i Zubiri, M., 865
Slawin, A.M.Z., Milton, H.L., Wheatley, J. and Woollins, J.D., Preparation and coordination chemistry of *N*-diallylaminodiphenylphosphine and *N*-allylaminobis(diphenyl)phosphine, 3125
Slawin, A.M.Z., Wheatley, J. and Woollins, J.D., Preparation and coordination chemistry of *p*-(xylylenediaminodiphenyl) phosphine, 2569
Slawin, A.M.Z., see Milton, H.L., 3211
Smith, F.E., see Basu Baul, T.S., 2323
Smith, David K., see Stone, D.L., 1709
Smith, A.A., Coxall, R.A., Harrison, A., Helliwell, M., Parsons, S. and Winpenny, R.E.P., High-temperature synthesis of polynuclear iron oxo-hydroxy complexes, 1557
Smith, M.D., see Nordell, K.J., 2161
Smith, D.M.C., see Reger, D.L., 711
Smith, N., see Hill, M.S., 801
Smith, M.D., see Reger, D.L., 711
Smith, M.D., see Reger, D.L., 291
Soares, L.F., Menezes, D.C., Silva, R.M., Doriguetto, A.C., Ellena, J., Mascarenhas, Y.P. and Castellano, E.E., Potassium tetrakis(2-mercaptothiazolyl)borate; an open-framework material: synthesis and X-ray structure analysis, 205
Sohrin, Y., see Kitano, T., 283
Solan, G.A., see Davies, C.J., 3105
Somanathan, Ratnasamy, see Iglesias, Ana L., 3051
Song, H.-B., see Shi, Y.-C., 567
Song, Y., Koval, I.A., Gamez, P., van Albada, G.A., Mutikainen, I., Turpeinen, U. and Reedijk, J., Solution studies and structure of a dinuclear-based double-stranded helicate of $[Cu_2\text{-}(p\text{-xysal})_2]$ (H_2-*p*-xysal=bis(hydroxylbenzyl)diaminoxylene), 1769
Song, H.-B., see Shi, Y.-C., 749
Song, H.-B., see Shi, Y.-C., 1541
Song, T.-Y., see He, X., 2153
Song, H.-B., see Zhang, L.-P., 2413
Soper, J.D., Rhile, I.J., DiPasquale, A.G. and Mayer, J.M., Oxidation of $TpOs^{III}(NH_2Ph)Cl_2$ to $TpOs^{IV}(NHPh)Cl_2$ by O_2, 323
Soper, A.K., see Turner, J.F.C., 2975
Sougandi, I., see Srinivasan, R., 1115
Sousa, C., Gameiro, P., Freire, C. and de Castro, B., Nickel(II) and copper(II) Schiff base complexes bearing benzo-15-crown-5 functionalities as probes for spectroscopic recognition of lanthanide ions, 1401
Sözerli Can, S.E., see Can, N., 1109
Spalding, T.R., see Cusack, J., 2315
Spannenberg, A., see Krempner, C., 2475
Spek, A.L., see Kannappan, R., 2285
Spicer, M.D., see Dodds, C.A., 445
Spodine, E., see Paredes-García, V., 1869
Sproules, S.A., see Eagle, A.A., 385
Sreeja, P.B., Prathapachandra Kurup, M.R., Kishore, A. and Jasmin, C., Spectral characterization, X-ray structure and biological

investigations of copper(II) ternary complexes of 2-hydroxyacetophenone 4-hydroxybenzoic acid hydrazone and heterocyclic bases, 575
Sreekanth, A., see John, R.P., 2549
Sreekanth, A., Kala, U.L., Nayar, C.R. and Prathapachandra Kurup, M.R., Cobalt(III) complexes of 2-hydroxyaceto- phenone N(4)-phenyl semicarbazone containing heterocyclic coligands: syntheses, structure and spectral studies, 41
Sreekanth, A. and Kurup, M.R.P., Synthesis, EPR and Mössbauer spectral studies of new iron(III) complexes with 2-benzoylpyridine-N(4), N(4)-(butane-1,4-diyl) thiosemicarbazone (HBpypTsc): X-ray structure of $[Fe(BpypTsc)_2]FeCl_4{\cdot}2H_2O$ and the free ligand, 969
Srinivasan, R., Sougandi, I., Velavan, K., Venkatesan, R., Verghese, B. and Sambasiva Rao, P., Synthesis and characterization of $[Cu_2(L)_2(OCOCH_3)(OCH_3)]ClO_4$ {L=2-[(4-methyl-pyridin-2-ylimino)-methyl]-phenol}: EPR and X-ray studies, 1115
Srivastava, P.C., Bajpai, S., Lath, R., Bajpai, S.M., Kumar, R. and Butcher, R.J., Molecular aggregates, zig-zag 2D-stairs, -ribbons and 3D-supramolecular networks of cyclic telluranes assisted by intermolecular Te···Cl and Te···Br secondary bonding, 1629
Srivastava, T.S., see Anbalagan, V., 3173
Stachová, P., Valigura, D., Koman, M., Melník, M., Korabik, M., Mroziński, J. and Glowiak, T., Crystal structure, magnetic and spectral properties of tetrakis(2-nitrobenzoato)di- (aqua)dicopper(-II)dihydrate, 1303
Starikova, Z.A., Kessler, V.G., Turova, N.Y., Tcheboukov, D.E., Suslova, E.V., Seisenbaeva, G.A. and Yanovsky, A.I., New polynuclear aluminium oxoalkoxides: molecular structures of $Al_{11}(\mu_4\text{-}O)_2(\mu_3\text{-}O)_2(\mu\text{-}O)_2(\mu\text{-}OPr^n)_{10}(\mu\text{-}OPr^i)_2(\mu\text{-}ROH)_2(OPr^i)_8(OR)$, $R = Pr^{n,i}$ and $Al_5Mg_4(\mu_4\text{-}O)_2(\mu_3\text{-}O)(\mu\text{-}OH)_3(\mu\text{-}OPr^i)_8(\mu,\eta^2\text{-}acac)_4(\eta^2\text{-}acac)_2$, 109
Steel, P.J., see McMorran, D.A., 1055
Stern, C.L., see Karambelkar, V.V., 471
Štěpnička, P., Lamač, M. and Císařová, I., Preparation, structure and catalytic activity of palladium(II) complexes with a carboxyferrocenylphosphine and an ortho-metallated C,N-ligand, 921
Stoeckli-Evans, H., see Liu, S.-X., 1185
Stone, D.L., Smith, D.K. and Whitwood, A.C., Copper amino-acid complexes – towards encapsulated metal centres, 1709
Strekopytov, S., see Schneider, C., 3185
Strukan, N., see Cindrić, M., 1859
Stupak, A.P., see Bushuk, S.B., 2615
Stylianides, N., see Winston, S., 2813
Suárez-Iha, M.E.V., see Gaubeur, I., 2095
Subramanian, P.S., Suresh, E. and Dastidar, P., Model for type 2 Cu(II) oxidase: structure reactivity correlation studies on some mononuclear Cu(X–Salmeen)Im complexes, where X=H, Cl and Im=Imidazole: molecular association, electronic spectra and ascorbic oxidation, 2515
Sudheendra Rao, M.N., see Bindu, P., 679
Suen, Maw-Cherng, see Yeh, Chun-Wei, 1947
Suenaga, Yusaku, see Wen, Ming, 2117
Sugimoto, H., see Mochida, K., 177
Suh, B.J., see Kim, J., 1333
Sulfab, Y. and Al-Sogair, F.M., Kinetics and mechanism of reduction of 3,9-diethyl-4,8-diaza-3,8-undeca-2,10-dionedioximatocopper-(III) complex by *p*-methoxyphenol, 1,2-dihydroxybenzene, 1,4-dihydroxybenzene and some of its derivatives in aqueous acidic solutions, 583
Sun, C.-Y. and Jin, L.-P., Hydrothermal synthesis and characterization of the first examples of lanthanide(III) isoorotates with a 3D supramolecular network, 2085
Sun, J., see Ma, C., 1547
Sun, Y.-J., Shen, W.-Z., Cheng, P., Yan, S.-P., Liao, D.-Z., Jiang, Z.-H. and Shen, P.-W., Synthesis, structure and spectroscopic properties of novel half-sandwich nickel(II) complexes with less hindered hydrotris(pyra-zolyl)borate ligand, 211
Sun, C.-Y. and Jin, L.-P., Three-dimensional porous frameworks constructed by transition metal ions and isoorotic acid, 2227
Sun, J.-T., see Yin, M.-C., 529
Sun, H.-M., see Li, W.-F., 1473
Sun, Z.-H., see Chen, C., 3033
Suni, V., see Philip, V., 1225
Suni, V., see Joseph, M., 3069
Suresh, E., see Subramanian, P.S., 2515
Suresh, E., see Jadeja, R.N., 2465
Suslova, E.V., see Starikova, Z.A., 109
Süss-Fink, G., see Vieille-Petit, L., 687
Sutter, J.-P., see Karmakar, R., 949
Swearingen, J.K., see Bermejo, E., 2303
Sydora, O.L., Goldsmith, J.I., Vaid, T.P., Miller, A.E., Wolczanski, P.T. and Abruña, H.D., Syntheses and electrochemistry of $(p\text{-}XC_6H_4O)_6W$ (1-X, X = H, CH_3, OCH_3, Cl, Br, OH, OCH_2Ph) and $(p\text{-}XC_6H_4O)_5W(OC_6H_4OH)$ (X = H, CH_3, OCH_3, Cl, Br): an approach to electrocatalytic CH bond activation, 2841
Szczepanik, W., see Kurzak, B., 1939
Szymczak, R., see Ryazanov, M., 879

Tahir, M.I.M., see Ravoof, T.B.S.A., 2491
Tajima, F., see Asaji, T., 1605
Takahashi, Y., Hikichi, S., Moro-oka, Y. and Akita, M., Oxygenation of a series of cationic aquoruthenium complexes, $Tp^{iPr2}\text{-}Ru(OH_2)_nL_{3-n}{\cdot}CF_3SO_3{\cdot}(THF)_x$, leading to mono- and dinuclear aquo-hydroxo complexes supported by unique hydrogen bonding networks, 225
Takats, J., see Morissette, M., 263
Takemura, H., see Matsuo, H., 955
Tan, A.L., see Ali, M.A., 2037
Tanase, S., see van Albada, G.A., 2387
Tanase, S., see Kannappan, R., 2285
Tang, T., see Cheng, J., 1075
Tanski, J.M., see Alvarez, H.M., 395
Tarafder, M.T.H., see Crouse, K.A., 161
Tarafder, M.T.H., see Chew, K.-B., 1385
Taw, F.L., see Corkey, B.K., 2943
Taylor, S.K., see Ainscough, E.W., 1159
Taylor, M.K., Reglinski, J. and Wallace, D., Coordination geometry of tetradentate Schiff's base nickel complexes: the effects of donors, backbone length and hydrogenation, 3201
Tcheboukov, D.E., see Starikova, Z.A., 109
Tegoni, M., see Gennari, M., 1829
Téllez, F., Flores-Parra, A., Barba-Behrens, N. and Contreras, R., Cobalt(II) and zinc(II) compounds with unsaturated ligands derived from 2-aminobenzothiazole, 2481
Templeton, J.L., see Cross, J.L., 2831
Templeton, J.L., see Vogeley, N.J., 311
Teresa Duarte, M., see Ribeiro, A.F.G., 2715
Terra, L.H.S.A., see Gaubeur, I., 2095
Teruel, H., see Gómez, M., 611
Terzis, A., see Raptopoulou, C., 1777
Terzis, A., see Boudalis, A.K., 1271
Terzis, A., see Milios, C.J., 83
Theopold, K.H., see Höcher, T., 1393
Theopold, K.H., see Pariya, C., 439
Therrien, B., see Vieille-Petit, L., 687
Thirumavalavan, M., Akilan, P., Amudha, P. and Kandaswamy, M., Compartmental unsymmetrical lateral macrobicyclic ligands with an aromatic backbone providing a phenoxo bridge: synthetic, spectral, magnetic, electrochemical and kinetic features of mono and binuclear copper(II) complexes, 519
Thomas, S., see Eagle, A.A., 385

Thomas, J.C. and Peters, J.C., Platinum-alkyl and hydride complexes supported by a tris(phosphino)borate ligand: structural and spectroscopic studies, 489
Thompson, M.E., see Li, J., 419
Thompson, L.K., Niel, V., Grove, H., Miller, D.O., Newlands, M.J., Bird, P.H., Wickramasinghe, W.A. and Lever, A.B.P., Cobalt and nickel complexes of a tetradentate phthalazine ligand – mononuclear, dinuclear and trinuclear derivatives, 1175
Thöne, C., see Yilmaz, V.T., 841
Thuéry, P., see Villiers, C., 1613
Thuéry, P., see Bernhardt, P.V., 869
Thuéry, P., see Salmon, L., 623
Thuéry, P. and Masci, B., Hetero(tri- and tetra-)nuclear complexes of uranyl and alkali metal (Li^+, K^+) ions with *p-tert*-butylhexahomotrioxacalix[6]arene, 649
Toma, H.E., see Raimondi, A.C., 2069
Tomkiewicz, A., see Barszcz, B., 1309
Tooke, D.M., see Kannappan, R., 2285
Törnroos, K.W., see Foss, O., 3021
Torres, M.R., see Criado, R., 301
Torres, M.R., see Barral, M.C., 2637
Torres, M.R., see Barquín, M., 1695
Toupet, L., see Kunrath, F.A., 2437
Trávníček, Z., see Kopel, P., 2193
Trávníček, Z., see Kopel, P., 1573
Tretyakov, E.V., Koreneva, O.V., Romanenko, G.V., Shvedenkov, Yu.G. and Ovcharenko, V.I., Synthesis, structure and magnetism of $M(hfac)_2$ complexes with spin labelled amides, 763
Trofimenko, S., Scorpionates: genesis, milestones, prognosis, 197
Trofimenko, S., see Claramunt, R.M., 2985
Trojnar, I., see Borowiec, J., 33
Troyanov, S., see Ryazanov, M., 879
Tsyba, I., see Li, J., 419
Tulloch, A.A.D., see Winston, S., 2813
Turgambaeva, A.E., see Krisyuk, V.V., 809
Türk, T., see Gibson, V.C., 189
Turnbull, M.M., see Anagnostis, J., 125
Turner, J.F.C. and Soper, A.K., On the determination of the structure of ferrocene in solution, 2975
Turova, N.Y., see Starikova, Z.A., 109
Turpeinen, U., see Song, Y., 1769
Turpeinen, U., see van Albada, G.A., 993
Turpeinen, U., see Kannappan, R., 2285

Uddin, J., see Hay, B.P., 145
Ueda, K., see Kitano, T., 283
Uflyand, I.E., see Garnovskii, A.D., 1909
Urbanos, F.A., see Barral, M.C., 2637

Vaid, T.P., see Sydora, O.L., 2841
Vaira, M.D., see Morley, C.P., 2967
Vaissermann, J., see Pasko, S., 735
Valigura, D., see Stachová, P., 1303
Valigura, D., Melník, M., Koman, M., Martiška, L., Korabik, M., Mrozińsky, J. and Glowiak, T., Structural confirmation of the 3,5-dinitrosalicylato anion coordination ability to metal ion: crystal structure, spectral and magnetic properties of the $[Cu_3\{3,5\text{-}(NO_2)_2sal^{2-}\}_2\{3,5\text{-}(NO_2)_2sal^{1-}\}_2(H_2O)_4]\cdot 4H_2O$, 2447
Valle, E.M.A., see de Araujo, M.P., 3163
van Albada, G.A., see Mohamadou, A., 1969
van Albada, G.A., Mutikainen, I., Turpeinen, U. and Reedijk, J., Synthesis, spectroscopy, crystal structure and magnetism of tetrakis(2-aminopyrimidine) bis(μ-methoxo)bis(perchlorato)dicopper(II): a rare case of distortion isomerism, 993
van Albada, G.A., Mohamadou, A., Driessen, W.L., de Gelder, R., Tanase, S. and Reedijk, J., A dinuclear Mn(II) chloro-bridged compound with a weak ferromagnetic Mn–Mn interaction. Synthesis, Structure, EPR and magnetism of $[Mn(\mu\text{–}Cl)(2,2'\text{-biimidazoline})_2]_2Cl_2$, 2387
van Albada, G.A., see Song, Y., 1769
Van der Wel, P., see Sceats, E.L., 2751
VanDerveer, D.G., see Grant, G.J., 1361
VanStipdonk, M.J., see Siemer, C.J., 235
Varret, F., see Salunke-Gawali, S., 2541
Vázquez-López, E.M., see Carballo, R., 1505
Velavan, K., see Srinivasan, R., 1115
Veltsistas, P.G., see Michaelides, A., 2587
Venkatasubramanian, U., Donohoe, D.J., Ellis, D., Giles, B.T., Macgregor, S.A., Robertson, S., Rosair, G.M., Welch, A.J., Batsanov, A.S., Boyd, L.A., Copley, R.C.B., Fox, M.A., Howard, J.A.K. and Wade, K., The synthesis and molecular and crystal structures of 1-methyl-2-carboxy-1,2-dicarba-*closo*-dodecaborane(12), 1-phenyl-2-carboxy-1,2-dicarba-*closo*-dodecaborane(12) and 1-phenyl-2-benzoyl-1,2-dicarba-*closo*-dodecaborane(12), 629
Venkatesan, R., see Srinivasan, R., 1115
Venugopal, V., see Kannan, S., 1527
Verat, A.Y., see Zabirov, N.G., 2243
Verghese, B., see Srinivasan, R., 1115
Vetter, A.J. and Jones, W.D., Carbon–hydrogen bond activation of chloroalkanes by a rhodium trispyrazolylborate complex, 413
Vezin, H., see Bentiss, F., 1903
Vicente, R., see Milios, C.J., 83
Vicente, R., see Escuer, A., 1409
Vickers, S., see Fawcett, J., 2561
Vidovic, D., see Bai, G., 1125
Vieille-Petit, L., Therrien, B. and Süss-Fink, G., 2,3,4,7-Tetrahydro-1*H*-inden-2-ol: synthesis, molecular structure and coordination chemistry, 687
Villiers, C., Thuéry, P. and Ephritikhine, M., Crystal structure of first- and second-sphere complexes of uranyl nitrate with 1,2- and 1,4-diols, 1613
Virovets, A.V., see Naumov, N.G., 599
Vogeley, N.J. and Templeton, J. L., Interconversions of simple monodentate nitrogen donor ligands bound to Tp′ tungsten fragments, 311
Vogels, C.M., see Scales, S.J., 2169
Vogels, C.M., see He, X.-F., 155
Voo, J.K., Incarvito, C.D., Yap, G.P.A., Rheingold, A.L. and Riordan, C.G., Tris(imidazolyl) cadmium and zinc complexes: structural and spectroscopic characterization of $M\text{–}OH_2$ motifs, 405
Voráč, Z., see Šedo, O., 1199
Vrdoljak, V., see Cindrić, M., 1859

Wada, H., see Kitano, T., 283
Wade, K., see Venkatasubramanian, U., 629
Wagner, C., see Boča, R., 2337
Wagner, M., see Ilkhechi, A.H., 2597
Wallace, D., see Taylor, M.K., 3201
Wallis, J.D., see Liu, S.-X., 1185
Walsh, R.D.B., see Bose, D., 545
Wang, Z.-L., see Niu, J.-Y., 773
Wang, E.-B., see Mao, H.-Y., 1961
Wang, W., see Yang, Y., 1535
Wang, G.-C., see Yu, L., 823
Wang, Y., see He, X., 2153
Wang, W., see Chen, C., 3033
Wang, Q.-L., see Liang, M., 2203
Wang, C.-W., see Yin, M.-C., 529
Wang, J.-P., see Niu, J.-Y., 773

Wang, E.-B., see Shen, X.-Q., 1851
Wang, T.-G., see Lu, J., 755
Wang, J.-C., see Yeh, C.-W., 1947
Wang, S.-Y.S., Abboud, K.A. and Boncella, J.M., Synthesis and mechanistic investigations of the decomposition of β-hydrogen containing W(VI) dialkyl complexes: β-H elimination vs. β-H abstraction, 2733
Wang, C.-H., see Yin, H.-D., 1805
Wang, X., see Dias, H.V.R., 2533
Ward, M.D., see Fawcett, J., 2561
Wardell, S.M.S.V., see Howie, R.A., 2331
Wardell, J.L., see Fernandes, C., 1419
Wardell, J.L., see Howie, R.A., 2331
Warżajtis, B., see Radanović, D.D., 2183
Wazeer, M.I.M., see Fettouhi, M., 1
Webster, M., see Levason, W., 605
Wei, L.K., see Ali, M.A., 2037
Weichert, K., see Krempner, C., 2475
Weisman, G.R., see Niu, W., 1019
Welch, A.J., see Venkatasubramanian, U., 629
Wen, M., Munakata, M., Suenaga, Y., Kuroda-Sowa, T., Maekawa, M. and Kodai, I., Dinuclear silver(I) complexes of *N,N'*-dibenzyl-4,13-diaza-18-crown-6-ether and dibenzo-24-crown-8-ether, 2117
Weng, L.-H., see Luo, J., 1243
Wenger, O.S., Henling, L.M., Day, M.W., Winkler, J.R. and Gray, H.B., Rhenium(I) tricarbonyl complexes with photoisomerizable ligands, 2955
Werner, H., Mahr, N., Schneider, M.E., Bosch, M. and Wolf, J., Acetylacetonato, pentachlorophenolato and carboxylato rhodium(I) complexes and their reactivity in the C–C coupling reaction of olefins and diazoalkanes, 2645
Wesolek, M., see Pelascini, F., 3193
West, D.X., see Bermejo, E., 2303
Westcott, B.L., see Joshi, H.K., 429
Westcott, S.A., see He, X.-F., 155
Westcott, S.A., see Scales, S.J., 2169
Westcott, S.A., Marder, T.B., Baker, R.T., Harlow, R.L., Calabrese, J.C., Lam, K.C. and Lin, Z., Reactions of hydroborating reagents with phosphinorhodium hydride complexes: molecular structures of a Rh_2B_3 metallaborane cluster, an $L_2Rh(\eta^2\text{-}H_2BR_2)$ complex and a mixed valence Rh dimer containing a semi-bridging Bcat (cat=1,2-$O_2C_6H_4$) group, 2665
Wheatley, M.V., see Milton, H.L., 3211
Wheatley, J., see Slawin, A.M.Z., 2569
Wheatley, M.V., see Milton, H.L., 2575
Wheatley, J., see Slawin, A.M.Z., 3125
White, P.S., see Cross, J.L., 2831
White, A.J.P., see O'Reilly, R.K., 2921
White, A.J.P., see Bailey, A., 2631
Whitten Jr., C.E., see Inyushin, S., 2937
Whitwood, A.C., see Stone, D.L., 1709
Wickramasinghe, W.A., see Thompson, L.K., 1175
Wignacourt, J.-P., see Bentiss, F., 1903
Williams, D.J., see Bailey, A., 2631
Williams, J.A.G., see Leslie, W., 2769
Williams, P.A., see Emseis, P., 1749
Williams, D.J., see O'Reilly, R.K., 2921
Winkler, J.R., see Wenger, O.S., 2955
Winpenny, R.E.P., see Smith, A.A., 1557
Winston, S., Stylianides, N., Tulloch, A.A.D., Wright, J.A. and Danopoulos, A.A., Picoline and pyridine functionalised chelate N-heterocyclic carbene complexes of nickel: synthesis and structural studies, 2813
Wolczanski, P.T., see Sydora, O.L., 2841
Wolf, J., see Werner, H., 2645
Wołowiec, S., see Borowiec, J., 33
Wołowiec, S., see Ruman, T., 219
Wong, E.H., see Niu, W., 1019
Wong, W.W.H., Phipps, D.E. and Beer, P.D., Acyclic and macrocyclic transition metal dithiocarbamate complexes containing imidazolium moieties for anion binding, 2821
Wong, W.-T., see Lee, T.-W., 999
Woollins, J.D., see Milton, H.L., 3211
Woollins, J.D., see Slawin, A.M.Z., 2569
Woollins, J.D., see Slawin, A.M.Z., 3125
Woollins, J.D., see Milton, H.L., 2575
Woźna, A., see Kurzak, B., 1939
Wright, J.A., see Winston, S., 2813
Wu, Q.-A., see Liu, H.-L., 1799
Wu, Q.-A., see Liu, H.-L., 943
Wu, Q.-A., see Mao, H.-Y., 1961
Wu, Q.-A., see Shen, X.-Q., 1851
Wu, X.-T., see Xia, S.-Q., 1003
Wu, X.-T., see Zhang, J.-J., 2265
Wu, X., see Zhang, Q., 1975

Xia, C., see Zhang, Q., 1975
Xia, S.-Q., see Zhang, J.-J., 2265
Xia, S.-Q., Hu, S.-M., Dai, J.-C., Wu, X.-T., Fu, Z.-Y., Zhang, J.-J. and Du, W.-X., Syntheses and structures of 1D, 2D, 3D cadmium(II) coordination polymers with oxalate and aromatic co-ligands, 1003
Xiang, S.-C., see Zhang, J.-J., 2265
Xing, Y., see Meng, H., 2357
Xing, Q.-J., see Yin, H.-D., 1805
Xu, C., see Liu, H.-L., 943
Xu, C., see Mao, H.-Y., 1961
Xu, X., see Zhang, Q., 1975
Xu, M.-Q., see Guo, Q.-L., 1461
Xu, C., see Liu, H.-L., 1799
Xu, J.-N., see He, X., 2153
Xu, J.-Q., see Lu, J., 755

Yakhmi, J.V., see Chawla, S.K., 3007
Yamin, B.M., see Chew, K.-B., 1385
Yamin, B.M., see Crouse, K.A., 161
Yan, S.-P., see Liang, M., 2203
Yan, C.-G., see Shi, Y.-C., 15
Yan, C.-G., see Shi, Y.-C., 567
Yan, Y., see Zhang, Q., 1975
Yan, S.-P., see Sun, Y.-J., 211
Yang, H.-M., see Shi, Y.-C., 567
Yang, Y., Liu, Y., Chen, C., Wang, W., Yi, Z. and Pang, W., Hydrothermal synthesis and characterization of an organically templated gallophosphate JGP-5, 1535
Yang, W., see Dai, J., 1447
Yang, W., see Zhang, Q., 1975
Yang, H.-M., see Shi, Y.-C., 15
Yang, H.-M., see Shi, Y.-C., 749
Yang, J., see Ma, J.-F., 553
Yang, Q.-X., see Lu, J., 755
Yang, J.-M., see Chen, H.-B., 987
Yang, Y.-L., see Meng, H., 2357
Yang, Y.-L., see Chen, C., 3033
Yang, H.-M., see Shi, Y.-C., 15
Yanovsky, A.I., see Starikova, Z.A., 109
Yao, Y.-G., see Liu, W.-L., 849
Yao, J.-H., see Hong, X.-L., 815
Yao, J., Huang, W., Zhu, H., Fang, J. and Gou, S., A novel tetranuclear copper(II) complex with 3,5-pyridinedicarboxylate bridges, 1169
Yao, Y.-G., see Liu, W.-L., 2125
Yao, Y.-G., see Cheng, J.-K., 2209

Yap, G.P.A., see Voo, J.K., 405
Yasemin Yenilmez, H., Özçeşmeci, İ., İhsan Okur, A. and Gül, A., Synthesis and characterization of metal-free and metallo phthalocyanines with four pendant naphthoxy-substituents, 787
Ye, B.-X., see Liu, H.-L., 1799
Yeh, C.-W., Suen, M.-C., Hu, H.-L., Chen, J.-D. and Wang, J.-C., Synthesis and structural characterization of two new chiral coordination polymers of Cu(nicotinate)$_2$(H_2O) and Co(nicotinate)$_2$, 1947
Yellowlees, L.J., see Leslie, W., 2769
Yi, Z., see Yang, Y., 1535
Yi, Z., see Chen, C., 3033
Yılmaz, F., Atilla, D. and Ahsen, V., Synthesis and liquid-crystalline behaviour ofNi(II) and Zn(II) phthalocyanines with peripheral monoazacrown ethers, 1931
Yilmaz, I. and Burkut Koçak, M., Electrochemical, spectroelectrochemical and pyridine binding properties of tetrathia macrocycle-bridged dimeric cobalt phthalocyanine, 1279
Yilmaz, V.T., Hamamci, S. and Thöne, C., Cobalt(II) complexes of 2-methanol-, 2,6-dimethanol- and 2-ethanolpyridines: syntheses, spectroscopic, thermal and structural characterizations of $[Co_2(\mu\text{-}Cl)_2(mpy)_4]Cl_2{\cdot}2H_2O$, $[Co(dmpy)_2]Cl_2$ and $[Co(Cl)_4](Hpyet)_2$ (mpy = 2-methanolpyridine; dmpy = 2,6-dimethanolpyridine and Hpyet = 2-ethanolpyridinium), 841
Yin, H.-D., Wang, C.-H. and Xing, Q.-J., Synthesis and characterization of triphenyltin esters of heteroaromatic carboxylic acids and the crystal structure of $[Ph_3SnO_2CC_5H_4N{\cdot}0.5H_2O]_\infty$, 1805
Yin, M.-C., Yuan, L.-J., Ai, C.-C., Wang, C.-W., Yuan, E-T. and Sun, J.-T., Synthesis, structure and luminescence properties of europium and zinc ionic complexes, 529
Yoon, J.U., see Roh, S.G., 2063
Yoon, S., see Kim, J., 1333
Yoon, S., Kelly, A.E. and Lippard, S.J. Di- and tetra-bridged diiron(II) complexes with four terphenyl-derived carboxylates and two water molecules, 2805
Yoshimura, K., see Matsuo, H., 955
You, Y.S., see Hong, C.S., 1379
You, Y.S., see Hong, C.S., 3043
Young, C.G., see Eagle, Aston A., 385
Youngme, S., Chailuecha, C. and Chaichit, N., The novel dinuclear doubly and triply bridged copper(II) compound with monoatomic bridges, 1641
Youngme, S., Phuengphai, P., Booncoon, S. and Chaichit, N., The crystal structure and electronic properties of a *cis*-distorted octahedral CuN_4O_2 chromophore: $[Cu(dpyam)_2(OXO)]^+$, OXO= ONO^-, O_2CH^- and ONO_2^-, 1685
Yu, Y., see Zhang, Q., 1975
Yu, L., Ma, Y.-Q., Liu, R.-C., Wang, G.-C., Li, J.-S., Du, G.-H. and Hu, J.-J., Synthesis, characterization and in vitro antitumor activity of some arylantimony ferrocenylcarboxylate derivatives and thecrystal structures of $[C_5H_5FeC_5H_4C\text{-}(CH_3){=}CHCOO]_2Sb(C_6H_4F\text{-}4)_3$ and $[4\text{-}(C_5H_5FeC_5H_4)C_6H_4COO]_2Sb(C_6H_4F\text{-}4)_3$, 823
Yu, J.-H., see Lu, J., 755
Yu, K.-B., see Li, W.-F., 1473
Yu, L.-H., see Liang, M., 2203
Yu, J.-H., see He, X., 2153
Yu, H.-B., see Huang, H., 55
Yuan, L.-J., see Liu, H.-L., 1799
Yuan, D.-Q., see Guo, Q.-L., 2055
Yuan, L.-J., see Yin, M.-C., 529
Yuan, E-T., see Yin, M.-C., 529

Zabirov, N.G., Brusko, V.V., Verat, Alexander Y., Krivolapov, D.B., Litvinov, I.A. and Cherkasov, R.A., Synthesis and crystal structure of complexes of bipodal thiophosphorylated thioureas with divalent transition metals, 2243
Zakharov, L.N., see Karambelkar, V.V., 471
Zakharov, L.N., see Niu, W., 1019
Zakrzewski, J., see Kowalski, K., 1441
Zampa, C., see Fabbrizzi, L., 373
Zaworotko, M.J., see Bose, D., 545
Zaworotko, M.J., see Bose, D., 2045
Zbořil, R., see Kopel, P., 2193
Zehnder, M., see Constable, E.C., 135
Zhang, J., see Ma, C., 1981
Zhang, R., see Ma, C., 1981
Zhang, Q., Lu, C., Yang, W., Chen, S., Yu, Y., He, X., Yan, Y., Liu, J., Xu, X., Xia, C., Chen, L. and Wu, X., Synthesis and characterization of vanadium-(IV)–M (M=Mn, Zn) and vanadium(IV)–Ln (Ln=La, Nd) complexes with nitrilotriacetate ligands: $\{(NH_4)_2[(V^{IV}O)_2(\mu_2\text{-}O)(nta)_2\ M(H_2O)_4]{\cdot}2H_2O\}_n$ and $NH_4[Ln(H_2O)_9]\ [(V^{IV}O)_2(\mu_2\text{-}O)(nta)_2]$ 1975
Zhang, H.-S., see Zhang, J.-J., 2265
Zhang, H.-Y., see Mao, H.-Y., 1961
Zhang, H.-Y., see Shen, X.-Q., 1851
Zhang, Y., see Jia, D.-X., 937
Zhang, H.-Y., see Liu, H.-L., 943
Zhang, H., see Chen, H.-B., 987
Zhang, Y., see Li, B., 3133
Zhang, L.-P., see Lu, W.-J., 1089
Zhang, J.-J., see Xia, S.-Q., 1003
Zhang, Y., see Li, W.-F., 1473
Zhang, J., see Luo, J., 1243
Zhang, C.-M., see Luo, J., 1243
Zhang, H.-Y., see Liu, H.-L., 1799
Zhang, R., see Ma, C., 779
Zhang, L.-P., Lam, C.-K., Song, H.-B. and Mak, T.C.W., Crystalline hydrates and polymeric Ag(I) complexes of isomeric flexible double betaines 1,4-bis(*n*-picolyloxyl)benzene-*N*,*N*′-diacetate (*n*=2,3,4), 2413
Zhang, H., see Scales, S.J., 2169
Zhang, J., see Cheng, J.-K., 2209
Zhang, P., see He, X., 2153
Zhang, L.-P., Du, M., Lu, W.-J. and Mak, T.C.W., Porous coordination networks generated from lanthanum trifluoromethanesulfonate and single/mixed N-oxide spacer linkers, 857
Zhang, L.-P., Lu, W.-J. and Mak, T.C.W., Construction of lanthanide(III) coordination polymers with 1,2-bis(4-pyridyl) ethane-*N*,*N*′-dioxide and *trans*-1,2-bis(4-pyridyl)ethene-*N*,*N*′-dioxide, 169
Zhang, X see Lu, J., 755
Zhang, Y.-M., see Ma, J.-F., 553
Zhang, J., see Guo, Q.-L., 2055
Zhang, J.-J., Xiang, S.-C., Hu, S.-M., Xia, S.-Q., Fu, R.-B., Wu, X.-T., Li, Y.-M. and Zhang, H.-S., Syntheses and characterizations of a series of heptanuclear octahedral polyhedra $\{LnNi_6\}$ with different amino acids as ligands in aqueous media, 2265
Zhao, G.-H., see Shen, X.-Q., 1851
Zheng, G-L., see Ma, J.-F., 553
Zheng, H., see Shen, X.-Q., 1851
Zheng, X.-J., Li, L.-C., Gao, S. and Jin, L.-P., Hydrothermal syntheses, structures and magnetic properties of two transition metal coordination polymers with a square grid framework, 1257
Zhong, H.-J., see Shen, X.-Q., 1851
Zhou, J., see Li, B., 3133
Zhou, Y., see Guo, W., 1701
Zhou, X.-G., see Luo, J., 1243
Zhou, Z.-H., see Chen, H.-B., 987
Zhu, Q.-Y., see Dai, J., 1447
Zhu, W.-X., see Guo, Q.-L., 1461
Zhu, C.-J., see Zhu, H.-B., 1131
Zhu, Y., see Shen, X.-Q., 1851

Zhu, H.-B., Dai, Z.-Y., Huang, W., Cui, K., Gou, S.-H. and Zhu, C.-J., Chiral copper(II) complexes of optically active Schiff bases: syntheses, crystal structure and asymmetric oxidation of methyl phenyl sulfide with hydrogen peroxide, 1131
Zhu, Q.-Y., Dai, J., Jia, D.-X., Cao, L.-H. and Lin, H.-H., $\pi\cdots\pi$ Interaction assembled silver(I) complexes with the ligand 4′,5′-diaza-9′-(4,5-disubstituted-1,3-dithiol-2-ylidene)fluorene, 2259
Zhu, Y., see Liu, H.-L., 943
Zhu, Y., see Liu, H.-L., 1799
Zhu, X., see Li, B., 3133
Zhu, Q.-Y., see Jia, D.-X., 937
Zhu, H., see Yao, J., 1169
Zhu, W.-X., see Guo, Q.-L., 2055
Zhu, Y., see Mao, H.-Y., 1961
Ziller, J.W., see Evans, W.J., 2689
Zingaro, R.A., see Gao, J., 59
Zou, Y., see Liu, W.-L., 849
Zou, Y., Liu, W.-L., Gao, S., Lu, C.-S., Dang, D.-B. and Meng, Q.-J., Synthesis, structure and magnetic properties of carboxylate-bridged polynuclear copper-(II)–lanthanide(III) rings: $[Ln(H_2O)_5(CuL)_2][CuL]\cdot 8H_2O$ (Ln=La, Ce), 2253
Zou, Y., see Liu, W.-L., 2125
Zubieta, J., see Allis, D.G., 1145
Zubiri, M.R.I., Milton, H.L., Cole-Hamilton, D.J., Slawin, A.M.Z. and Derek Woollins, J., Bis(phosphine) derivatives of diamines, 693

Available online at www.sciencedirect.com
SCIENCE DIRECT®
Polyhedron 23 (2004) 3243–3273
POLYHEDRON
www.elsevier.com/locate/poly

Subject Index to Volume 23

Absorption spectra
Carbohydrate, Cobalt complex, Circular dichroism, Optical activity, 1341
Absorption spectra
Complexation, Kinetics, Photochromism, Spiroindolinonaphthooxazines, 3147
Acetate ligands
Iron complexes, η^2-Coordination modes, Schiff bases, β-Cis arrangements, 963
Acetonitrile reduction
Amine oxidation, Imido, Metal-nitrogen pi bonding, Regioselectivity of nucleophile and electrophile additions, 311
Acetylacetonato complexes
Rhodium, Pentachlorophenolato complexes, Carboxylato complexes, Diazoalkane complexes, C–C coupling reactions, 2645
Actinide
Lanthanide, Oxides, Carbene, Uranium, 2689
Adducts
Cobalt, Oxide, β-diketonates, Structures, MOCVD, 735
Adsorption
Silica gel, Immobilization, 2-Aminomethylpyridine, Epoxide, Thermodynamic, 719
AFM
Schiff-base, Polypyrrole, Electropolymerization, Iron complex, Polymer, 1953
Aldehyde activation
C–H bond activation, Rhodium(III), Benzene activation, 2943
Aldehydes
N-Heterocyclic carbenes, Homogenous catalysis, Transfer hydrogenation, Ketones, Imines, 2857
Aliphatic amino ligands
One-dimensional, Silver(I), Coordination polymers, Tubes, Topology, Supramolecular chemistry, Self assembly, Nanotubes, 2075
Alkali metal ions
Uranyl ion, Calixarenes, Homooxacalixarenes, Crystal structures, 649
Alkali metals
Alkoxides, Enolates, β-Diketonates, Carboxylates, Alkaline earth metals, Cluster compounds, 1479
Alkali metals
Lithium, Phosphorus–carbon bond cleavage, Chelates, O Ligands, 2499
Alkaline earth metal complexes
Crystal structures, 2183
Alkaline earth metals
Alkoxides, Enolates, β-Diketonates, Carboxylates, Alkali metals, Cluster compounds, 1479
Alkaline earth metals
Self-assemble, Carboxylate bridges, Copper complexes, Dipeptides, Magnetic properties, 2125
Alkoxides
Lanthanides, Neodymium, X-ray structures, Pyrazolylborates, Borohydrides, 253
Alkoxides
Enolates, β-Diketonates, Carboxylates, Alkali metals, Alkaline earth metals, Cluster compounds, 1479
Alkylation
Zinc, Enzyme, Thiolate, 481
Alkylation
Parabanic acid, Iron, Cyclopentadienyl, Carbonyl, Thallium, Gold (I) complex, 1441
Alkylthiolate
Heteroscorpionate, Tripodal, Imidazole, Iron, Zinc, 471
Alkyne complex
Hydrotris(pyrazolyl)borate, Scorpionate ligands, Tantalum, Metal–metal multiple bond, Tetrahydrothiophene complex, 379
Aluminium
Oxoalkoxides, Precursor hydrolysis, X-ray, Structure studies, 109
Aluminium
Hydroxyaluminosilicate, Silicic acid, Aluminium solubility, Aluminium biological availability, 3185
Aluminium biological availability
Hydroxyaluminosilicate, Aluminium, Silicic acid, Aluminium solubility, 3185
Aluminium solubility
Hydroxyaluminosilicate, Aluminium, Silicic acid, Aluminium biological availability, 3185
Aluminium(III)
Catecholates, Salicylates, Complexation, Proton exchange, NMR, 2393
Aluminum
Bipyridine, Titanium, Coordination compound, Crystal structure, 561
Aluminum
Enolato, Enamido, Zirconium, Titanium, 1587
Amide
Nitronyl nitroxide, Imino nitroxide, Manganese complexes, Copper complexes, Cobalt complexes, 763
Amine oxidase
Lawsone, Quinones, 2-Hydroxy-1, 4-Naphthoquinone, Copper complexes, Antiferromagnetic coupling, H-bonding, EPR, 2541
Amine oxidation
Acetonitrile reduction, Imido, Metal-nitrogen pi bonding, Regioselectivity of nucleophile and electrophile additions, 311
Amines
Hexamethylbenzene, *p*-Cymene, Diphenyl-2-pyridylphosphine, Ruthenium complexes, 3115
Amino acid
Copper, Dendrimers, Electrochemistry, Electron spin resonance, Ligand, 1709
Amino acid
Nickel(II), Lanthanides(III), Heptanuclear, Cluster compound, 2265
Amino acid containing peroxovanadates
Dinuclear peroxovanadate, Peroxo-bridged divanadate, Peroxidative bromination, Heteroligand peroxovanadate, 1097
2-Aminomethylpyridine
Silica gel, Immobilization, Epoxide, Adsorption, Thermodynamic, 719
Aminopolycarboxylate
Copper(II), Ferromagnetic coupling, π–π stacking, Cylindrical channels, 1081
3-Aminopyridine
Mn(II) and Cd(II) complexes, Azides, Synthesis, Spectra, X-ray structures, Thermal properties, 2349
Ammonolysis
Liquid ammonia/toluene two-phase system, Potassium, Zirconium, 1125
Aniline
Dioxygen, Osmium, Oxidation, Electron transfer self-exchange, 323

doi:10.1016/S0277-5387(04)00440-1

Anion exchange
Pseudoephedrine, Nickel, Triangulo, Cluster, 1837
Anion role
Cadmium complex, Bis(triazole) ligand, Crystal structure, 3133
Anisotropic approximation
EDAX analyses, Cluster anions, Heterometal cluster complexes, 599
Anti-fungal
Bis-imidazole, Bis(imidazol-2-yl)methane, X-ray structures, Silver(I), Argentophilicity, Candida albicans, 1249
Antiferromagnetic coupling
Lawsone, Quinones, 2-Hydroxy-1, 4-Naphthoquinone, Amine oxidase, Copper complexes, H-bonding, EPR, 2541
Antiferromagnetic dimer
Copper dimer, Magnetic properties, Crystal structure, 1695
Antiferromagnetic interaction
Macrobicylic ligands, Compartmental, Copper(II) complexes, Electrochemistry, Catalytic study, 519
Antimicrobial activity
Copper(II) complexes, 2-Benzoylpyridine, Thiosemicarbazone, EPR, Crystal structure, 3069
Antimicrobial studies
Copper(II) complexes, Thiosemicarbazone, 2-Hydroxyacetophenone, EPR, Cyclic voltammetry, X-ray crystallography, 2549
Antimony
Ferrocenylcarboxylate, Crystal structures, Antitumor activity, 823
Antitumor activity
Antimony, Ferrocenylcarboxylate, Crystal structures, 823
Aqueous organometallic chemistry
Molybdenum, Polyoxometallate, Pentamethylcyclopentadienyl ligands, 2605
Aquo complex
Hydrotris(pyrazolyl)borate, Ruthenium, Hydrogen bond, Oxidation, 225
Architecture
Flexible, Carboxylates, IX, Coordination polymer, 3007
Arene ligand
Ferrocene carboxylic acid, Ferrocene derivative, Ruthenium, 687
Argentophilicity
Bis-imidazole, Bis(imidazol-2-yl)methane, X-ray structures, Silver(I), Anti-fungal, Candida albicans, 1249
Aromatic aminoacidate
Cobalt(III), Non-covalent interactions, Octahedral inversion, Tetradentate ligands, NMR, 1749
Arsenazo III
Dawson lacunary heteropolyanion, Complex formation constants, Lanthanides, 1579
Arsine
Titanium iodide, Phosphine, Iron iodide, Crystal structures, 605
Arsine ligands
Rhenium nitrosyl complexes, Pyrazole, X-ray structure, Density functional theory calculations, 2523
2-[(*E*)-2-(aryl)-1-diazenyl]pyridine
Hg(II) complexes, NMR, Crystal structures, 2323
Arylazoimidazoles
Cadmium(II) complexes, End-on and end-to-end bridging, X-ray structure, 1D chain, Sheet structure, 1669
Aryloxide
Lanthanides, Ytterbium, Crystal Structures, Tris(pyrazolyl)borate, Divalent, 263
Aryloxide derivatives
Tris(pyrazolyl)hydroborate (Tp) ligands, Lanthanum, Neodymium, Salt metathesis, 2437
Ascorbate oxidase model
Tricopper(II) complex, Schiff bases, Crystal structure, Magnetic properties, 643
Ascorbic oxidation
Copper(II) complex, Crystal structure, Imidazole, 2515
Assembly
Sulfonatothiacalixarene, Capsules, Diaza-Crown ether, Transition metal ions, 1461
Asymmetric oxidation
Chiral copper(II) complexes, Schiff base, Sulfide, Seven-membered, 1131
Aurates
S ligands, Coordination chemistry, Thianthrenes, 1351
Aza ether
Phthalocyanine, Metallo phthalocyanine, Liquid crystal, Metallo mesogen, Crown ether, 1931
1-azaallyls
Group 11 phosphine complexes, X-ray crystallography, Iminoalkyl bonding mode, 2273
Azide
Manganese(III), N,O ligands, X-ray structure, Magnetochemistry, Dimer, 1811
Azides
Polyamines, Copper(II) complexes, Crystal structures, Magnetic properties, Coordination polymers, 1243
Azides
Mn(II) and Cd(II) complexes, 3-Aminopyridine, Synthesis, Spectra, X-ray structures, Thermal properties, 2349
Azoimidazoles
Ruthenium(II)-tris-chelates, X-ray structure, Electrochemistry, 727
Azomethine H
Borate complex, Boric acid, Complexation, ^{11}B NMR, 955

^{11}B NMR
Thallium, B–H coupling, Tris(pyrazolyl)-borate, Pyrazole, 2533
B–H coupling
Thallium, ^{11}B NMR, Tris(pyrazolyl)borate, Pyrazole, 2533
^{11}B NMR
Borate complex, Azomethine H, Boric acid, Complexation, 955
Back-bonding
Crystal structure, Ruthenium complex, NO, Reactivity, Molecular, 1063
Benzene activation
C–H bond activation, Rhodium(III), Aldehyde activation, 2943
Benzimidazole
Platinum, Imine, Benzoxazole, Benzothiazole, Pyridine, 155
N-(benzothiazol-2-yl)-*S*,*S*′-dimethyl-dithiocarboimine
Zinc(II) cobalt(II) compounds from *N*-(benzothiazol-2-yl)-dithiocarbamic methyl-ester, 1-Benzothiazol-2-ylid-3-methyl-thiourea, 1-Benzothiazol-2-yl-2,3-dimethyl-*iso*-thiourea, 2481
Benzimidazole
Rhenium, Bibenzimidazole, Crystal structure, Paramagnetic NMR, 1139
Benzothiazole
Platinum, Imine, Benzimidazole, Benzoxazole, Pyridine, 155
1-Benzothiazol-2-yl-2,3-dimethyl-*iso*thiourea
Zinc(II) cobalt(II) compounds from *N*-(benzothiazol-2-yl)-dithiocarbamic methyl ester, 1-Benzothiazol-2-ylid-3-methyl-thiourea, *N*-(benzothiazol-2-yl)-*S*,*S*′-dimethyl-dithio-carboimine, 2481
1-Benzothiazol-2-ylid-3-methyl-thiourea
Zinc(II) cobalt(II) compounds from *N*-(benzothiazol-2-yl)-dithiocarbamic methyl ester, 1-Benzothiazol-2-yl-2,3-dimethyl-*iso*thiourea, *N*-(benzothiazol-2-yl)-*S*,*S*′-dimethyl-dithio-carboimine, 2481
2-Benzoylpyridine
Copper(II) complexes, Thiosemicarbazone, EPR, Antimicrobial activity, Crystal structure, 3069
Benzoxazole
Platinum, Imine, Benzimidazole, Benzothiazole, Pyridine, 155
Bibenzimidazole
Rhenium, Benzimidazole, Crystal structure, Paramagnetic NMR, 1139
Bicapped trigonal prism
Eight-coordinate, Stereochemistry, Dodecahedron, Square antiprism, Molecular mechanics, 145
Bidentate
Ligand, Bridging, X-ray, Phosphine, 2569
Bidentate chelate
Bis(diphenylphosphino)methane dioxide, Uranyl nitrate, Uranyl bis(β-diketonates), Monodentate, Bridging bidentate, Coordination modes, 1527
Bidentate diamine
$Cu^{II}N_4Cl$ chromophores, Bidentate diimine, π–π Interactions, Hydrogen bonding, Magnetic property, 1961
Bidentate diimine
$Cu^{II}N_4Cl$ chromophores, Bidentate diamine, π–π Interactions, Hydrogen bonding, Magnetic property, 1961

Bidentate donors
2-Diphenylphosphinopicolinamide (dpppa 1), Coordination chemistry, Monodentate donors, 3211
Bidentate ligand
Dinuclear copper(II) complex, Magnetic properties, Crystal structure, UV–Vis, EPR and IR spectra, 1309
Bidentate NS Schiff base
S-2-picolyldithiocarbazate (Hydrazine carbodithioic acid pyridinium-2-yl methyl ester chloride), Tridentate NNS and NSS Schiff bases, Ni(II) complexes, Dithiocarbazate derivative, 161
Binuclear complexes
Nickel(II) compounds, Crystal structures, Terephthalate ligand, Magnetic properties, 1379
Binuclear compounds
Isocyanides, Nickel, Polymerisation, Ring-coupled bis-cyclopentadienyl ligand, X-ray molecular structure, 2715
Binuclear copper complex
EPR, Half-field, Superhyperfine, X-ray, Electrochemical, 1115
Binuclear ruthenium complexes
Mixed valent Ru(II)/Ru(III) complexes, Catalysis, Imine hydrogenation, 3163
Bioactivity
1,3,4-thiadiazole, Zinc, Crystal structure, Thermal decomposition, Kinetics, 1851
Biphase catalysis
Hydroformylation, Ionic liquids, High-pressure NMR, Rhodium complexes, 2679
Bipodal ligands
P,S-metallocycles, Supramolecular chemistry, Crystal structures, Macrocycles, Phosphorylated urea complexes, 2243
Bipyridine
Titanium, Aluminum, Coordination compound, Crystal structure, 561
Bipyridine
Distortions, 2081
2,2′-Bipyridine
Hydrazones, Copper(II) hydrazonate complexes, 1,10- Phenanthroline, X-ray single crystal structure, EPR, 575
2,2′-Bipyrimidine complexes
Iron(III) carboxylate complexes, Oxo-bridged iron(III) complexes, π–π stacking interactions, X-ray crystal structure, 1271
4,4′-Bipyridine
Lead(II), Coordination polymers, Lone pair, π–π staking interaction, Crystal structure, 2427
4,4′-Bipyridyl
Diorganotin, Dicyanoethylene-1,2-dithiolate, 1,10-Phenanthroline, X-ray crystal structure, Co-crystallization, 1207
Bis(2-pyridylmethyl)amine
Iron(II) complexes, Cobalt(II) complexes, X-ray crystal structures, Tris(2-pyridylmethyl)amine, 3105
Bis(2-pyridylmethyl)amino acids
Self-assembly, Crystal structures, Ferromagnetism, One-dimensional chains, Copper(II) complexes, 903
Bis(8-quinolinyl)amine
Cobalt, Copper, Zinc, Structures, 831
Bis(diphenylphosphino)methane dioxide
Uranyl nitrate, Uranyl bis(β-diketonates), Monodentate, Bidentate chelate, Bridging bidentate, Coordination modes, 1527
Bis(ethylenedithio)tetrathiafulvalene (ET)
Radical salts, Crystal structures, Electrical conductivity, 1185
Bis(imidazol-2-yl)methane
Bis-imidazole, X-ray structures, Silver(I), Argentophilicity, Anti-fungal, Candida albicans, 1249
Bis(imido)
Tris(pyrazolyl)borate, Molybdenum, Synthesis, Structures, 189
Bis(mercaptoimidazolyl)borate complexes
Nickel, Tris(mercaptoimidazolyl)borate complexes, Diphosphine, Hydrogenases, Crystal structure, 395
Bis(mercaptoimidazolyl)borate complexes
Thallium, Crystal structure, 617
Bis(methoxycarbimido)amine
MP2 geometry optimization, Topological analysis of electron density, 2235
Bis(triazole) ligand
Cadmium complex, Crystal structure, Anion role, 3133
Bis-(2-pyridylmethyl)amine
Iron, (μ-O)di-iron complex, Oxalato, Hydrogen bonding, Mössbauer spectra, 1419
Bis-imidazole
Bis(imidazol-2-yl)methane, X-ray structures, Silver(I), Argentophilicity, Anti-fungal, Candida albicans, 1249
Bis-imidazole
Metal complexes, X-ray structures, Manganese(II), Copper(II), Zinc(II), 1731
Bis[monochloro(μ-*N*-salicylidenemyristoylhydrazine) ONO′(−1)]dicopper(II)
N-salicylidene-*n*-alkanoylhydrazines, Copper(II) complexes, Magnetochemical studies, X-ray crystal and molecular structure, 23
Bis[tris(pyrazolyl)methane] complexes
Electron-transfer reactions, Spin-exchange reactions, Low-spin configurations, High-spin configurations, 1037
1,3-Bis(4-pyridyl)propane
Zinc, 4,4′-Pyridine, Polymeric network, X-ray crystallography, 999
2,3-Bis(α-pyridyl)pyrazine
Ruthenium, Cyclopentadienyl, 1,3,5-Tris (pyridyl)-2,4,6-triazine, 2,3,5,6-Tetrakis (pyridyl)pyrazine, 1069
2,5-Bis(2-pyridyl)-1,3,4-thiadiazole
Zinc, Energy minimization, Crystal structures, Monomeric complexes, 1903
Bitopic heteroscorpionate ligand
Square planar silver complex, 291
Boat conformations
Iridium, Cyclometalated Ir(II) complexes, Pyrazolyl ancillary ligands, Luminescent, Electroluminescence, 419
Bond cleavage
Molybdenum complexes, Carbonyl complexes, Pentafluorophenyl, Oxidation, Reductive elimination, 1371
Bond valence
Ruthenium arene complexes, Pyrazole, Dimethylpyrazole, X-ray structure, 885
Bonding
Organometallics, Sandwich complex, Metallocene, Density functional theory, Orbital analysis, 2993
Borate complex
Azomethine H, Boric acid, Complexation, ^{11}B NMR, 955
Boric acid
Borate complex, Azomethine H, Complexation, ^{11}B NMR, 955
Borohydrides
Lanthanides, Neodymium, X-ray structures, Alkoxides, Pyrazolylborates, 253
Boron
Multiple-decker sandwich complex, Ferrocene, Lithium, Crystal structure, 2597
Boron
Zwitterions, Monoanionic ligands, Phosphines, Syntheses, Structures, 2901
Boron neutron capture therapy
closo-Dodecaborate, Hydroxy and acyl derivatives, Disubstituted functional derivatives, 2135
Bridging
Iron (III), Dinuclear, Carboxylate, Complexes, Mössbauer, 1869
Bridging
Ligand, Bidentate, X-ray, Phosphine, 2569
Bridging bidentate
Bis(diphenylphosphino)methane dioxide, Uranyl nitrate, Uranyl bis(β-diketonates), Monodentate, Bidentate chelate, Coordination modes, 1527
Bridging boryls
Rhodium hydrides, Catalyzed hydroborations, 2665
Bridging Tp ligands
κ^2-Tp ligands, Rhodium dicarbonyl complexes, Isomers, X-ray structure, 301
Bromotrimethylsilane
Lanthanide oxides, O-donor ligands, Complexes of lanthanide bromides, Crystal structure, Coordination number, 2293
Building block approach
Octamolybdate, Hydrothermal synthesis, Three-dimensional oxide, Organic–inorganic hybrid, Hartree–Fock calculations, 1145

^{59}Co NMR
Multidentate ligand, Cobalt(III), Sinambic, 2217
C–C coupling reactions
Rhodium, Acetylacetonato complexes, Pentachlorophenolato complexes, Carboxylato complexes, Diazoalkane complexes, 2645
C–H activation
Trispyrazolylborate, Rhodium, 413

C–H activation
Ruthenium, Scorpionate, Tris(pyrazolyl)-borate, Hydride, 439
C–H bond activation
Rhodium(III), Benzene activation, Aldehyde activation, 2943
Cadmium
Coordinate, Polymers, Ligands, Supramolecular, 1003
Cadmium
Thiosemicarbazone, 2-pyridineformamide, Crystal structure, Zinc, 2303
Cadmium
Xanthate, Diamine, Zinc, CdS, Nanoparticles, 2315
Cadmium complex
Zinc complex, 2-Oxo-1,3-dithiole-4,5-dithiolate, Synthesis, Crystal structure, Density functional calculation, 1701
Cadmium complex
Bis(triazole) ligand, Crystal structure, Anion role, 3133
Cadmium(II)
Calcium(II), Manganese(II), Synthesis, Crystal structures, Tetrazolate complexes, 1217
Cadmium(II)
Chloranilate anions, Phenanthroline, Square antiprism, Crystal structures, Chain polymers, 2587
Cadmium(II) complexes
Arylazoimidazoles, End-on and end-to-end bridging, X-ray structure, 1D chain, Sheet structure, 1669
Cadmium(II)thiocyanate
Polymer, Schiff base, Imidazole, Supramolecular synthon, 2045
Cage complexes
Rotational barriers, Polyphosphoxane, Cone angles, 125
Calcium phosphates
Hydroxyapatite, Complex, EDTA, Hydrothermal, Low temperature, 1897
Calcium(II)
Cadmium(II), Manganese(II), Synthesis, Crystal structures, Tetrazolate complexes, 1217
Calixarenes
Uranyl ion, Alkali metal ions, Homooxacalixarenes, Crystal structures, 649
Candida albicans
Bis-imidazole, Bis(imidazol-2-yl)methane, X-ray structures, Silver(I), Argentophilicity, Anti-fungal, 1249
Capsules
Sulfonatothiacalixarene, Diaza-Crown ether, Transition metal ions, Assembly, 1461
Capsules
Sulfonatothiacalixarene, Diaza-18-crown-6, Lanthanide ions, 2055
Carbene
Actinide, Lanthanide, Oxides, Uranium, 2689
Carbohydrate
Cobalt complex, Absorption spectra, Circular dichroism, Optical activity, 1341
Carbon allotropes
Polyynes, Carbyne, Dicyanopolyynes, Cyanopolyynes, Electric arc, Graphite, Liquid nitrogen, 1889
Carbon monoxide
Hydrocarboxylation, Oligomerization, Catalysis, Rhodium complexes, Ethylene, 1677
Carbonyl
Sodium, Copper, Tris(pyrazolyl)borate, Fluorinated, 273
Carbonyl
Parabanic acid, Iron, Cyclopentadienyl, Thallium, Gold (I) complex, Alkylation, 1441
Carbonyl complexes
Molybdenum complexes, Pentafluorophenyl, Oxidation, Bond cleavage, Reductive elimination, 1371
Carborane
Spectroscopy, DFT calculations, X-ray crystallography, 629
Carboxylate
Iron (III), Dinuclear, Complexes, Bridging, Mössbauer, 1869
Carboxylate
Coordination polymer, Double betaine, Hydrate, Hydrogen bonding, π–π Interaction, Silver nitrate, 2413
Carboxylate bridge
Cu(II)–Ln(III) complexes, Dipeptides, Hexanuclear cations, Crystal structures, Magnetic properties, 2253
Carboxylate bridges
Self-assemble, Copper complexes, Dipeptides, Alkaline earth metals, Magnetic properties, 2125
Carboxylates
Alkoxides, Enolates, β-Diketonates, Alkali metals, Alkaline earth metals, Cluster compounds, 1479
Carboxylates
Flexible, IX, Coordination polymer, Architecture, 3007
Carboxylato complexes
Rhodium, Acetylacetonato complexes, Pentachlorophenolato complexes, Diazoalkane complexes, C–C coupling reactions, 2645
Carbyne
Carbon allotropes, Polyynes, Dicyanopolyynes, Cyanopolyynes, Electric arc, Graphite, Liquid nitrogen, 1889
Catalysis
Ligand, X-ray structure, Complex, 693
Catalysis
Synthesis, Crystal structures, Indenyl ligand, Nickel complex, 1473
Catalysis
Hydrocarboxylation, Oligomerization, Rhodium complexes, Ethylene, Carbon monoxide, 1677
Catalysis
Mixed valent Ru(II)/Ru(III) complexes, Binuclear ruthenium complexes, Imine hydrogenation, 3163
Catalyst
Neutral palladium(II) complex, X-ray crystallography, Methylaluminoxane, Norbornene, Vinylic polymerizaition, 1619
Catalyst
Iron, Radical, Styrene, Polymerisation, 2921
Catalysts
Chiral, Schiff base, Copper, Cyclopropanation, Crystal structures, 3051
Catalytic enantioselective reduction
trans-1,2-Diaminocyclohexane, Crystal structure, Zinc complex, 2063
Catalytic study
Macrobicylic ligands, Compartmental, Copper(II) complexes, Electrochemistry, Antiferromagnetic interaction, 519
Catalyzed hydroborations
Rhodium hydrides, Bridging boryls, 2665
Catecholates
Aluminium(III), Salicylates, Complexation, Proton exchange, NMR, 2393
CdS
Xanthate, Diamine, Zinc, Cadmium, Nanoparticles, 2315
Cerium
Oxazolines, Chiral, Thermal decomposition, MOCVD, β-ketoesterates, 1467
Chain polymers
Cadmium(II), Chloranilate anions, Phenanthroline, Square antiprism, Crystal structures, 2587
Charge transfer
Ion pair complex, Hydrogen bonding network, Non-covalent interaction, Near-IR absorption, 1235
Charge transfer compounds
Tetrathiafulvalene, Copper(II), Electrical conductivity, 2111
Charge-transfer
Iridium, Luminescence, Terpyridine, Near infra-red, Intra-ligand charge transfer, 2769
Chelates
Alkali metals, Lithium, Phosphorus–carbon bond cleavage, O Ligands, 2499
Chelating phosphines
Iridium complexes, 2959
Chemical vapour deposition
Thermochromism, Thin films, Vanadium dioxide, 3087
Chiral
Cyclophosphazenes, Spirocyclic, X-ray structure, 979
Chiral
Cerium, Oxazolines, Thermal decomposition, MOCVD, β-ketoesterates, 1467
Chiral
Coordination polymers, Nicotinate, Open channel, Grid, 1947
Chiral
Schiff base, Copper, Cyclopropanation, Catalysts, Crystal structures, 3051
Chiral copper(II) complexes
Asymmetric oxidation, Schiff base, Sulfide, Seven-membered, 1131

Chirality
Scorpionate ligands, Tripod ligands, Prochirality, Menthone, 245
Chirality
Tetra-azamacrocycles, Template reaction, Pendent arm, Conformational isomers, 869
Chloranilate anions
Cadmium(II), Phenanthroline, Square antiprism, Crystal structures, Chain polymers, 2587
Chromium complexes
Phosphanylalkylcyclopentadienyl ligands, Polymerisation studies, 1393
Chromophores
Scorpionands, Copper(II), Macrocycles, Nickel(II), 373
β-Cis arrangements
Iron complexes, Acetate ligands, η^2-Coordination modes, Schiff bases, 963
Circular dichroism
Carbohydrate, Cobalt complex, Absorption spectra, Optical activity, 1341
Cluster
Uranium, Schiff base, Crystal structure, 623
Cluster
Pseudoephedrine, Nickel, Triangulo, Anion exchange, 1837
Cluster anions
EDAX analyses, Anisotropic approximation, Heterometal cluster complexes, 599
Cluster complexes
Fe(III) carboxylate chemistry, Magnetochemistry, Crystal structures, 2779
Cluster compound
Nickel(II), Lanthanides(III), Amino acid, Heptanuclear, 2265
Cluster compounds
Alkoxides, Enolates, β-Diketonates, Carboxylates, Alkali metals, Alkaline earth metals, 1479
Clusters
Phosphorus, Sulfur, Phosphorus sulfides, Laser ablation synthesis, TOF mass spectrometry, 1199
Clusters
Electron density distribution, Polarizability, Spherical potential well, Finite electric field, 1519
Clusters
Complexity, Nanochemistry, Polyoxomolybdates, 2381
Clusters
Crystal structures, Copper, Molybdenum, Tungsten, Nitrogen heterocycle ligands, Pyrazole, 3143
Co(II) and Ni(II) complexes
Isoorotic acid, Hydrothermal synthesis, Hydrogen bonds, Supramolecular frameworks, 2227
Co-crystallization
Diorganotin, Dicyanoethylene-1,2-dithiolate, 4,4′-Bipyridyl, 1,10-Phenanthroline, X-ray crystal structure, 1207
Cobalt
Oxide, β-diketonates, Adducts, Structures, MOCVDf, 735
Cobalt
Polyoxometalates, Hydrothermal synthesis, Crystal structure, Keggin, 773
Cobalt
Phthalocyanine, Zinc, Nickel, Naphthalene, 787
Cobalt
Copper, Zinc, Bis(8-quinolinyl)amine, Structures, 831
Cobalt
Porphyrazine, EPR, Naphthalene, Copper, Zinc, 1845
Cobalt complex
Carbohydrate, Absorption spectra, Circular dichroism, Optical activity, 1341
Cobalt complexes
Nitronyl nitroxide, Imino nitroxide, Amide, Manganese complexes, Copper complexes, 763
Cobalt(II) complex
Lawesson's Reagent, Thiophosphoryl compound, Sulfur-rich complex, Nickel(II) complex, 1799
Cobalt(II) complexes
Immobilization, Silica support, H_2O_2, 59
Cobalt(II) complexes
2-Methanolpyridine, 2,6-Dimethanolpyridine, 2-Ethanolpyridinium, Crystal structures, 841
Cobalt(II) complexes
Iron(II) complexes, X-ray crystal structures, Bis(2-pyridylmethyl)amine, Tris(2-pyridylmethyl)amine, 3105
Cobalt(III)
Semicarbazone, 2-Hydroxyacetophenone, NMR spectra, IR spectra, Electronic spectra, X- ray crystal structure, 41
Cobalt(III)
Aromatic aminoacidate, Non-covalent interactions, Octahedral inversion, Tetradentate ligands, NMR, 1749
Cobalt(III)
Multidentate ligand, Sinambic, ^{59}Co NMR, 2217
Cobalt(III) complex
Crystal structure, Thiazine, Nickel(II) complex, Pyridine, 1453
Cobalt(III) complexes
Synthesis, Spectroscopy, Pyrazolyl thiosemicarbazone, X-ray crystallography, 5
Cobalt(III) complexes
Ozone, X-ray crystal structure, Silver(II) complexes, Manganese(III) complexes, 2631
Cobaltocenium
Metallocene, Ferrocenium, Crystal structure, 2937
Compartmental
Macrobicylic ligands, Copper(II) complexes, Electrochemistry, Antiferromagnetic interaction, Catalytic study, 519
Complex
Ferrocene, Enaminone, Ligand, Copper, X-ray crystallography, 15
Complex
Ferrocene, Dithiocarbazate, Ligand, Tin, Crystal structure, 567
Complex
Ligand, Catalysis, X-ray structure, 693
Complex
Hydrazones, Lanthanide, X-ray, Spectroscopy, Crystal structures, 1191
Complex
Crystal structure, Molecular assembly, 1,3-Dithiole-2-thione, 1447
Complex
Ferrocene, Enaminone, Ligand, Copper, X-ray crystallography, 1541
Complex
Hydroxyapatite, EDTA, Hydrothermal, Low temperature, Calcium phosphates, 1897
Complex formation
Uranium, Glycerol phosphate, Potentiometric titration, TRLFS, 1793
Complex formation constants
Dawson lacunary heteropolyanion, Lanthanides, Arsenazo III, 1579
Complexation
Borate complex, Azomethine H, Boric acid, ^{11}B NMR, 955
Complexation
Aluminium(III), Catecholates, Salicylates, Proton exchange, NMR, 2393
Complexation
Absorption spectra, Kinetics, Photochromism, Spiroindolinonaphthooxazines, 3147
Complexation
Terpyridine, Pyridyl bispyrazolyl, Iron, Rearrangement, X-ray structures, 3193
Complexes
Ferrocene, Enaminone, Ligands, X-ray crystallography, 749
Complexes
Iron (III), Dinuclear, Carboxylate, Bridging, Mössbauer, 1869
Complexes
Palladium, Selenium, X-ray, 2967
Complexes of lanthanide bromides
Lanthanide oxides, Bromotrimethylsilane, O-donor ligands, Crystal structure, Coordination number, 2293
Complexity
Clusters, Nanochemistry, Polyoxomolybdates, 2381
Cone angles
Rotational barriers, Polyphosphoxane, Cage complexes, 125
Conformational isomers
Chirality, Tetra-azamacrocycles, Template reaction, Pendent arm, 869
Coordinate
Cadmium, Polymers, Ligands, Supramolecular, 1003
Coordination
Phosphine, Synthesis, X-ray structure, 2575

Coordination chemistry
Scorpionates, Polypyrazolylborates, Nitrogen ligands, 197
Coordination chemistry
S ligands, Aurates, Thianthrenes, 1351
Coordination chemistry
2-Diphenylphosphinopicolinamide (dpppa 1), Monodentate donors, Bidentate donors, 3211
Coordination complex
X-ray structure, Diimine, Zinc, Palladium, 2789
Coordination compound
Bipyridine, Titanium, Aluminum, Crystal structure, 561
Coordination environment
Nickel(II) complexes, Crystal structures, Hydrotris(pyrazolyl)borate complexes, Scorpionates, 211
Coordination framework
Copper, 4,7-Phenanthroline, Host–guest properties, Polymers, Extended structures, 55
Coordination geometry
Nickel, Schiff's bases, Hydrogenated Schiff's bases, X-ray crystal structures, Polymethylene chains, 3201
Coordination modes
Bis(diphenylphosphino)methane dioxide, Uranyl nitrate, Uranyl bis(β-diketonates), Monodentate, Bidentate chelate, Bridging bidentate, 1527
η^2-Coordination modes
Iron complexes, Acetate ligands, Schiff bases, β-Cis arrangements, 963
Coordination number
Lanthanide oxides, Bromotrimethylsilane, O-donor ligands, Complexes of lanthanide bromides, Crystal structure, 2293
Coordination polymer
Lanthanide nitrate, N,N′-dioxide, Self-assembly, 169
Coordination polymer
Crystal structure, Hydrogen bonds, Copper(II), 553
Coordination polymer
Europium, Hydrogen bonds, Luminescence, Supramolecular, Terbium, 711
Coordination polymer
Lanthanum trifluoromethanesulfonate, Isonicotinic acid, N-oxide, Mixed ligands, 857
Coordination polymer
Manganese maleate, Temperature effect, Helical architecture, Hydrogen bonds, π–π interactions, 987
Coordination polymer
Copper, *N*-ligands, Thioethers, Multi-armed ligands, X-ray structures, 1055
Coordination polymer
Hydrothermal synthesis, Magnetic property, Transition metal, Square grid structure, 1,4-Naphthalenedicarboxylic acid, 1257
Coordination polymer
Lead, Hydrothermal synthesis, X-ray structure determination, 2161
Coordination polymer
Carboxylate, Double betaine, Hydrate, Hydrogen bonding, π–π Interaction, Silver nitrate, 2413
Coordination polymer
Flexible, Carboxylates, IX, Architecture, 3007
Coordination polymer
Copper(II) complex, Schiff base, X-ray structure, Imine activation, 3081
Coordination Polymers
Polypyrazolylborate complexes, Copper complexes, Rhodium complexes, Scorpionates, Nitrile coordination, 235
Coordination polymers
Azides, Polyamines, Copper(II) complexes, Crystal structures, Magnetic properties, 1243
Coordination polymers
Chiral, Nicotinate, Open channel, Grid, 1947
Coordination polymers
One-dimensional, Silver(I), Aliphatic amino ligands, Tubes, Topology, Supramolecular chemistry, Self assembly, Nanotubes, 2075
Coordination polymers
Copper(II) complex, Crystal structure, Magnetic properties, 2203
Coordination polymers
4,4′-Bipyridine, Lead(II), Lone pair, π–π staking interaction, Crystal structure, 2427
Coordination polymers
Silver, Imidazolate, X-ray structure, 3063
Copper
Ferrocene, Enaminone, Ligand, Complex, X-ray crystallography, 15
Copper
4,7-Phenanthroline, Coordination framework, Host–guest properties, Polymers, Extended structures, 55
Copper
Sodium, Tris(pyrazolyl)borate, Fluorinated, Carbonyl, 273
Copper
Tetrakis(3-isopropylpyrazolyl)borate, Solvent extraction, Single-crystal X-ray diffraction, Zinc, 283
Copper
Cobalt, Zinc, Bis(8-quinolinyl)amine, Structures, 831
Copper
Structure, Magnetism, Dinuclear, EPR, 993
Copper
N-ligands, Thioethers, Multi-armed ligands, X-ray structures, Coordination polymer, 1055
Copper
Crystal structure, Dimer, Spectral properties, Magnetic properties, 1303
Copper
Nickel, Zinc, Imidazole, α-Hydroxycarboxylato complexes, Thermal behaviour, Crystal structures, 1505
Copper
Ferrocene, Enaminone, Ligand, Complex, X-ray crystallography, 1541
Copper
Amino acid, Dendrimers, Electrochemistry, Electron spin resonance, Ligand, 1709
Copper
Self-assembly, N,O-ligands, Dinuclear, EPR, 1769
Copper
Porphyrazine, EPR, Naphthalene, Zinc, Cobalt, 1845
Copper
Structure, Infrared, Hydrogen bonds, Distortion isomers, 1969
Copper
3,5-Dinitrosalicylate complex, Trimer, Crystal structure, Magnetic properties, Spectral properties, 2447
Copper
Chiral, Schiff base, Cyclopropanation, Catalysts, Crystal structures, 3051
Copper
Crystal structures, Clusters, Molybdenum, Tungsten, Nitrogen heterocycle ligands, Pyrazole, 3143
Copper complexes
Polypyrazolylborate complexes, Rhodium complexes, Scorpionates, Coordination Polymers, Nitrile coordination, 235
Copper complexes
Crystal structures, Zinc complexes, Molecular rectangles, 673
Copper complexes
Nitronyl nitroxide, Imino nitroxide, Amide, Manganese complexes, Cobalt complexes, 763
Copper complexes
Schiff base complexes, Tripeptide complexes, 849
Copper complexes
Di-2-pyridylamine, Nitrito complexes, Plasticity effect, *cis*-Distorted octahedron, Fluxional behaviour, 1685
Copper complexes
Self-assemble, Carboxylate bridges, Dipeptides, Alkaline earth metals, Magnetic properties, 2125
Copper complexes
Lawsone, Quinones, 2-Hydroxy-1, 4-Naphthoquinone, Amine oxidase, Antiferromagnetic coupling, H-bonding, EPR, 2541
Copper dimer
Magnetic properties, Antiferromagnetic dimer, Crystal structure, 1695
Copper dimers
Triazolopyrimidine, Zn complexes, EPR, 743
Copper(I) complexes
Tetrathiomolybdate, Tetrathiotungstate, Dihydridobis(pyrazolyl)borate, Crystal structure, Model compounds, 637
Copper(I) complexes
Hexafluorocetylacetonate, Olefin complexes, Divinyl organics, Crystal structure, Thermal analysis, 809

Copper(II)
Scorpionands, Chromophores, Macrocycles, Nickel(II), 373
Copper(II)
Coordination polymer, Crystal structure, Hydrogen bonds, 553
Copper(II)
Aminopolycarboxylate, Ferromagnetic coupling, π–π stacking, Cylindrical channels, 1081
Copper(II)
Bis-imidazole, Metal complexes, X-ray structures, Manganese(II), Zinc(II), 1731
Copper(II)
Tetrathiafulvalene, Charge transfer compounds, Electrical conductivity, 2109
Copper(II) complex
Crystal structure, Magnetic properties, Coordination polymers, 2203
Copper(II) complex
Pyridylthioazophenol ligands, Crystal structure, 2457
Copper(II) complex
Ascorbic oxidation, Crystal structure, Imidazole, 2515
Copper(II) complex
Schiff base, X-ray structure, Imine activation, Coordination polymer, 3081
Copper(II) complexes
N-salicylidene-*n*-alkanoylhydrazines, Magnetochemical studies, Bis[monochloro-(μ-*N*-salicylidenemyristoylhydrazine) ONO′(−1)]dicopper(II), X-ray crystal and molecular structure, 23
Copper(II) complexes
Macrobicylic ligands, Compartmental, Electrochemistry, Antiferromagnetic interaction, Catalytic study, 519
Copper(II) complexes
Self-assembly, Crystal structures, Bis(2-pyridylmethyl)amino acids, Ferromagnetism, One-dimensional chains, 903
Copper(II) complexes
Azides, Polyamines, Crystal structures, Magnetic properties, Coordination polymers, 1243
Copper(II) complexes
Crystal structure, Dihydroxo-bridged, Roof-shaped, Triply bridged, 1641
Copper(II) complexes
Thioether ligands, Stability constants, Monophosphono dipeptides, Potentiometry, Vis, CD, EPR spectroscopy, 1939
Copper(II) complexes
Dithiocarbazates, Saccharin complexes, 2031
Copper(II) complexes
Pyrazolone, Crystal structures, ESR study, 2465
Copper(II) complexes
Thiosemicarbazone, 2-Hydroxyacetophenone, EPR, Antimicrobial studies, Cyclic voltammetry, X-ray crystallography, 2549
Copper(II) complexes
2-Benzoylpyridine, Thiosemicarbazone, EPR, Antimicrobial activity, Crystal structure, 3069
Copper(II) compounds
Crystal structures, Terephthalate ligand, One-dimensional complexes, Magnetic properties, 3043
Copper(II) hydrazonate complexes
Hydrazones, 1,10- Phenanthroline, 2,2′-Bipyridine, X-ray single crystal structure, EPR, 575
Copper(III)
Imine-oxime ligand, Diols, Kinetics, Mechanism, Electron transfer, 583
CPMAS
Pyrazolylborates, Thallium, NMR, 2985
Crown ether
Ion recognition, Schiff base complexes, UV–Vis, Lanthanides, 1401
Crown ether
Phthalocyanine, Metallo phthalocyanine, Liquid crystal, Metallo mesogen, Aza ether, 1931
Crown thioethers
Thioether complexes, Platinum complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Diimine complexes, 1361
Cryptate
Lanthanide, Crystal structure, ES-MS, 49
Crystal engineering
Zinc(II)azide, Mononuclear, Dinuclear, 2,2′-Dipyridylamine, Luminescence, 545
Crystal engineering
Supramolecular chemistry, Self-assembly, Polymers, Transition metal, 1877
Crystal structure
Gold complex, Selenourea, MAS NMR, 1
Crystal structure
Lanthanide, Cryptate, ES-MS, 49
Crystal structure
Hypodentate, Tripodal amine ligand, Cu(II) complexes, Five-coordinate, 97
Crystal structure
Nickel, Bis(mercaptoimidazolyl)borate complexes, Tris(mercaptoimidazolyl)borate complexes, Diphosphine, Hydrogenases, 395
Crystal structure
Ionic complex, Rheological phase reaction, Photoluminescence, Europium, Zinc, 529
Crystal structure
Coordination polymer, Hydrogen bonds, Copper(II), 553
Crystal structure
Bipyridine, Titanium, Aluminum, Coordination compound, 561
Crystal structure
Ferrocene, Dithiocarbazate, Ligand, Complex, Tin, 567
Crystal structure
Thallium, Bis(mercaptoimidazolyl)borate complexes, 617
Crystal structure
Uranium, Schiff base, Cluster, 623
Crystal structure
Tetrathiomolybdate, Tetrathiotungstate, Dihydridobis(pyrazolyl)borate, Copper(I) complexes, Model compounds, 637
Crystal structure
Tricopper(II) complex, Schiff bases, Ascorbate oxidase model, Magnetic properties, 643
Crystal structure
Vanadium(V) peroxo mandelato complex, IR spectra, ^{51}V NMR spectra, 655
Crystal structure
Polyoxometalates, Hydrothermal synthesis, Keggin, Cobalt, 773
Crystal structure
2-Mercapto-6-nitrobenzothiazole, Organotin(IV), Non-bonded interaction, X-ray crystallography diffraction, 779
Crystal structure
Copper(I) complexes, Hexafluorocetylacetonate, Olefin complexes, Divinyl organics, Thermal analysis, 809
Crystal structure
Dimeric complex, Manganese(III), Ferromagnetic behaviour, 949
Crystal structure
Back-bonding, Ruthenium complex, NO, Reactivity, Molecular, 1063
Crystal structure
Tetrahydrofurfurylindenyl, Lanthanide chlorides, Ionic radius, 1075
Crystal structure
Mn(II) complex, Isonicotinic acid, N-oxide, Luminescence, 1109
Crystal structure
Rhenium, Benzimidazole, Bibenzimidazole, Paramagnetic NMR, 1139
Crystal structure
Platinum, Palladium, Phosphorus–nitrogen donor, 1159
Crystal structure
Copper, Dimer, Spectral properties, Magnetic properties, 1303
Crystal structure
Dinuclear copper(II) complex, Magnetic properties, Bidentate ligand, UV–Vis, EPR and IR spectra, 1309
Crystal structure
Molecular assembly, 1,3-Dithiole-2-thione, Complex, 1447
Crystal structure
Thiazine, Cobalt(III) complex, Nickel(II) complex, Pyridine, 1453
Crystal structure
Phase transition, Isotope effect, Hydrogen bond, NQR, Tetrachloroaurate(III), 1605
Crystal structure
Copper(II) complexes, Dihydroxo-bridged, Roof-shaped, Triply bridged, 1641
Crystal structure
Ph_2Te_2, Metal–metal bond, Molybdenum complex, Mo_2Te_4 complex, 1663
Crystal structure
Copper dimer, Magnetic properties, Antiferromagnetic dimer, 1695
Crystal structure
Zinc complex, Cadmium complex, 2-Oxo-1,3-dithiole-4,5-dithiolate, Synthesis, Density functional calculation, 1701

Crystal structure
2-Thiopheneacetic acid, Polymeric copper(II) complex, Vibrational spectra, Metal isotope effect, 1785
Crystal structure
Heteroaromatic carboxylic acid, Triphenyltin, Synthesis, 1805
Crystal structure
1,3,4-thiadiazole, Zinc, Thermal decomposition, Kinetics, Bioactivity, 1851
Crystal structure
1H-5-mercapto-1,2,3-triazolato, Organotin, Organogermanium(IV), X-ray crystallography, 1981
Crystal structure
trans-1,2-Diaminocyclohexane, Zinc complex, Catalytic enantioselective reduction, 2063
Crystal structure
Iron, Spin-crossover, Magnetic measurements, 2141
Crystal structure
Transformation, Molybdenum phosphate, Hydrothermal synthesis, 2153
Crystal structure
Dicopper(II) complex, 1D Coordination polymer, Magnetic properties, Schiff base, 2177
Crystal structure
Copper(II) complex, Magnetic properties, Coordination polymers, 2203
Crystal structure
Uranium, N, O donor ligands, 2285
Crystal structure
Lanthanide oxides, Bromotrimethylsilane, O-donor ligands, Complexes of lanthanide bromides, Coordination number, 2293
Crystal structure
Thiosemicarbazone, 2-pyridineformamide, Zinc, Cadmium, 2303
Crystal structure
Nickel(II) complexes, MagnetismPseudohalides,, 2337
Crystal structure
Hydrothermal synthesis, Iron phosphatooxalate, Template, Oxalate acid, Piperazine, 2357
Crystal structure
Manganese, Hydrogen bond, Magnetism, EPR, 2387
Crystal structure
4,4′-Bipyridine, Lead(II), Coordination polymers, Lone pair, π–π staking interaction, 2427
Crystal structure
Copper, 3,5-Dinitrosalicylate complex, Trimer, Magnetic properties, Spectral properties, 2447
Crystal structure
Copper(II) complex, Pyridylthioazophenol ligands, 2457
Crystal structure
Copper(II) complex, Ascorbic oxidation, Imidazole, 2515
Crystal structure
Multiple-decker sandwich complex, Ferrocene, Boron, Lithium, 2597
Crystal structure
Metallocene, Ferrocenium, Cobaltocenium, 2937
Crystal structure
Copper(II) complexes, 2-Benzoylpyridine, Thiosemicarbazone, EPR, Antimicrobial activity, 3069
Crystal structure
Cadmium complex, Bis(triazole) ligand, Anion role, 3133
Crystal structure of Cd(II) complex
S-methyldithiocarbazate (SMDTC), NS Schiff base, Dithiocarbazate derivatives, 1385
Crystal structures
Manganese(II) carboxylate chemistry, Magnetochemistry, Metal-assisted reactions, 2-Pyridinealdoxime complexes, 83
Crystal structures
Nickel(II) complexes, Hydrotris(pyrazolyl)borate complexes, Coordination environment, Scorpionates, 211
Crystal Structures
Lanthanides, Ytterbium, Aryloxide, Tris(pyrazolyl)borate, Divalent, 263
Crystal structures
Titanium iodide, Phosphine, Arsine, Iron iodide, 605
Crystal structures
Uranyl ion, Alkali metal ions, Calixarenes, Homooxacalixarenes, 649
Crystal structures
Copper complexes, Zinc complexes, Molecular rectangles, 673
Crystal structures
Antimony, Ferrocenylcarboxylate, Antitumor activity, 823
Crystal structures
2-Methanolpyridine, 2,6-Dimethanolpyridine, 2-Ethanolpyridinium, Cobalt(II) complexes, 841
Crystal structures
Manganese(II) hexafluoroacetylacetonate, 4-cyanopyridine-N-oxide, Magnetic properties, Ferromagnetic interactions, 879
Crystal structures
Self-assembly, Bis(2-pyridylmethyl)amino acids, Ferromagnetism, One-dimensional chains, Copper(II) complexes, 903
Crystal structures
Solvothermal synthesis, Thiostannates, Nickel, Thermoanalysis, 937
Crystal structures
Rhenium(I), Phosphinite ligands, Dichloromethane complexes, 1045
Crystal structures
Dithiocarbimates, Platinum complexes, 1153
Crystal structures
Radical salts, Bis(ethylenedithio)tetrathiafulvalene (ET), Electrical conductivity, 1185
Crystal structures
Hydrazones, Complex, Lanthanide, X-ray, Spectroscopy, 1191
Crystal structures
Cadmium(II), Calcium(II), Manganese(II), Synthesis, Tetrazolate complexes, 1217
Crystal structures
Azides, Polyamines, Copper(II) complexes, Magnetic properties, Coordination polymers, 1243
Crystal structures
Zinc complexes, Schiff-bases, IR, UV and NMR spectroscopy, Thermal analysis, 1293
Crystal structures
Nickel(II) compounds, Terephthalate ligand, Binuclear complexes, Magnetic properties, 1379
Crystal structures
Manganese, Pheylcyanamide, Magnetic properties, 1409
Crystal structures
Synthesis, Indenyl ligand, Nickel complex, Catalysis, 1473
Crystal structures
Nickel, Copper, Zinc, Imidazole, α-Hydroxycarboxylato complexes, Thermal behaviour, 1505
Crystal structures
Hydrothermal syntheses, Gallophosphates, Templating effect, 1535
Crystal structures
1-(4-Hydroxyphenyl)-1H-tetrazole-5-thiol, Organotin(IV), Hydrogen bonding, π–π stacking interaction, X-ray crystallography, 1547
Crystal structures
Uranyl ions, Diols, Hydrogen bonding, 1613
Crystal structures
2,5-Bis(2-pyridyl)-1,3,4-thiadiazole, Zinc, Energy minimization, Monomeric complexes, 1903
Crystal structures
Indomethacin, Diorganotin, Spectroscopic studies, 2021
Crystal structures
Alkaline earth metal complexes, 2183
Crystal structures
Iron(II) complexes, Trithiocyanuric acid, Mössbauer spectra, Spectroscopic properties, DFT calculations, 2193
Crystal structures
P,*S*-metallocycles, Supramolecular chemistry, Bipodal ligands, Macrocycles, Phosphorylated urea complexes, 2243
Crystal structures
Cu(II)–Ln(III) complexes, Dipeptides, Carboxylate bridge, Hexanuclear cations, Magnetic properties, 2253
Crystal structures
Diaza-fluorene, Silver complexes, Intermolecular interactions, Electronic spectra, 2259
Crystal structures
2-[(*E*)-2-(aryl)-1-diazenyl]pyridine, Hg(II) complexes, NMR, 2323
Crystal structures
Tris(cyclohexyl)tin, Halostannanes, 2331

Crystal structures
Pyrazolone, Copper(II) complexes, ESR study, 2465
Crystal structures
Cadmium(II), Chloranilate anions, Phenanthroline, Square antiprism, Chain polymers, 2587
Crystal structures
Fe(III) carboxylate chemistry, Magnetochemistry, Cluster complexes, 2779
Crystal structures
Copper(II) compounds, Terephthalate ligand, One-dimensional complexes, Magnetic properties, 3043
Crystal structures
Chiral, Schiff base, Copper, Cyclopropanation, Catalysts, 3051
Crystal structures
Clusters, Copper, Molybdenum, Tungsten, Nitrogen heterocycle ligands, Pyrazole, 3143
Crystalline structure
Cu-NIRs, Model complex, Tripodal ligand, Polyimidazole ligand, 511
Cu(II) complexes
Hypodentate, Tripodal amine ligand, Crystal structure, Five-coordinate, 97
Cu(II) complexes
Herometallacrown, Malonate, *o*-Pthalate, 943
Cu(II) complexes
Dithiocarbazate Schiff base, Saccharin complexes, *S*-Methyldithiocarbazate, Tridentate NNS Schiff base, 2491
Cu(II)–Ln(III) complexes
Dipeptides, Carboxylate bridge, Hexanuclear cations, Crystal structures, Magnetic properties, 2253
Cu-NIRs
Model complex, Crystalline structure, Tripodal ligand, Polyimidazole ligand, 511
$Cu^{II}N_4Cl$ chromophores
Bidentate diimine, Bidentate diamine, π–π Interactions, Hydrogen bonding, Magnetic property, 1961
Cyanide bridged clusters
Iron(III) complex, Tris(pyrazolyl)borate, Magnetic properties, 1333
Cyanopolyynes
Carbon allotropes, Polyynes, Carbyne, Dicyanopolyynes, Electric arc, Graphite, Liquid nitrogen, 1889
4-cyanopyridine-*N*-oxide
Manganese(II) hexafluoroacetylacetonate, Crystal structures, Magnetic properties, Ferromagnetic interactions, 879
Cyclic telluranes
Metathetical reactions, Intermolecular, Secondary bonding, Supramolecular networks, 1629
Cyclic voltammetry
Macrocyclic complexes, X-ray crystallography, Imidazole, 1317
Cyclic voltammetry
Nickel complex, Tripodal ligand, 1829
Cyclic voltammetry
Copper(II) complexes, Thiosemicarbazone, 2-Hydroxyacetophenone, EPR, Antimicrobial studies, X-ray crystallography, 2549
Cyclic voltammetry
Non-heme iron, Water coordination, X-ray structure, Sterically hindered carboxylate, 2805
Cyclic voltammetry
Phthalocyanine, Unsymmetrical, Phenylacetylene, 3155
Cycloaddition
Titanium, Tin, Tetrazole, Nitride precursor, 801
Cyclometalated Ir(II) complexes
Iridium, Pyrazolyl ancillary ligands, Boat conformations, Luminescent, Electroluminescence, 419
Cyclooctadiene
Polypyrazolylborate, Rhodium(I), Norbornadiene, Structure, NMR, 219
Cyclopentadienyl
Ruthenium, 2,3-Bis(α-pyridyl)pyrazine, 1,3,5-Tris(pyridyl)-2,4,6-triazine, 2,3,5,6-Tetrakis(pyridyl)pyrazine, 1069
Cyclopentadienyl
Indenyl, Phosphino, Phosphido, Molybdenum, Metallocenes, 1263
Cyclopentadienyl
Parabanic acid, Iron, Carbonyl, Thallium, Gold (I) complex, Alkylation, 1441
Cyclopentadienyl
Schiff bases, Pyridine-2-carboxaldehyde, Ruthenium, 1567
Cyclophosphazene
Dendrimers, Metal–nitrile complexes, Iron complexes, 1027
Cyclophosphazenes
Chiral, Spirocyclic, X-ray structure, 979
Cyclopropanation
Chiral, Schiff base, Copper, Catalysts, Crystal structures, 3051
Cylindrical channels
Copper(II), Aminopolycarboxylate, Ferromagnetic coupling, π–π stacking, 1081
Cymene
Ruthenium, X-ray, 2695
p-Cymene
Hexamethylbenzene, Diphenyl-2-pyridylphosphine, Amines, Ruthenium complexes, 3115
Cytotoxicity
Pyridinecarboxaldimine, Platinum, Palladium, Fluorine, 2169

2D antiferromagnets
Malonate complexes, Weak ferromagnetism, 929
1D, 2D, 3D topological structure
Silver coordination complex polymers, Multi-nitriles, 2209
Dawson lacunary heteropolyanion
Complex formation constants, Lanthanides, Arsenazo III, 1579
Decaazacyclooctadecane
Template synthesis, Nickel(II) complexes, Macrocycle, 1325
Dendrimers
Cyclophosphazene, Metal–nitrile complexes, Iron complexes, 1027
Dendrimers
Amino acid, Copper, Electrochemistry, Electron spin resonance, Ligand, 1709
Density functional calculation
Zinc complex, Cadmium complex, 2-Oxo-1,3-dithiole-4,5-dithiolate, Synthesis, Crystal structure, 1701
Density functional theory
Organometallics, Sandwich complex, Metallocene, Bonding, Orbital analysis, 2993
Density functional theory calculations
Rhenium nitrosyl complexes, Pyrazole, Arsine ligands, X–ray structure, 2523
1D chain
Arylazoimidazoles, Cadmium(II) complexes, End-on and end-to-end bridging, X-ray structure, Sheet structure, 1669
1D Coordination polymer
Dicopper(II) complex, Crystal structure, Magnetic properties, Schiff base, 2177
DFT calculations
Carborane, Spectroscopy, X-ray crystallography, 629
DFT calculations
Rhenium complexes, Pyrazole ligand, X-ray structure, 1819
DFT calculations
Rhenium complexes, Pyrazole ligand, X-ray structure, 2005
DFT calculations
Iron(II) complexes, Trithiocyanuric acid, Mössbauer spectra, Crystal structures, Spectroscopic properties, 2193
DFT calculations
Rhenium, Nitrosyls, Phosphine complexes, 2363
DFT calculations
^{15}N solid state NMR, Molybdenum nitride, Imido complexes, Lewis acids, 2751
(μ-O)di-iron complex
Iron, Bis-(2-pyridylmethyl)amine, Oxalato, Hydrogen bonding, Mössbauer spectra, 1419
Di-2-pyridyl ketone
Thiosemicarbazone, Ni(II) thiosemicarbazone complex, Electronic spectra, IR spectra, X-ray crystal structure, 1225
Di-2-pyridyl ketone salicyloylhydrazone
Zinc(II) complexes, Stability constants, Spectroscopy, Thermal analysis, 2095
Di-2-pyridylamine
Copper complexes, Nitrito complexes, Plasticity effect, *cis*-Distorted octahedron, Fluxional behaviour, 1685
2,6-diacetylpyridine Schiff bases of S-alkyldithiocarbazates
Tin(IV) complexes, Dithiocarbazates, Seven-coordinate tin(IV) complexes, 2037

Diamine
Xanthate, Zinc, Cadmium, CdS, Nanoparticles, 2315
Diaza-18-crown-6
Sulfonatothiacalixarene, Capsules, Lanthanide ions, 2055
Diaza-Crown ether
Sulfonatothiacalixarene, Capsules, Transition metal ions, Assembly, 1461
Diaza-fluorene
Silver complexes, Crystal structures, Intermolecular interactions, Electronic spectra, 2259
Diazoalkane complexes
Rhodium, Acetylacetonato complexes, Pentachlorophenolato complexes, Carboxylato complexes, C–C coupling reactions, 2645
Dichloromethane complexes
Rhenium(I), Phosphinite ligands, Crystal structures, 1045
Dicopper(II) complex
1D Coordination polymer, Crystal structure, Magnetic properties, Schiff base, 2177
Dicyanoethylene-1,2-dithiolate
Diorganotin, 4,4′-Bipyridyl, 1,10-Phenanthroline, X-ray crystal structure, Co-crystallization, 1207
Dicyanopolyynes
Carbon allotropes, Polyynes, Carbyne, Cyanopolyynes, Electric arc, Graphite, Liquid nitrogen, 1889
Diethylenetriamine
Ruthenium(II) complexes, Polypyridine ligands, 815
Differential pulse voltammetry
Electropolymerisation, Ru-complexes, Thiophene, 4-((2-Thienyl)-ethenyl)-2,2′-bipyridine, Redox-polymers, 589
Dihydridobis(pyrazolyl)borate
Tetrathiomolybdate, Tetrathiotungstate, Copper(I) complexes, Crystal structure, Model compounds, 637
Dihydroxo-bridged
Copper(II) complexes, Crystal structure, Roof-shaped, Triply bridged, 1641
Diimine
X-ray structure, Coordination complex, Zinc, Palladium, 2789
Diimine complexes
Thioether complexes, Platinum complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Crown thioethers, 1361
Diiminediaminediphenolate macrocycle
Vanadium, Magnetochemistry, EPR, FTIR, Spectroelectrochemistry, 2069
Diketiminato
Lanthanides, Yttrium, 183
β-diketonates
Cobalt, Oxide, Adducts, Structures, MOCVD, 735
β-Diketonates
Alkoxides, Enolates, Carboxylates, Alkali metals, Alkaline earth metals, Cluster compounds, 1479
2,6-Dimethanolpyridine
2-Methanolpyridine, 2-Ethanolpyridinium, Cobalt(II) complexes, Crystal structures, 841
Dimer
Copper, Crystal structure, Spectral properties, Magnetic properties, 1303
Dimer
Manganese(III), N,O ligands, X-ray structure, Magnetochemistry, Azide, 1811
Dimeric complex
Manganese(III), Crystal structure, Ferromagnetic behaviour, 949
Dimerization
η^2-nitrile, Tungsten, Oxo, Oxidation, Methylation, 2831
Dimethylpyrazole
Ruthenium arene complexes, Pyrazole, X-ray structure, Bond valence, 885
3,5-Dinitrosalicylate complex
Copper, Trimer, Crystal structure, Magnetic properties, Spectral properties, 2447
Dinuclear
Zinc(II)azide, Mononuclear, 2,2′-Dipyridylamine, Luminescence, Crystal engineering, 545
Dinuclear
Copper, Structure, Magnetism, EPR, 993
Dinuclear
Self-assembly, Copper, N,O-ligands, EPR, 1769
Dinuclear
Iron (III), Carboxylate, Complexes, Bridging, Mössbauer, 1869
Dinuclear complex
Silver(I) complexes, Mononuclear complex, 2117
Dinuclear copper(II) complex
Magnetic properties, Bidentate ligand, Crystal structure, UV–Vis, EPR and IR spectra, 1309
Dinuclear peroxovanadate
Peroxo-bridged divanadate, Peroxidative bromination, Heteroligand peroxovanadate, Amino acid containing peroxovanadates, 1097
Diols
Copper(III), Imine-oxime ligand, Kinetics, Mechanism, Electron transfer, 583
Diols
Uranyl ions, Hydrogen bonding, Crystal structures, 1613
Diorganostannate
Methanesulfonate, Ionic metathesis, Organotin oxide, 71
Diorganotin
Dicyanoethylene-1,2-dithiolate, 4,4′-Bipyridyl, 1,10-Phenanthroline, X-ray crystal structure, Co-crystallization, 1207
Diorganotin
Indomethacin, Crystal structures, Spectroscopic studies, 2021
N,*N*′-dioxide
Lanthanide nitrate, Self-assembly, Coordination polymer, 169
Vic-dioximes
Thiazolidine, Ferrocene, Transition metal complexes, Electrochemistry, 1987
Dioxomolybdenum (VI) and oxomolybdenum (IV) complexes
Dithiocarbazate, Schiff bases, X-ray structures, 1595
Dioxomolybdenum(VI) thionates
Oxotransfer catalysts, 537
Dioxygen
Osmium, Aniline, Oxidation, Electron transfer self-exchange, 323
Dipeptides
Self-assemble, Carboxylate bridges, Copper complexes, Alkaline earth metals, Magnetic properties, 2125
Dipeptides
Cu(II)–Ln(III) complexes, Carboxylate bridge, Hexanuclear cations, Crystal structures, Magnetic properties, 2253
2-Diphenylphosphinopicolinamide (dpppa 1)
Coordination chemistry, Monodentate donors, Bidentate donors, 3211
Diphenyl-2-pyridylphosphine
Hexamethylbenzene, *p*-Cymene, Amines, Ruthenium complexes, 3115
Diphosphine
Nickel, Bis(mercaptoimidazolyl)borate complexes, Tris(mercaptoimidazolyl)borate complexes, Hydrogenases, Crystal structure, 395
Diporphyrins
Zinc(II) complexes, Nitrogen base ligation, Stability constants, 33
2,2′-Dipyridylamine
Zinc(II)azide, Mononuclear, Dinuclear, Luminescence, Crystal engineering, 545
Diruthenium compounds
Metal–metal bonds, Triazenido complexes, Formamidinato complexes, Multiple bonds, Low spin complexes, 2637
Diruthenium(II)
Rhodium(III) Ruthenium(II), Heterodinuclear complexes, Polypyridine complexes, Electrochemistry, 913
Dispersion processing
Magnesium carboxylate, Meltable, Thermal properties, 1739
cis-Distorted octahedron
Copper complexes, Di-2-pyridylamine, Nitrito complexes, Plasticity effect, Fluxional behaviour, 1685
Distortion isomers
Copper, Structure, Infrared, Hydrogen bonds, 1969
Distortions
Bipyridine, 2081
Disubstituted functional derivatives
closo-Dodecaborate, Hydroxy and acyl derivatives, Boron neutron capture therapy, 2135
Dithiocarbamate
Nickel, PPh_3, Dppe, X-ray crystal structure, NMR, 77
Dithiocarbazate
Ferrocene, Ligand, Complex, Tin, Crystal structure, 567

Dithiocarbazate
Dioxomolybdenum (VI) and oxomolybdenum (IV) complexes, Schiff bases, X-ray structures, 1595
Dithiocarbazate derivative
S-2-picolyldithiocarbazate (Hydrazine carbodithioic acid pyridinium-2-yl methyl ester chloride), Bidentate NS Schiff base, Tridentate NNS and NSS Schiff bases, Ni(II) complexes, 161
Dithiocarbazate derivatives
S-methyldithiocarbazate (SMDTC), NS Schiff base, Crystal structure of Cd(II) complex, 1385
Dithiocarbazate Schiff base
Cu(II) complexes, Saccharin complexes, *S*-Methyldithiocarbazate, Tridentate NNS Schiff base, 2491
Dithiocarbazates
Copper(II) complexes, Saccharin complexes, 2031
Dithiocarbazates
Tin(IV) complexes, 2,6-diacetylpyridine Schiff bases of S-alkyldithiocarbazates, Seven-coordinate tin(IV) complexes, 2037
Dithiocarbazates
Tin(IV) complexes, 2-Quinolinecarboxaldehyde Schiff bases of *S*-alkyl/aryl dithiocarbazates, 2405
Dithiocarbimates
Platinum complexes, Crystal structures, 1153
1,3-Dithiol-2-thione
Mercury(II), Pyridyl, ^{1}H NMR, Solid UV, 115
1,3-Dithiole-2-thione
Crystal structure, Molecular assembly, Complex, 1447
Divalent
Lanthanides, Ytterbium, Aryloxide, Crystal Structures, Tris(pyrazolyl)borate, 263
Divalent metals
Heteroscorpionate ligands, Hydrogen bond, X-ray crystallography, 239
Divinyl organics
Copper(I) complexes, Hexafluorocetylacetonate, Olefin complexes, Crystal structure, Thermal analysis, 809
closo-Dodecaborate
Hydroxy and acyl derivatives, Disubstituted functional derivatives, Boron neutron capture therapy, 2135
Dodecahedron
Eight-coordinate, Stereochemistry, Square antiprism, Bicapped trigonal prism, Molecular mechanics, 145
Double betaine
Carboxylate, Coordination polymer, Hydrate, Hydrogen bonding, π–π Interaction, Silver nitrate, 2413
Dppe
Nickel, Dithiocarbamate, PPh_3, X-ray crystal structure, NMR, 77

EDAX analyses
Anisotropic approximation, Cluster anions, Heterometal cluster complexes, 599
EDTA
Hydroxyapatite, Complex, Hydrothermal, Low temperature, Calcium phosphates, 1897
EHMO
Naphthylazoimidazole, Silver(I) complexes, Helical structure, 793
Eight-coordinate
Stereochemistry, Dodecahedron, Square antiprism, Bicapped trigonal prism, Molecular mechanics, 145
Electric arc
Carbon allotropes, Polyynes, Carbyne, Dicyanopolyynes, Cyanopolyynes, Graphite, Liquid nitrogen, 1889
Electrical conductivity
Radical salts, Bis(ethylenedithio)tetrathiafulvalene (ET), Crystal structures, 1185
Electrical conductivity
Tetrathiafulvalene, Copper(II), Charge transfer compounds, 2109
Electrochemical
Binuclear copper complex, EPR, Halffield, Superhyperfine, X-ray, 1115
Electrochemistry
Macrobicylic ligands, Compartmental, Copper(II) complexes, Antiferromagnetic interaction, Catalytic study, 519
Electrochemistry
Magnetic properties, Oximinato monocopper(II) and mononickel(II) complexes, Unsymmetrical oximinato dicopper(II) complexes and unsymmetrical oximinato dinickel(II) complexes, 665
Electrochemistry
Ruthenium(II)-tris-chelates, Azoimidazoles, X-ray structure, 727
Electrochemistry
Diruthenium(II), Rhodium(III) Ruthenium(II), Heterodinuclear complexes, Polypyridine complexes, 913
Electrochemistry
Phthalocyanine, Spectroelectrochemistry, Pyridine binding, 1279
Electrochemistry
Amino acid, Copper, Dendrimers, Electron spin resonance, Ligand, 1709
Electrochemistry
Vic-dioximes, Thiazolidine, Ferrocene, Transition metal complexes, 1987
Electroluminescence
Iridium, Cyclometalated Ir(II) complexes, Pyrazolyl ancillary ligands, Boat conformations, Luminescent, 419
Electron density distribution
Clusters, Polarizability, Spherical potential well, Finite electric field, 1519
Electron spin resonance
Amino acid, Copper, Dendrimers, Electrochemistry, Ligand, 1709
Electron transfer
Copper(III), Imine-oxime ligand, Diols, Kinetics, Mechanism, 583
Electron transfer self-exchange
Dioxygen, Osmium, Aniline, Oxidation, 323
Electron-transfer reactions
Spin-exchange reactions, Bis[tris(pyrazolyl)methane] complexes, Low-spin configurations, High-spin configurations, 1037
Electronic spectra
Cobalt(III), Semicarbazone, 2-Hydroxyacetophenone, NMR spectra, IR spectra, X- ray crystal structure, 41
Electronic spectra
Di-2-pyridyl ketone, Thiosemicarbazone, Ni(II) thiosemicarbazone complex, IR spectra, X-ray crystal structure, 1225
Electronic spectra
Diaza-fluorene, Silver complexes, Crystal structures, Intermolecular interactions, 2259
Electronic structure
Sulfite oxidase, Pyranopterin molybdenum enzymes, Molybdenum complexes, MCD (Magnetic Circular Dichroism), EPR (Electron Paramagnetic Resonance), 499
Electropolymerisation
Ru-complexes, Thiophene, Differential pulse voltammetry, 4-((2-Thienyl)-ethenyl)-2,2′-bipyridine, Redox-polymers, 589
Electropolymerization
Schiff-base, Polypyrrole, Iron complex, AFM, Polymer, 1953
Enamido
Enolato, Zirconium, Titanium, Aluminum, 1587
Enaminone
Ferrocene, Ligand, Copper, Complex, X-ray crystallography, 15
Enaminone
Ferrocene, Ligands, Complexes, X-ray crystallography, 749
Enaminone
Ferrocene, Ligand, Copper, Complex, X-ray crystallography, 1541
Enaminones
Molybdenum(VI) complexes, Molybdenum(V) complexes, Pyrone, X-ray crystal structure, NMR spectra, 1859
End-on and end-to-end bridging
Arylazoimidazoles, Cadmium(II) complexes, X-ray structure, 1D chain, Sheet structure, 1669
Energy minimization
2,5-Bis(2-pyridyl)-1,3,4-thiadiazole, Zinc, Crystal structures, Monomeric complexes, 1903
Enolates
Alkoxides, β-Diketonates, Carboxylates, Alkali metals, Alkaline earth metals, Cluster compounds, 1479
Enolato
Enamido, Zirconium, Titanium, Aluminum, 1587
Enzyme
Zinc, Thiolate, Alkylation, 481
Epoxide
Silica gel, Immobilization, 2-Aminomethylpyridine, Adsorption, Thermodynamic, 719

EPR
Hydrazones, Copper(II) hydrazonate complexes, 1,10-Phenanthroline, 2,2′-Bipyridine, X-ray single crystal structure, 575
EPR
Triazolopyrimidine, Zn complexes, Copper dimers, 743
EPR
Copper, Structure, Magnetism, Dinuclear, 993
EPR
Binuclear copper complex, Half-field, Superhyperfine, X-ray, Electrochemical, 1115
EPR
Self-assembly, Copper, N,O-ligands, Dinuclear, 1769
EPR
Porphyrazine, Naphthalene, Copper, Zinc, Cobalt, 1845
EPR
Vanadium, Diiminediaminediphenolate macrocycle, Magnetochemistry, FTIR, Spectroelectrochemistry, 2069
EPR
Crystal structure, Manganese, Hydrogen bond, Magnetism, 2387
EPR
Lawsone, Quinones, 2-Hydroxy-1, 4-Naphthoquinone, Amine oxidase, Copper complexes, Antiferromagnetic coupling, H-bonding, 2541
EPR
Copper(II) complexes, Thiosemicarbazone, 2-Hydroxyacetophenone, Antimicrobial studies, Cyclic voltammetry, X-ray crystallography, 2549
EPR
Copper(II) complexes, 2-Benzoylpyridine, Thiosemicarbazone, Antimicrobial activity, Crystal structure, 3069
EPR (Electron Paramagnetic Resonance)
Sulfite oxidase, Pyranopterin molybdenum enzymes, Electronic structure, Molybdenum complexes, MCD (Magnetic Circular Dichroism), 499
EPR spectra
Iron(III) complexes, Thiosemicarbazone, Single crystal X-ray diffraction, Mössbauer spectra, IR spectra, 969
EPR spectroscopy
Hydrazido ligand, Mixed-valence, Ruthenium complexes, Spectroelectrochemistry, 701
ES-MS
Lanthanide, Cryptate, Crystal structure, 49
ESR study
Pyrazolone, Copper(II) complexes, Crystal structures, 2465
2-Ethanolpyridinium
2-Methanolpyridine, 2,6-Dimethanolpyridine, Cobalt(II) complexes, Crystal structures, 841
Ethylene
Hydrocarboxylation, Oligomerization, Catalysis, Rhodium complexes, Carbon monoxide, 1677
Europium
Ionic complex, Rheological phase reaction, Crystal structure, Photoluminescence, Zinc, 529
Europium
Coordination polymer, Hydrogen bonds, Luminescence, Supramolecular, Terbium, 711
Extended structures
Copper, 4,7-Phenanthroline, Coordination framework, Host–guest properties, Polymers, 55

Fe(III) carboxylate chemistry
Magnetochemistry, Crystal structures, Cluster complexes, 2779
Ferrocene
Enaminone, Ligand, Copper, Complex, X-ray crystallography, 15
Ferrocene
Dithiocarbazate, Ligand, Complex, Tin, Crystal structure, 567
Ferrocene
Enaminone, Ligands, Complexes, X-ray crystallography, 749
Ferrocene
Palladium, Phosphine, Suzuki–Miyaura coupling, Ortho-metallated complexes, X-ray crystallography, 921
Ferrocene
Enaminone, Ligand, Copper, Complex, X-ray crystallography, 1541
Ferrocene
Vic-dioximes, Thiazolidine, Transition metal complexes, Electrochemistry, 1987
Ferrocene
Multiple-decker sandwich complex, Boron, Lithium, Crystal structure, 2597
Ferrocene carboxylic acid
Arene ligand, Ferrocene derivative, Ruthenium, 687
Ferrocene derivative
Arene ligand, Ferrocene carboxylic acid, Ruthenium, 687
Ferrocenes
Oxazolines, Non-symmetrical ligands, X-ray diffraction, 611
Ferrocenium
Metallocene, Cobaltocenium, Crystal structure, 2937
Ferrocenylcarboxylate
Antimony, Crystal structures, Antitumor activity, 823
Ferromagnetic behaviour
Dimeric complex, Manganese(III), Crystal structure, 949
Ferromagnetic coupling
Copper(II), Aminopolycarboxylate, π–π stacking, Cylindrical channels, 1081
Ferromagnetic interactions
Manganese(II) hexafluoroacetylacetonate, 4-cyanopyridine-N-oxide, Crystal structures, Magnetic properties, 879
Ferromagnetism
Self-assembly, Crystal structures, Bis(2-pyridylmethyl)amino acids, One-dimensional chains, Copper(II) complexes, 903
Finite electric field
Clusters, Electron density distribution, Polarizability, Spherical potential well, 1519
Five-coordinate
Hypodentate, Tripodal amine ligand, Cu(II) complexes, Crystal structure, 97
Flexible
Carboxylates, IX, Coordination polymer, Architecture, 3007
Fluorescence
Silicon, Phosphorus, Hypercoordination, Hypervalency, Spectroscopy, X-ray crystallography, 2615
Fluoride
Uranyl, Phosphine oxide ligands, Structural study, Spectroscopic characterisation, 3097
Fluorinated
Sodium, Copper, Tris(pyrazolyl)borate, Carbonyl, 273
Fluorine
Pyridinecarboxaldimine, Cytotoxicity, Platinum, Palladium, 2169
Fluoroionophore
Ruthenium, X-ray, Metallacrown, 1719
Fluxional behaviour
Copper complexes, Di-2-pyridylamine, Nitrito complexes, Plasticity effect, *cis*-Distorted octahedron, 1685
Formamidinato complexes
Diruthenium compounds, Metal–metal bonds, Triazenido complexes, Multiple bonds, Low spin complexes, 2637
FTIR
Vanadium, Diiminediaminediphenolate macrocycle, Magnetochemistry, EPR, Spectroelectrochemistry, 2069
Functionalised carbenes
Nickel complexes, Heterocyclic carbenes, X-ray diffraction, 2813

Gallophosphates
Hydrothermal syntheses, Crystal structures, Templating effect, 1535
Glycerol phosphate
Uranium, Complex formation, Potentiometric titration, TRLFS, 1793
Glyoxylic acid
Kinetics, Mechanism, Redox, Silver, 895
Gold (I) complex
Parabanic acid, Iron, Cyclopentadienyl, Carbonyl, Thallium, Alkylation, 1441
Gold complex
Crystal structure, Selenourea, MAS NMR, 1
Graphite
Carbon allotropes, Polyynes, Carbyne, Dicyanopolyynes, Cyanopolyynes, Electric arc, Liquid nitrogen, 1889
Grid
Chiral, Coordination polymers, Nicotinate, Open channel, 1947
Group 11 phosphine complexes
1-azaallyls, X-ray crystallography, Iminoalkyl bonding mode, 2273

H-bonding
Lawsone, Quinones, 2-Hydroxy-1, 4-Naphthoquinone, Amine oxidase, Copper complexes, Antiferromagnetic coupling, EPR, 2541
^{1}H NMR
Mercury(II), 1,3-Dithiol-2-thione, Pyridyl, Solid UV, 115
H_2O_2
Immobilization, Silica support, Cobalt(II) complexes, 59
Half-field
Binuclear copper complex, EPR, Super-hyperfine, X-ray, Electrochemical, 1115
Halostannanes
Tris(cyclohexyl)tin, Crystal structures, 2331
Hartree–Fock calculations
Octamolybdate, Hydrothermal synthesis, Three-dimensional oxide, Organic–inorganic hybrid, Building block approach, 1145
Head–head
Triazolopyrimidine, Palladium dimers, Head–tail, 2373
Head–tail
Triazolopyrimidine, Palladium dimers, Head–head, 2373
Helical architecture
Manganese maleate, Coordination polymer, Temperature effect, Hydrogen bonds, π–π interactions, 987
Helical structure
Naphthylazoimidazole, Silver(I) complexes, EHMO, 793
Hemilabile
Phosphine, X-ray structure, 3125
Hemilabile ligands
Heteroscorpionates, Ruthenium, Hydrides, Phosphine complexes, 361
Heptanuclear
Nickel(II), Lanthanides(III), Amino acid, Cluster compound, 2265
Herometallacrown
Malonate, *o*-Pthalate, Cu(II) complexes, 943
Heteroaromatic carboxylic acid
Triphenyltin, Synthesis, Crystal structure, 1805
Heterobimetallic
Palladium, Platinum, Phosphine, Oxadiazole ligand complexes, 2013
N-Heterocyclic carbenes
Homogenous catalysis, Transfer hydrogenation, Ketones, Aldehydes, Imines, 2857
Heterocyclic carbenes
Nickel complexes, Functionalised carbenes, X-ray diffraction, 2813
Heterodinuclear complexes
Diruthenium(II), Rhodium(III) Ruthenium(II), Polypyridine complexes, Electrochemistry, 913
Heteroligand peroxovanadate
Dinuclear peroxovanadate, Peroxo-bridged divanadate, Peroxidative bromination, Amino acid containing peroxovanadates, 1097
Heterometal cluster complexes
EDAX analyses, Anisotropic approximation, Cluster anions, 599
Heteroscorpionate
Tripodal, Alkylthiolate, Imidazole, Iron, Zinc, 471
Heteroscorpionate ligands
Hydrogen bond, X-ray crystallography, Divalent metals, 239
Heteroscorpionates
Ruthenium, Hydrides, Phosphine complexes, Hemilabile ligands, 361
Hexafluorocetylacetonate
Copper(I) complexes, Olefin complexes, Divinyl organics, Crystal structure, Thermal analysis, 809
Hexamethylbenzene
p-Cymene, Diphenyl-2-pyridylphosphine, Amines, Ruthenium complexes, 3115
Hexanuclear cations
Cu(II)–Ln(III) complexes, Dipeptides, Carboxylate bridge, Crystal structures, Magnetic properties, 2253
Hg(II) complexes
2-[(*E*)-2-(aryl)-1-diazenyl]pyridine, NMR, Crystal structures, 2323
High-pressure NMR
Hydroformylation, Ionic liquids, Biphase catalysis, Rhodium complexes, 2679
High-spin configurations
Electron-transfer reactions, Spin-exchange reactions, Bis[tris(pyrazolyl)methane] complexes, Low-spin configurations, 1037
Homogenous catalysis
N-Heterocyclic carbenes, Transfer hydrogenation, Ketones, Aldehydes, Imines, 2857
Homooxacalixarenes
Uranyl ion, Alkali metal ions, Calixarenes, Crystal structures, 649
Host–guest properties
Copper, 4,7-Phenanthroline, Coordination framework, Polymers, Extended structures, 55
Hydrate
Carboxylate, Coordination polymer, Double betaine, Hydrogen bonding, π–π Interaction, Silver nitrate, 2413
Hydrazido ligand
EPR spectroscopy, Mixed-valence, Ruthenium complexes, Spectroelectrochemistry, 701
Hydrazones
Copper(II) hydrazonate complexes, 1,10-Phenanthroline, 2,2′-Bipyridine, X-ray single crystal structure, EPR, 575
Hydrazones
Complex, Lanthanide, X-ray, Spectroscopy, Crystal structures, 1191
Hydride
Ruthenium, Scorpionate, Tris(pyrazolyl)-borate, C–H activation, 439
Hydrides
Heteroscorpionates, Ruthenium, Phosphine complexes, Hemilabile ligands, 361
Hydrides
Zwitterions, Monoanionic ligands, Syntheses, Structures, Methyl, 489
Hydrocarboxylation
Oligomerization, Catalysis, Rhodium complexes, Ethylene, Carbon monoxide, 1677
Hydroformylation
Ionic liquids, Biphase catalysis, High-pressure NMR, Rhodium complexes, 2679
Hydrogen bond
Hydrotris(pyrazolyl)borate, Ruthenium, Oxidation, Aquo complex, 225
Hydrogen bond
Heteroscorpionate ligands, X-ray crystallography, Divalent metals, 239
Hydrogen bond
Crystal structure, Phase transition, Isotope effect, NQR, Tetrachloroaurate(III), 1605
Hydrogen bond
Crystal structure, Manganese, Magnetism, EPR, 2387
Hydrogen bonding
Iron, (μ-O)di-iron complex, Bis-(2-pyridylmethyl)amine, Oxalato, Mössbauer spectra, 1419
Hydrogen bonding
1-(4-Hydroxyphenyl)-1H-tetrazole-5-thiol, Organotin(IV), π–π stacking interaction, Crystal structures, X-ray crystallography, 1547
Hydrogen bonding
Uranyl ions, Diols, Crystal structures, 1613
Hydrogen bonding
$Cu^{II}N_4Cl$ chromophores, Bidentate diimine, Bidentate diamine, π–π Interactions, Magnetic property, 1961
Hydrogen bonding
Vanadium complexes, Nitrilotriacetate, X-ray crystal structure, 1975
Hydrogen bonding
Carboxylate, Coordination polymer, Double betaine, Hydrate, π–π Interaction, Silver nitrate, 2413
Hydrogen bonding network
Ion pair complex, Non-covalent interaction, Charge transfer, Near-IR absorption, 1235
Hydrogen bonds
Coordination polymer, Crystal structure, Copper(II), 553
Hydrogen bonds
Coordination polymer, Europium, Luminescence, Supramolecular, Terbium, 711
Hydrogen bonds
Manganese maleate, Coordination polymer, Temperature effect, Helical architecture, π–π interactions, 987
Hydrogen bonds
Tetranuclear copper(II) complex, Structural elucidation, 1169
Hydrogen bonds
Copper, Structure, Infrared, Distortion isomers, 1969

Hydrogen bonds
Lanthanide(III) complexes, Hydrothermal syntheses, Isoorotic acid, Supramolecule, 2085
Hydrogen bonds
Isoorotic acid, Co(II) and Ni(II) complexes, Hydrothermal synthesis, Supramolecular frameworks, 2227
Hydrogenases
Nickel, Bis(mercaptoimidazolyl)borate complexes, Tris(mercaptoimidazolyl)borate complexes, Diphosphine, Crystal structure, 395
Hydrogenated Schiff's bases
Nickel, Schiff's bases, Coordination geometry, X-ray crystal structures, Polymethylene chains, 3201
Hydrogermane
Polystyrene supported, Reduction, Recycle, 177
Hydrothermal
Hydroxyapatite, Complex, EDTA, Low temperature, Calcium phosphates, 1897
Hydrothermal
Layered, Titanium phosphate, Intercalation behavior, γ-Phase, 3033
Hydrothermal syntheses
Crystal structures, Gallophosphates, Templating effect, 1535
Hydrothermal syntheses
Lanthanide(III) complexes, Isoorotic acid, Hydrogen bonds, Supramolecule, 2085
Hydrothermal synthesis
Polyoxometalates, Crystal structure, Keggin, Cobalt, 773
Hydrothermal synthesis
Octamolybdate, Three-dimensional oxide, Organic–inorganic hybrid, Building block approach, Hartree–Fock calculations, 1145
Hydrothermal synthesis
Coordination polymer, Magnetic property, Transition metal, Square grid structure, 1,4-Naphthalenedicarboxylic acid, 1257
Hydrothermal synthesis
Transformation, Molybdenum phosphate, Crystal structure, 2153
Hydrothermal synthesis
Lead, Coordination polymer, X-ray structure determination, 2161
Hydrothermal synthesis
Isoorotic acid, Co(II) and Ni(II) complexes, Hydrogen bonds, Supramolecular frameworks, 2227
Hydrothermal synthesis
Crystal structure, Iron phosphatooxalate, Template, Oxalate acid, Piperazine, 2357
Hydrotris(pyrazol-1-yl)borates
Scorpionates, Polypyrazolylborates, Photoelectron spectra, 429
Hydrotris(pyrazolyl)borate
Ruthenium, Hydrogen bond, Oxidation, Aquo complex, 225
Hydrotris(pyrazolyl)borate
Scorpionate ligands, Tantalum, Metal–metal multiple bond, Alkyne complex, Tetrahydrothiophene complex, 379
Hydrotris(pyrazolyl)borate complexes
Nickel(II) complexes, Crystal structures, Coordination environment, Scorpionates, 211
Hydroxy and acyl derivatives
closo-Dodecaborate, Disubstituted functional derivatives, Boron neutron capture therapy, 2135
2-Hydroxyacetophenone
Cobalt(III), Semicarbazone, NMR spectra, IR spectra, Electronic spectra, X- ray crystal structure, 41
2-Hydroxyacetophenone
Copper(II) complexes, Thiosemicarbazone, EPR, Antimicrobial studies, Cyclic voltammetry, X-ray crystallography, 2549
Hydroxyaluminosilicate
Aluminium, Silicic acid, Aluminium solubility, Aluminium biological availability, 3185
Hydroxyapatite
Complex, EDTA, Hydrothermal, Low temperature, Calcium phosphates, 1897
4-Hydroxycoumarin
Kinetics, Permanganate, Oxidation, 2507
α-Hydroxycarboxylato complexes
Nickel, Copper, Zinc, Imidazole, Thermal behaviour, Crystal structures, 1505
2-Hydroxy-1
Lawsone, Quinones, 4-Naphthoquinone, Amine oxidase, Copper complexes, Antiferromagnetic coupling, H-bonding, EPR, 2541
1-(4-Hydroxyphenyl)-1H-tetrazole-5-thiol
Organotin(IV), Hydrogen bonding, π–π stacking interaction, Crystal structures, X-ray crystallography, 1547
Hypercoordination
Silicon, Phosphorus, Hypervalency, Spectroscopy, Fluorescence, X-ray crystallography, 2615
Hypervalency
Silicon, Phosphorus, Hypercoordination, Spectroscopy, Fluorescence, X-ray crystallography, 2615
Hypodentate
Tripodal amine ligand, Cu(II) complexes, Crystal structure, Five-coordinate, 97

Imidazolate
Coordination polymers, Silver, X-ray structure, 3063
Imidazole
Heteroscorpionate, Tripodal, Alkylthiolate, Iron, Zinc, 471
Imidazole
Macrocyclic complexes, Cyclic voltammetry, X-ray crystallography, 1317
Imidazole
Nickel, Copper, Zinc, α-Hydroxycarboxylato complexes, Thermal behaviour, Crystal structures, 1505
Imidazole
Cadmium(II)thiocyanate, Polymer, Schiff base, Supramolecular synthon, 2045
Imidazole
Copper(II) complex, Ascorbic oxidation, Crystal structure, 2515
Imido
Acetonitrile reduction, Amine oxidation, Metal-nitrogen pi bonding, Regioselectivity of nucleophile and electrophile additions, 311
Imido complexes
^{15}N solid state NMR, DFT calculations, Molybdenum nitride, Lewis acids, 2751
Imine
Platinum, Benzimidazole, Benzoxazole, Benzothiazole, Pyridine, 155
Imine activation
Copper(II) complex, Schiff base, X-ray structure, Coordination polymer, 3081
Imine hydrogenation
Mixed valent Ru(II)/Ru(III) complexes, Binuclear ruthenium complexes, Catalysis, 3163
Imine-oxime ligand
Copper(III), Diols, Kinetics, Mechanism, Electron transfer, 583
Imines
N-Heterocyclic carbenes, Homogenous catalysis, Transfer hydrogenation, Ketones, Aldehydes, 2857
Imino nitroxide
Nitronyl nitroxide, Amide, Manganese complexes, Copper complexes, Cobalt complexes, 763
Iminoalkyl bonding mode
Group 11 phosphine complexes, 1-azaallyls, X-ray crystallography, 2273
Immobilization
Silica support, Cobalt(II) complexes, H_2O_2, 59
Immobilization
Silica gel, 2-Aminomethylpyridine, Epoxide, Adsorption, Thermodynamic, 719
Indenyl
Cyclopentadienyl, Phosphino, Phosphido, Molybdenum, Metallocenes, 1263
Indenyl ligand
Synthesis, Crystal structures, Nickel complex, Catalysis, 1473
Indium
Metalloporphyrins, Thallium, 1777
Indomethacin
Diorganotin, Crystal structures, Spectroscopic studies, 2021
Infrared
Copper, Structure, Hydrogen bonds, Distortion isomers, 1969
π–π interactions
Manganese maleate, Coordination polymer, Temperature effect, Helical architecture, Hydrogen bonds, 987
π–π Interactions
$Cu^{II}N_4Cl$ chromophores, Bidentate diimine, Bidentate diamine, Hydrogen bonding, Magnetic property, 1961
π–π Interaction
Carboxylate, Coordination polymer, Double betaine, Hydrate, Hydrogen bonding, Silver nitrate, 2413
Intercalation behavior
Hydrothermal, Layered, Titanium phosphate, γ-Phase, 3033

Intermolecular
Cyclic telluranes, Metathetical reactions, Secondary bonding, Supramolecular networks, 1629
Intermolecular interactions
Diaza-fluorene, Silver complexes, Crystal structures, Electronic spectra, 2259
Intra-ligand charge transfer
Iridium, Luminescence, Terpyridine, Near infra-red, Charge-transfer, 2769
Ion exchange
Six coordinate silicates, Transition metals, Ligand environment, Thermal studies, Magnetism, 679
Ion pair complex
Hydrogen bonding network, Non-covalent interaction, Charge transfer, Near-IR absorption, 1235
Ion recognition
Schiff base complexes, Crown ether, UV–Vis, Lanthanides, 1401
Ionic complex
Rheological phase reaction, Crystal structure, Photoluminescence, Europium, Zinc, 529
Ionic liquids
Hydroformylation, Biphase catalysis, High-pressure NMR, Rhodium complexes, 2679
Ionic metathesis
Diorganostannate, Methanesulfonate, Organotin oxide, 71
Ionic radius
Tetrahydrofurfurylindenyl, Lanthanide chlorides, Crystal structure, 1075
IR
Zinc complexes, Schiff-bases, Crystal structures, UV and NMR spectroscopy, Thermal analysis, 1293
IR spectra
Cobalt(III), Semicarbazone, 2-Hydroxyacetophenone, NMR spectra, Electronic spectra, X- ray crystal structure, 41
IR spectra
Crystal structure, Vanadium(V) peroxo mandelato complex, ^{51}V NMR spectra, 655
IR spectra
Iron(III) complexes, Thiosemicarbazone, Single crystal X-ray diffraction, Mössbauer spectra, EPR spectra, 969
IR spectra
Di-2-pyridyl ketone, Thiosemicarbazone, Ni(II) thiosemicarbazone complex, Electronic spectra, X-ray crystal structure, 1225
Iridium
Cyclometalated Ir(II) complexes, Pyrazolyl ancillary ligands, Boat conformations, Luminescent, Electroluminescence, 419
Iridium
Luminescence, Terpyridine, Near infrared, Charge-transfer, Intra-ligand charge transfer, 2769
Iridium complexes
Chelating phosphines, 2959
Iron
Heteroscorpionate, Tripodal, Alkylthiolate, Imidazole, Zinc, 471
Iron
(μ-O)di-iron complex, Bis-(2-pyridylmethyl)amine, Oxalato, Hydrogen bonding, Mössbauer spectra, 1419
Iron
Parabanic acid, Cyclopentadienyl, Carbonyl, Thallium, Gold (I) complex, Alkylation, 1441
Iron
Spin-crossover, Crystal structure, Magnetic measurements, 2141
Iron
Radical, Styrene, Catalyst, Polymerisation, 2921
Iron
Terpyridine, Pyridyl bispyrazolyl, Complexation, Rearrangement, X-ray structures, 3193
Iron (III)
Dinuclear, Carboxylate, Complexes, Bridging, Mössbauer, 1869
Iron clusters
Solid-state reactions, Third-order nonlinear optical properties, 755
Iron complex
Schiff-base, Polypyrrole, Electropolymerization, AFM, Polymer, 1953
Iron complexes
Acetate ligands, η^2-Coordination modes, Schiff bases, β-Cis arrangements, 963
Iron complexes
Dendrimers, Cyclophosphazene, Metal–nitrile complexes, 1027
Iron iodide
Titanium iodide, Phosphine, Arsine, Crystal structures, 605
Iron phosphatooxalate
Hydrothermal synthesis, Crystal structure, Template, Oxalate acid, Piperazine, 2357
Iron–platinum compounds
Pyrolysis, Organometallic compounds, 63
Iron(II) complexes
Trithiocyanuric acid, Mössbauer spectra, Crystal structures, Spectroscopic properties, DFT calculations, 2193
Iron(II) complexes
Cobalt(II) complexes, X-ray crystal structures, Bis(2-pyridylmethyl)amine, Tris(2-pyridylmethyl)amine, 3105
Iron(III) carboxylate complexes
2,2′-Bipyrimidine complexes, Oxo-bridged iron(III) complexes, π–π stacking interactions, X-ray crystal structure, 1271
Iron(III) complex
Cyanide bridged clusters, Tris(pyrazolyl)-borate, Magnetic properties, 1333
Iron(III) complexes
Thiosemicarbazone, Single crystal X-ray diffraction, Mössbauer spectra, EPR spectra, IR spectra, 969
Isocyanides
Binuclear compounds, Nickel, Polymerisation, Ring-coupled bis-cyclopentadienyl ligand, X-ray molecular structure, 2715
Isomers
κ^2-Tp ligands, Bridging Tp ligands, Rhodium dicarbonyl complexes, X-ray structure, 301
Isonicotinic acid
Lanthanum trifluoromethanesulfonate, N-oxide, Mixed ligands, Coordination polymer, 857
Isonicotinic acid
Mn(II) complex, N-oxide, Crystal structure, Luminescence, 1109
Isoorotic acid
Lanthanide(III) complexes, Hydrothermal syntheses, Hydrogen bonds, Supramolecule, 2085
Isoorotic acid
Co(II) and Ni(II) complexes, Hydrothermal synthesis, Hydrogen bonds, Supramolecular frameworks, 2227
Isotope effect
Crystal structure, Phase transition, Hydrogen bond, NQR, Tetrachloroaurate(III), 1605
IX
Flexible, Carboxylates, Coordination polymer, Architecture, 3007

Keggin
Polyoxometalates, Hydrothermal synthesis, Crystal structure, Cobalt, 773
β-ketoesterates
Cerium, Oxazolines, Chiral, Thermal decomposition, MOCVD, 1467
Ketones
N-Heterocyclic carbenes, Homogenous catalysis, Transfer hydrogenation, Aldehydes, Imines, 2857
Kinetics
Copper(III), Imine-oxime ligand, Diols, Mechanism, Electron transfer, 583
Kinetics
Mechanism, Redox, Silver, Glyoxylic acid, 895
Kinetics
1,3,4-thiadiazole, Zinc, Crystal structure, Thermal decomposition, Bioactivity, 1851
Kinetics
Permanganate, Oxidation, 4-Hydroxycoumarin, 2507
Kinetics
Absorption spectra, Complexation, Photochromism, Spiroindolinonaphthooxazines, 3147

Lanthanide
Cryptate, Crystal structure, ES-MS, 49
Lanthanide
Hydrazones, Complex, X-ray, Spectroscopy, Crystal structures, 1191
Lanthanide
Actinide, Oxides, Carbene, Uranium, 2689
Lanthanide
Samarium, Nitric oxide, Nitrite, Pyrazolylborate, Redox, 2709
Lanthanide chlorides
Tetrahydrofurfurylindenyl, Crystal structure, Ionic radius, 1075

Lanthanide complex
Proton sponge, Macrocyclic tetramine, 1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane, 1089
Lanthanide ions
Sulfonatothiacalixarene, Capsules, Diaza-18-crown-6, 2055
Lanthanide nitrate
N,N'-dioxide, Self-assembly, Coordination polymer, 169
Lanthanide oxides
Bromotrimethylsilane, O-donor ligands, Complexes of lanthanide bromides, Crystal structure, Coordination number, 2293
Lanthanide(III) complexes
Hydrothermal syntheses, Isoorotic acid, Hydrogen bonds, Supramolecule, 2085
Lanthanides
Yttrium, Diketiminato, 183
Lanthanides
Neodymium, X-ray structures, Alkoxides, Pyrazolylborates, Borohydrides, 253
Lanthanides
Ytterbium, Aryloxide, Crystal Structures, Tris(pyrazolyl)borate, Divalent, 263
Lanthanides
Ion recognition, Schiff base complexes, Crown ether, UV–Vis, 1401
Lanthanides
Dawson lacunary heteropolyanion, Complex formation constants, Arsenazo III, 1579
Lanthanides(III)
Nickel(II), Amino acid, Heptanuclear, Cluster compound, 2265
Lanthanum
Tris(pyrazolyl)hydroborate (Tp) ligands, Neodymium, Salt metathesis, Aryloxide derivatives, 2437
Lanthanum trifluoromethanesulfonate
Isonicotinic acid, N-oxide, Mixed ligands, Coordination polymer, 857
Laser ablation synthesis
Phosphorus, Sulfur, Clusters, Phosphorus sulfides, TOF mass spectrometry, 1199
Lawesson's Reagent
Thiophosphoryl compound, Sulfur-rich complex, Nickel(II) complex, Cobalt(II) complex, 1799
Lawsone
Quinones, 2-Hydroxy-1, 4-Naphthoquinone, Amine oxidase, Copper complexes, Antiferromagnetic coupling, H-bonding, EPR, 2541
Layered
Hydrothermal, Titanium phosphate, Intercalation behavior, γ-Phase, 3033
Lead
Coordination polymer, Hydrothermal synthesis, X-ray structure determination, 2161
Lead(II)
4,4'-Bipyridine, Coordination polymers, Lone pair, π–π staking interaction, Crystal structure, 2427
Lewis acids
^{15}N solid state NMR, DFT calculations, Molybdenum nitride, Imido complexes, 2751
Ligand
Ferrocene, Enaminone, Copper, Complex, X-ray crystallography, 15
Ligand
Ferrocene, Dithiocarbazate, Complex, Tin, Crystal structure, 567
Ligand
Catalysis, X-ray structure, Complex, 693
Ligand
Ferrocene, Enaminone, Copper, Complex, X-ray crystallography, 1541
Ligand
Amino acid, Copper, Dendrimers, Electrochemistry, Electron spin resonance, 1709
Ligand
Bidentate, Bridging, X-ray, Phosphine, 2569
Ligand environment
Six coordinate silicates, Ion exchange, Transition metals, Thermal studies, Magnetism, 679
Ligand oxidation
Nickel complexes, Pyrazoline, Ring opening, Structures, 1997
Ligands
Ferrocene, Enaminone, Complexes, X-ray crystallography, 749
Ligands
Cadmium, Coordinate, Polymers, Supramolecular, 1003
N-ligands
Copper, Thioethers, Multi-armed ligands, X-ray structures, Coordination polymer, 1055
Liquid ammonia/toluene two-phase system
Ammonolysis, Potassium, Zirconium, 1125
Liquid crystal
Phthalocyanine, Metallo phthalocyanine, Metallo mesogen, Crown ether, Aza ether, 1931
Liquid nitrogen
Carbon allotropes, Polyynes, Carbyne, Dicyanopolyynes, Cyanopolyynes, Electric arc, Graphite, 1889
Lithium
Alkali metals, Phosphorus–carbon bond cleavage, Chelates, O Ligands, 2499
Lithium
Multiple-decker sandwich complex, Ferrocene, Boron, Crystal structure, 2597
LLCT
Luminescence, Phosphorescence, Pt(II) and Pd(II), 3173
Lone pair
4,4'-Bipyridine, Lead(II), Coordination polymers, π–π staking interaction, Crystal structure, 2427
Low spin complexes
Diruthenium compounds, Metal–metal bonds, Triazenido complexes, Formamidinato complexes, Multiple bonds, 2637
Low temperature
Hydroxyapatite, Complex, EDTA, Hydrothermal, Calcium phosphates, 1897
Low-spin configurations
Electron-transfer reactions, Spin-exchange reactions, Bis[tris(pyrazolyl)methane] complexes, High-spin configurations, 1037
Luminescence
Zinc(II)azide, Mononuclear, Dinuclear, 2,2'-Dipyridylamine, Crystal engineering, 545
Luminescence
Coordination polymer, Europium, Hydrogen bonds, Supramolecular, Terbium, 711
Luminescence
Mn(II) complex, Isonicotinic acid, N-oxide, Crystal structure, 1109
Luminescence
Iridium, Terpyridine, Near infra-red, Charge-transfer, Intra-ligand charge transfer, 2769
Luminescence
LLCT, Phosphorescence, Pt(II) and Pd(II), 3173
Luminescent
Iridium, Cyclometalated Ir(II) complexes, Pyrazolyl ancillary ligands, Boat conformations, Electroluminescence, 419

Mössbauer spectra
Iron(II) complexes, Trithiocyanuric acid, Crystal structures, Spectroscopic properties, DFT calculations, 2193
Mössbauer
Iron (III), Dinuclear, Carboxylate, Complexes, Bridging, 1869
Mössbauer spectra
Iron(III) complexes, Thiosemicarbazone, Single crystal X-ray diffraction, EPR spectra, IR spectra, 969
Mössbauer spectra
Iron, (μ-O)di-iron complex, Bis-(2-pyridylmethyl)amine, Oxalato, Hydrogen bonding, 1419
Macrobicylic ligands
Compartmental, Copper(II) complexes, Electrochemistry, Antiferromagnetic interaction, Catalytic study, 519
Macrocycle
Template synthesis, Decaazacyclooctadecane, Nickel(II) complexes, 1325
Macrocycles
Scorpionands, Chromophores, Copper(II), Nickel(II), 373
Macrocycles
P,S-metallocycles, Supramolecular chemistry, Bipodal ligands, Crystal structures, Phosphorylated urea complexes, 2243
Macrocyclic complexes
Cyclic voltammetry, X-ray crystallography, Imidazole, 1317
Macrocyclic tetramine
Proton sponge, Lanthanide complex, 1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane, 1089

Magnesium carboxylate
Meltable, Dispersion processing, Thermal properties, 1739
Magnetic measurements
Iron, Spin-crossover, Crystal structure, 2141
Magnetic properties
Tricopper(II) complex, Schiff bases, Ascorbate oxidase model, Crystal structure, 643
Magnetic properties
Electrochemistry, Oximinato monocopper(II) and mononickel(II) complexes, Unsymmetrical oximinato dicopper(II) complexes and unsymmetrical oximinato dinickel(II) complexes, 665
Magnetic properties
Manganese(II) hexafluoroacetylacetonate, 4-cyanopyridine-N-oxide, Crystal structures, Ferromagnetic interactions, 879
Magnetic properties
Azides, Polyamines, Copper(II) complexes, Crystal structures, Coordination polymers, 1243
Magnetic properties
Copper, Crystal structure, Dimer, Spectral properties, 1303
Magnetic properties
Dinuclear copper(II) complex, Bidentate ligand, Crystal structure, UV–Vis, EPR and IR spectra, 1309
Magnetic properties
Cyanide bridged clusters, Iron(III) complex, Tris(pyrazolyl)borate, 1333
Magnetic properties
Nickel(II) compounds, Crystal structures, Terephthalate ligand, Binuclear complexes, 1379
Magnetic properties
Manganese, Pheylcyanamide, Crystal structures, 1409
Magnetic properties
Nickel(II), Thiodiglycolic acid complexes, X-ray structures, 1573
Magnetic properties
Copper dimer, Antiferromagnetic dimer, Crystal structure, 1695
Magnetic properties
Self-assemble, Carboxylate bridges, Copper complexes, Dipeptides, Alkaline earth metals, 2125
Magnetic properties
Dicopper(II) complex, 1D Coordination polymer, Crystal structure, Schiff base, 2177
Magnetic properties
Copper(II) complex, Crystal structure, Coordination polymers, 2203
Magnetic properties
Cu(II)–Ln(III) complexes, Dipeptides, Carboxylate bridge, Hexanuclear cations, Crystal structures, 2253
Magnetic properties
Copper, 3,5-Dinitrosalicylate complex, Trimer, Crystal structure, Spectral properties, 2447
Magnetic properties
Copper(II) compounds, Crystal structures, Terephthalate ligand, One-dimensional complexes, 3043
Magnetic property
Hydrothermal synthesis, Coordination polymer, Transition metal, Square grid structure, 1,4-Naphthalenedicarboxylic acid, 1257
Magnetic property
$Cu^{II}N_4Cl$ chromophores, Bidentate diimine, Bidentate diamine, π–π Interactions, Hydrogen bonding, 1961
Magnetism
Six coordinate silicates, Ion exchange, Transition metals, Ligand environment, Thermal studies, 679
Magnetism
Copper, Structure, Dinuclear, EPR, 993
Magnetism
Crystal structure, Manganese, Hydrogen bond, EPR, 2387
Magnetism
Crystal structure, Nickel(II) complexes, Pseudohalides, 2337
Magnetochemical studies
N-salicylidene-*n*-alkanoylhydrazines, Copper(II) complexes, Bis[monochloro(μ-*N*-salicylidenemyristoylhydrazine) ONO(−1)]dicopper(II), X-ray crystal and molecular structure, 23
Magnetochemistry
Crystal structures, Manganese(II) carboxylate chemistry, Metal-assisted reactions, 2-Pyridinealdoxime complexes, 83
Magnetochemistry
Manganese(III), N,O ligands, X-ray structure, Dimer, Azide, 1811
Magnetochemistry
Vanadium, Diiminediaminediphenolate macrocycle, EPR, FTIR, Spectroelectrochemistry, 2069
Magnetochemistry
Fe(III) carboxylate chemistry, Crystal structures, Cluster complexes, 2779
Malonate
Herometallacrown, *o*-Pthalate, Cu(II) complexes, 943
Malonate complexes
2D antiferromagnets, Weak ferromagnetism, 929
Manganese
Pheylcyanamide, Magnetic properties, Crystal structures, 1409
Manganese
Crystal structure, Hydrogen bond, Magnetism, EPR, 2387
Manganese complexes
Nitronyl nitroxide, Imino nitroxide, Amide, Copper complexes, Cobalt complexes, 763
Manganese maleate
Coordination polymer, Temperature effect, Helical architecture, Hydrogen bonds, π–π interactions, 987
Manganese(II)
Cadmium(II), Calcium(II), Synthesis, Crystal structures, Tetrazolate complexes, 1217
Manganese(II)
Bis-imidazole, Metal complexes, X-ray structures, Copper(II), Zinc(II), 1731
Manganese(II) carboxylate chemistry
Crystal structures, Magnetochemistry, Metal-assisted reactions, 2-Pyridinealdoxime complexes, 83
Manganese(II) hexafluoroacetylacetonate
4-cyanopyridine-N-oxide, Crystal structures, Magnetic properties, Ferromagnetic interactions, 879
Manganese(III)
Dimeric complex, Crystal structure, Ferromagnetic behaviour, 949
Manganese(III)
N,O ligands, X-ray structure, Magnetochemistry, Dimer, Azide, 1811
Manganese(III) complexes
Ozone, X-ray crystal structure, Silver(II) complexes, Cobalt(III) complexes, 2631
MAS NMR
Crystal structure, Gold complex, Selenourea, 1
MCD (Magnetic Circular Dichroism)
Sulfite oxidase, Pyranopterin molybdenum enzymes, Electronic structure, Molybdenum complexes, EPR (Electron Paramagnetic Resonance), 499
Mechanism
Copper(III), Imine-oxime ligand, Diols, Kinetics, Electron transfer, 583
Mechanism
Kinetics, Redox, Silver, Glyoxylic acid, 895
Meltable
Magnesium carboxylate, Dispersion processing, Thermal properties, 1739
Menthone
Scorpionate ligands, Tripod ligands, Chirality, Prochirality, 245
Mercury(II)
1,3-Dithiol-2-thione, Pyridyl, ^1H NMR, Solid UV, 115
2-Mercapto-6-nitrobenzothiazole
Organotin(IV), Non-bonded interaction, Crystal structure, X-ray crystallography diffraction, 779
1H-5-mercapto-1,2,3-triazolato
Organotin, Organogermanium(IV), Crystal structure, X-ray crystallography, 1981
Metal complexes
Bis-imidazole, X-ray structures, Manganese(II), Copper(II), Zinc(II), 1731
Metal isotope effect
2-Thiopheneacetic acid, Polymeric copper(II) complex, Crystal structure, Vibrational spectra, 1785
Metal–metal bond
Ph_2Te_2, Molybdenum complex, Mo_2Te_4 complex, Crystal structure, 1663
Metal–metal bonds
Diruthenium compounds, Triazenido complexes, Formamidinato complexes,

Multiple bonds, Low spin complexes, 2637
Metal–metal multiple bond
Hydrotris(pyrazolyl)borate, Scorpionate ligands, Tantalum, Alkyne complex, Tetrahydrothiophene complex, 379
Metal–nitrile complexes
Dendrimers, Cyclophosphazene, Iron complexes, 1027
Metal-assisted reactions
Crystal structures, Manganese(II) carboxylate chemistry, Magnetochemistry, 2-Pyridinealdoxime complexes, 83
Metal-nitrogen pi bonding
Acetonitrile reduction, Amine oxidation, Imido, Regioselectivity of nucleophile and electrophile additions, 311
Metallacrown
Ruthenium, Fluoroionophore, X-ray, 1719
Metallo mesogen
Phthalocyanine, Metallo phthalocyanine, Liquid crystal, Crown ether, Aza ether, 1931
Metallo phthalocyanine
Phthalocyanine, Liquid crystal, Metallo mesogen, Crown ether, Aza ether, 1931
Metallocene
Ferrocenium, Cobaltocenium, Crystal structure, 2937
Metallocene
Organometallics, Sandwich complex, Bonding, Density functional theory, Orbital analysis, 2993
Metallocenes
Cyclopentadienyl, Indenyl, Phosphino, Phosphido, Molybdenum, 1263
P,S-metallocycles
Supramolecular chemistry, Bipodal ligands, Crystal structures, Macrocycles, Phosphorylated urea complexes, 2243
Metalloporphyrins
Indium, Thallium, 1777
Metathetical reactions
Cyclic telluranes, Intermolecular, Secondary bonding, Supramolecular networks, 1629
Methanesulfonate
Diorganostannate, Ionic metathesis, Organotin oxide, 71
2-Methanolpyridine
2,6-Dimethanolpyridine, 2-Ethanolpyridinium, Cobalt(II) complexes, Crystal structures, 841
Methyl
Zwitterions, Monoanionic ligands, Syntheses, Structures, Hydrides, 489
Methylaluminoxane
Neutral palladium(II) complex, X-ray crystallography, Catalyst, Norbornene, Vinylic polymerizaition, 1619
Methylation
η^2-nitrile, Tungsten, Oxo, Oxidation, Dimerization, 2831
S-Methyldithiocarbazate
Cu(II) complexes, Dithiocarbazate Schiff base, Saccharin complexes, Tridentate NNS Schiff base, 2491
S-methyldithiocarbazate (SMDTC)
NS Schiff base, Crystal structure of Cd(II) complex, Dithiocarbazate derivatives, 1385
Mixed ligands
Lanthanum trifluoromethanesulfonate, Isonicotinic acid, N-oxide, Coordination polymer, 857
Mixed valent Ru(II)/Ru(III) complexes
Binuclear ruthenium complexes, Catalysis, Imine hydrogenation, 3163
Mixed-valence
EPR spectroscopy, Hydrazido ligand, Ruthenium complexes, Spectroelectrochemistry, 701
Mn(II) and Cd(II) complexes
Azides, 3-Aminopyridine, Synthesis, Spectra, X-ray structures, Thermal properties, 2349
Mn(II) complex
Isonicotinic acid, N-oxide, Crystal structure, Luminescence, 1109
Mo_2Te_4 complex
Ph_2Te_2, Metal–metal bond, Molybdenum complex, Crystal structure, 1663
MOCVD
Cobalt, Oxide, β-diketonates, Adducts, Structures, 735
MOCVD
Cerium, Oxazolines, Chiral, Thermal decomposition, β-ketoesterates, 1467
Model complex
Cu-NIRs, Crystalline structure, Tripodal ligand, Polyimidazole ligand, 511
Model compounds
Tetrathiomolybdate, Tetrathiotungstate, Dihydridobis(pyrazolyl)borate, Copper(I) complexes, Crystal structure, 637
Molecular
Crystal structure, Back-bonding, Ruthenium complex, NO, Reactivity, 1063
Molecular assembly
Crystal structure, 1,3-Dithiole-2-thione, Complex, 1447
Molecular mechanics
Eight-coordinate, Stereochemistry, Dodecahedron, Square antiprism, Bicapped trigonal prism, 145
Molecular rectangles
Crystal structures, Copper complexes, Zinc complexes, 673
Molecular structures
Zwitterionic ferrocenyldithiophosphonates, 2281
Molybdenum
Tris(pyrazolyl)borate, Bis(imido), Synthesis, Structures, 189
Molybdenum
Cyclopentadienyl, Indenyl, Phosphino, Phosphido, Metallocenes, 1263
Molybdenum
^{95}Mo NMR, X-ray structures, Phosphine oxide, 1915
Molybdenum
Polyoxometallate, Aqueous organometallic chemistry, Pentamethylcyclopentadienyl ligands, 2605
Molybdenum
Crystal structures, Clusters, Copper, Tungsten, Nitrogen heterocycle ligands, Pyrazole, 3143
Molybdenum complex
Ph_2Te_2, Metal–metal bond, Mo_2Te_4 complex, Crystal structure, 1663
Molybdenum complexes
Sulfite oxidase, Pyranopterin molybdenum enzymes, Electronic structure, MCD (Magnetic Circular Dichroism), EPR (Electron Paramagnetic Resonance), 499
Molybdenum complexes
Carbonyl complexes, Pentafluorophenyl, Oxidation, Bond cleavage, Reductive elimination, 1371
Molybdenum nitride
^{15}N solid state NMR, DFT calculations, Imido complexes, Lewis acids, 2751
Molybdenum phosphate
Transformation, Hydrothermal synthesis, Crystal structure, 2153
Molybdenum(V) complexes
Enaminones, Molybdenum(VI) complexes, Pyrone, X-ray crystal structure, NMR spectra, 1859
Molybdenum(VI) complexes
Enaminones, Molybdenum(V) complexes, Pyrone, X-ray crystal structure, NMR spectra, 1859
^{95}Mo NMR
Molybdenum, X-ray structures, Phosphine oxide, 1915
Monoanionic ligands
Zwitterions, Syntheses, Structures, Methyl, Hydrides, 489
Monoanionic ligands
Zwitterions, Phosphines, Syntheses, Structures, Boron, 2901
Monodentate
Bis(diphenylphosphino)methane dioxide, Uranyl nitrate, Uranyl bis(β-diketonates), Bidentate chelate, Bridging bidentate, Coordination modes, 1527
Monodentate donors
2-Diphenylphosphinopicolinamide (dpppa 1), Coordination chemistry, Bidentate donors, 3211
Monomeric complexes
2,5-Bis(2-pyridyl)-1,3,4-thiadiazole, Zinc, Energy minimization, Crystal structures, 1903
Mononuclear
Zinc(II)azide, Dinuclear, 2,2′-Dipyridylamine, Luminescence, Crystal engineering, 545
Mononuclear complex
Silver(I) complexes, Dinuclear complex, 2117
Monophosphono dipeptides
Copper(II) complexes, Thioether ligands, Stability constants, Potentiometry, Vis, CD, EPR spectroscopy, 1939
MP2 geometry optimization
Bis(methoxycarbimido)amine, Topological analysis of electron density, 2235

Multi-armed ligands
Copper, *N*-ligands, Thioethers, X-ray structures, Coordination polymer, 1055
Multi-nitriles
Silver coordination complex polymers, 1D, 2D, 3D topological structure, 2209
Multidentate ligand
Cobalt(III), Sinambic, ^{59}Co NMR, 2217
Multiple bonds
Diruthenium compounds, Metal–metal bonds, Triazenido complexes, Formamidinato complexes, Low spin complexes, 2637
Multiple-decker sandwich complex
Ferrocene, Boron, Lithium, Crystal structure, 2597

^{15}N solid state NMR
DFT calculations, Molybdenum nitride, Imido complexes, Lewis acids, 2751
N, O donor ligands
Uranium, Crystal structure, 2285
N,O ligands
Manganese(III), X-ray structure, Magnetochemistry, Dimer, Azide, 1811
N,O-ligands
Self-assembly, Copper, Dinuclear, EPR, 1769
N-oxide
Lanthanum trifluoromethanesulfonate, Isonicotinic acid, Mixed ligands, Coordination polymer, 857
N-oxide
Mn(II) complex, Isonicotinic acid, Crystal structure, Luminescence, 1109
Nanochemistry
Clusters, Complexity, Polyoxomolybdates, 2381
Nanoparticles
Xanthate, Diamine, Zinc, Cadmium, CdS, 2315
Nanotubes
One-dimensional, Silver(I), Aliphatic amino ligands, Coordination polymers, Tubes, Topology, Supramolecular chemistry, Self assembly, 2075
Naphthalene
Phthalocyanine, Cobalt, Zinc, Nickel, 787
Naphthalene
Porphyrazine, EPR, Copper, Zinc, Cobalt, 1845
1,4-Naphthalenedicarboxylic acid
Hydrothermal synthesis, Coordination polymer, Magnetic property, Transition metal, Square grid structure, 1257
4-Naphthoquinone
Lawsone, Quinones, 2-Hydroxy-1, Amine oxidase, Copper complexes, Antiferromagnetic coupling, H-bonding, EPR, 2541
Naphthylazoimidazole
Silver(I) complexes, Helical structure, EHMO, 793
Near infra-red
Iridium, Luminescence, Terpyridine, Charge-transfer, Intra-ligand charge transfer, 2769
Near-IR absorption
Ion pair complex, Hydrogen bonding network, Non-covalent interaction, Charge transfer, 1235
Neodymium
Lanthanides, X-ray structures, Alkoxides, Pyrazolylborates, Borohydrides, 253
Neodymium
Tris(pyrazolyl)hydroborate (Tp) ligands, Lanthanum, Salt metathesis, Aryloxide derivatives, 2437
Neutral palladium(II) complex
X-ray crystallography, Catalyst, Methylaluminoxane, Norbornene, Vinylic polymerizaition, 1619
Ni(II) complexes
S-2-picolyldithiocarbazate (Hydrazine carbodithioic acid pyridinium-2-yl methyl ester chloride), Bidentate NS Schiff base, Tridentate NNS and NSS Schiff bases, Dithiocarbazate derivative, 161
Ni(II) thiosemicarbazone complex
Di-2-pyridyl ketone, Thiosemicarbazone, Electronic spectra, IR spectra, X-ray crystal structure, 1225
Nickel
Dithiocarbamate, PPh_3, Dppe, X-ray crystal structure, NMR, 77
Nickel
Bis(mercaptoimidazolyl)borate complexes, Tris(mercaptoimidazolyl)borate complexes, Diphosphine, Hydrogenases, Crystal structure, 395
Nickel
Phthalocyanine, Cobalt, Zinc, Naphthalene, 787
Nickel
Solvothermal synthesis, Thiostannates, Crystal structures, Thermoanalysis, 937
Nickel
Copper, Zinc, Imidazole, α-Hydroxycarboxylato complexes, Thermal behaviour, Crystal structures, 1505
Nickel
Pseudoephedrine, Triangulo, Cluster, Anion exchange, 1837
Nickel
Binuclear compounds, Isocyanides, Polymerisation, Ring-coupled bis-cyclopentadienyl ligand, X-ray molecular structure, 2715
Nickel
Schiff's bases, Hydrogenated Schiff's bases, Coordination geometry, X-ray crystal structures, Polymethylene chains, 3201
Nickel complex
Synthesis, Crystal structures, Indenyl ligand, Catalysis, 1473
Nickel complex
Tripodal ligand, Cyclic voltammetry, 1829
Nickel complexes
Pyrazoline, Ring opening, Ligand oxidation, Structures, 1997
Nickel complexes
Heterocyclic carbenes, Functionalised carbenes, X-ray diffraction, 2813
Nickel(II)
Scorpionands, Chromophores, Copper(II), Macrocycles, 373
Nickel(II)
Thiodiglycolic acid complexes, X-ray structures, Magnetic properties, 1573
Nickel(II)
Lanthanides(III), Amino acid, Heptanuclear, Cluster compound, 2265
Nickel(II) complex
Crystal structure, Thiazine, Cobalt(III) complex, Pyridine, 1453
Nickel(II) complex
Lawesson's Reagent, Thiophosphoryl compound, Sulfur-rich complex, Cobalt(II) complex, 1799
Nickel(II) complexes
Crystal structures, Hydrotris(pyrazolyl)-borate complexes, Coordination environment, Scorpionates, 211
Nickel(II) complexes
Template synthesis, Decaazacyclooctadecane, Macrocycle, 1325
Nickel(II) complexes
Schiff bases, Salicylketimine ligands, X-ray crystallography, 1649
Nickel(II) complexes
Crystal structure, MagnetismPseudohalides,, 2337
Nickel(II) compounds
Crystal structures, Terephthalate ligand, Binuclear complexes, Magnetic properties, 1379
Nicotinate
Chiral, Coordination polymers, Open channel, Grid, 1947
Nitric oxide
Samarium, Lanthanide, Nitrite, Pyrazolylborate, Redox, 2709
Nitride precursor
Titanium, Tin, Tetrazole, Cycloaddition, 801
η^2-nitrile
Tungsten, Oxo, Oxidation, Methylation, Dimerization, 2831
Nitrile coordination
Polypyrazolylborate complexes, Copper complexes, Rhodium complexes, Scorpionates, Coordination Polymers, 235
Nitrilotriacetate
Vanadium complexes, X-ray crystal structure, Hydrogen bonding, 1975
Nitrite
Samarium, Lanthanide, Nitric oxide, Pyrazolylborate, Redox, 2709
Nitrito complexes
Copper complexes, Di-2-pyridylamine, Plasticity effect, *cis*-Distorted octahedron, Fluxional behaviour, 1685
Nitrogen base ligation
Diporphyrins, Zinc(II) complexes, Stability constants, 33
Nitrogen heterocycle ligands
Crystal structures, Clusters, Copper, Molybdenum, Tungsten, Pyrazole, 3143

Nitrogen ligands
Scorpionates, Polypyrazolylborates, Coordination chemistry, 197
Nitronyl nitroxide
Imino nitroxide, Amide, Manganese complexes, Copper complexes, Cobalt complexes, 763
Nitrosyls
Rhenium, Phosphine complexes, DFT calculations, 2363
NMR
Nickel, Dithiocarbamate, PPh_3, Dppe, X-ray crystal structure, 77
NMR
Polypyrazolylborate, Rhodium(I), Cyclooctadiene, Norbornadiene, Structure, 219
NMR
Pyrazine, Pyridine, X-ray, Stacking, Twist, 1011
NMR
Aromatic aminoacidate, Cobalt(III), Non-covalent interactions, Octahedral inversion, Tetradentate ligands, 1749
NMR
2-[(*E*)-2-(aryl)-1-diazenyl]pyridine, Hg(II) complexes, Crystal structures, 2323
NMR
Aluminium(III), Catecholates, Salicylates, Complexation, Proton exchange, 2393
NMR
Pyrazolylborates, Thallium, CPMAS, 2985
NMR spectra
Cobalt(III), Semicarbazone, 2-Hydroxyacetophenone, IR spectra, Electronic spectra, X- ray crystal structure, 41
NMR spectra
Enaminones, Molybdenum(VI) complexes, Molybdenum(V) complexes, Pyrone, X-ray crystal structure, 1859
NO
Crystal structure, Back-bonding, Ruthenium complex, Reactivity, Molecular, 1063
Non-bonded interaction
2-Mercapto-6-nitrobenzothiazole, Organotin(IV), Crystal structure, X-ray crystallography diffraction, 779
Non-covalent interaction
Ion pair complex, Hydrogen bonding network, Charge transfer, Near-IR absorption, 1235
Non-covalent interactions
Aromatic aminoacidate, Cobalt(III), Octahedral inversion, Tetradentate ligands, NMR, 1749
Non-heme iron
Water coordination, X-ray structure, Cyclic voltammetry, Sterically hindered carboxylate, 2805
Non-symmetrical ligands
Ferrocenes, Oxazolines, X-ray diffraction, 611
Norbornadiene
Polypyrazolylborate, Rhodium(I), Cyclooctadiene, Structure, NMR, 219
Norbornene
Neutral palladium(II) complex, X-ray crystallography, Catalyst, Methylaluminoxane, Vinylic polymerizaition, 1619
Novel conformations
Te(II) thiourea complexes, Unexpected colours, X-ray crystallography, Supramolecular associations, 3021
NQR
Crystal structure, Phase transition, Isotope effect, Hydrogen bond, Tetrachloroaurate(III), 1605
NS Schiff base
S-methyldithiocarbazate (SMDTC), Crystal structure of Cd(II) complex, Dithiocarbazate derivatives, 1385

O Ligands
Alkali metals, Lithium, Phosphorus–carbon bond cleavage, Chelates, 2499
O-donor ligands
Lanthanide oxides, Bromotrimethylsilane, Complexes of lanthanide bromides, Crystal structure, Coordination number, 2293
Octahedral inversion
Aromatic aminoacidate, Cobalt(III), Non-covalent interactions, Tetradentate ligands, NMR, 1749
Octahedral structure
Ruthenium(II) carbonyl complexes, Tertiary phosphine chalcogenides, "Soft–Hard" and "Soft–Soft" interactions, X-ray crystal structure, 1657
Octamolybdate
Hydrothermal synthesis, Three-dimensional oxide, Organic–inorganic hybrid, Building block approach, Hartree–Fock calculations, 1145
Olefin complexes
Copper(I) complexes, Hexafluorocetylacetonate, Divinyl organics, Crystal structure, Thermal analysis, 809
Oligomerization
Hydrocarboxylation, Catalysis, Rhodium complexes, Ethylene, Carbon monoxide, 1677
Oligosilanes
Silanoles, Siloxides, Titanium, Zirconium, 2475
One-dimensional
Silver(I), Aliphatic amino ligands, Coordination polymers, Tubes, Topology, Supramolecular chemistry, Self assembly, Nanotubes, 2075
One-dimensional chains
Self-assembly, Crystal structures, Bis(2-pyridylmethyl)amino acids, Ferromagnetism, Copper(II) complexes, 903
One-dimensional complexes
Copper(II) compounds, Crystal structures, Terephthalate ligand, Magnetic properties, 3043
One-dimensional compounds
Organotin complexes, Organorhodium complexes, Organorhodiumtin complexes, Two-dimensional compounds, Rhodium carbonyl complexes, 103
Open channel
Chiral, Coordination polymers, Nicotinate, Grid, 1947
Open frame material
S,N ambidentate borate ligands, Synthesis, X-ray structure, 205
Optical activity
Carbohydrate, Cobalt complex, Absorption spectra, Circular dichroism, 1341
Orbital analysis
Organometallics, Sandwich complex, Metallocene, Bonding, Density functional theory, 2993
Organic–inorganic hybrid
Octamolybdate, Hydrothermal synthesis, Three-dimensional oxide, Building block approach, Hartree–Fock calculations, 1145
Organogermanium(IV)
1H-5-mercapto-1,2,3-triazolato, Organotin, Crystal structure, X-ray crystallography, 1981
Organometallic compounds
Pyrolysis, Iron–platinum compounds, 63
Organometallics
Sandwich complex, Metallocene, Bonding, Density functional theory, Orbital analysis, 2993
Organorhodium complexes
Organotin complexes, Organorhodiumtin complexes, One-dimensional compounds, Two-dimensional compounds, Rhodium carbonyl complexes, 103
Organorhodiumtin complexes
Organotin complexes, Organorhodium complexes, One-dimensional compounds, Two-dimensional compounds, Rhodium carbonyl complexes, 103
Organotin
1H-5-mercapto-1,2,3-triazolato, Organogermanium(IV), Crystal structure, X-ray crystallography, 1981
Organotin complexes
Organorhodium complexes, Organorhodiumtin complexes, One-dimensional compounds, Two-dimensional compounds, Rhodium carbonyl complexes, 103
Organotin derivatives
Pyrolysis, Tin sulfide, 2102
Organotin oxide
Diorganostannate, Methanesulfonate, Ionic metathesis, 71
Organotin(IV)
2-Mercapto-6-nitrobenzothiazole, Nonbonded interaction, Crystal structure, X-ray crystallography diffraction, 779
Organotin(IV)
1-(4-Hydroxyphenyl)-1H-tetrazole-5-thiol, Hydrogen bonding, π–π stacking interaction, Crystal structures, X-ray crystallography, 1547
Ortho-metallated complexes
Palladium, Ferrocene, Phosphine, Suzuki–Miyaura coupling, X-ray crystallography, 921
Osmium
Dioxygen, Aniline, Oxidation, Electron transfer self-exchange, 323

Osmium
Rhenium, Polypyridyl, Synthesis, Spectroscopy, 1427
Oxadiazole ligand complexes
Palladium, Platinum, Heterobimetallic, Phosphine, 2013
Oxalate acid
Hydrothermal synthesis, Crystal structure, Iron phosphatooxalate, Template, Piperazine, 2357
Oxalato
Iron, (μ-O)di-iron complex, Bis-(2-pyridylmethyl)amine, Hydrogen bonding, Mössbauer spectra, 1419
Oxazolines
Ferrocenes, Non-symmetrical ligands, X-ray diffraction, 611
Oxazolines
Cerium, Chiral, Thermal decomposition, MOCVD, β-ketoesterates, 1467
Oxidation
Hydrotris(pyrazolyl)borate, Ruthenium, Hydrogen bond, Aquo complex, 225
Oxidation
Dioxygen, Osmium, Aniline, Electron transfer self-exchange, 323
Oxidation
Molybdenum complexes, Carbonyl complexes, Pentafluorophenyl, Bond cleavage, Reductive elimination, 1371
Oxidation
Kinetics, Permanganate, 4-Hydroxycoumarin, 2507
Oxidation
η^2-nitrile, Tungsten, Oxo, Methylation, Dimerization, 2831
Oxide
Cobalt, β-diketonates, Adducts, Structures, MOCVDf, 735
Oxides
Actinide, Lanthanide, Carbene, Uranium, 2689
Oximinato monocopper(II) and mononickel(II) complexes
Electrochemistry, Magnetic properties, Unsymmetrical oximinato dicopper(II) complexes and unsymmetrical oximinato dinickel(II) complexes, 665
2-Oxo-1,3-dithiole-4,5-dithiolate
Zinc complex, Cadmium complex, Synthesis, Crystal structure, Density functional calculation, 1701
Oxo
η^2-nitrile, Tungsten, Oxidation, Methylation, Dimerization, 2831
Oxo-bridged iron(III) complexes
2,2′-Bipyrimidine complexes, Iron(III) carboxylate complexes, π–π stacking interactions, X-ray crystal structure, 1271
Oxoalkoxides
Aluminium, Precursor hydrolysis, X-ray, Structure studies, 109
Oxotransfer catalysts
Dioxomolybdenum(VI) thionates, 537
Ozone
X-ray crystal structure, Silver(II) complexes, Manganese(III) complexes, Cobalt(III) complexes, 2631

^{31}P NMR
Phosphine chalcogenides, X-ray structure, Tellurium, Selenium, 1923
Palladium
Ferrocene, Phosphine, Suzuki–Miyaura coupling, Ortho-metallated complexes, X-ray crystallography, 921
Palladium
Crystal structure, Platinum, Phosphorus–nitrogen donor, 1159
Palladium
Platinum, Heterobimetallic, Phosphine, Oxadiazole ligand complexes, 2013
Palladium
Pyridinecarboxaldimine, Cytotoxicity, Platinum, Fluorine, 2169
Palladium
X-ray structure, Diimine, Coordination complex, Zinc, 2789
Palladium
Selenium, Complexes, X-ray, 2967
Palladium dimers
Triazolopyrimidine, Head–head, Head–tail, 2373
Parabanic acid
Iron, Cyclopentadienyl, Carbonyl, Thallium, Gold (I) complex, Alkylation, 1441
Paramagnetic NMR
Rhenium, Benzimidazole, Bibenzimidazole, Crystal structure, 1139
Pendent arm
Chirality, Tetra-azamacrocycles, Template reaction, Conformational isomers, 869
Pentachlorophenolato complexes
Rhodium, Acetylacetonato complexes, Carboxylato complexes, Diazoalkane complexes, C–C coupling reactions, 2645
Pentafluorophenyl
Molybdenum complexes, Carbonyl complexes, Oxidation, Bond cleavage, Reductive elimination, 1371
Pentalene
Tantalum, Synthesis, Structures, 2625
Pentamethylcyclopentadienyl ligands
Molybdenum, Polyoxometallate, Aqueous organometallic chemistry, 2605
Permanganate
Kinetics, Oxidation, 4-Hydroxycoumarin, 2507
Peroxidative bromination
Dinuclear peroxovanadate, Peroxo-bridged divanadate, Heteroligand peroxovanadate, Amino acid containing peroxovanadates, 1097
Peroxo-bridged divanadate
Dinuclear peroxovanadate, Peroxidative bromination, Heteroligand peroxovanadate, Amino acid containing peroxovanadates, 1097
Ph_2Te_2
Metal–metal bond, Molybdenum complex, Mo_2Te_4 complex, Crystal structure, 1663
γ-Phase
Hydrothermal, Layered, Titanium phosphate, Intercalation behavior, 3033
Phase transition
Crystal structure, Isotope effect, Hydrogen bond, NQR, Tetrachloroaurate(III), 1605
1,10-Phenanthroline
Hydrazones, Copper(II) hydrazonate complexes, 2,2′-Bipyridine, X-ray single crystal structure, EPR, 575
1,10-Phenanthroline
Diorganotin, Dicyanoethylene-1,2-dithiolate, 4,4′-Bipyridyl, X-ray crystal structure, Co-crystallization, 1207
Phenanthroline
Cadmium(II), Chloranilate anions, Square antiprism, Crystal structures, Chain polymers, 2587
4,7-Phenanthroline
Copper, Coordination framework, Host–guest properties, Polymers, Extended structures, 55
Phenylacetylene
Phthalocyanine, Unsymmetrical, Cyclic voltammetry, 3155
Pheylcyanamide
Manganese, Magnetic properties, Crystal structures, 1409
Phosphanylalkylcyclopentadienyl ligands
Chromium complexes, Polymerisation studies, 1393
Phosphido
Cyclopentadienyl, Indenyl, Phosphino, Molybdenum, Metallocenes, 1263
Phosphine
Titanium iodide, Arsine, Iron iodide, Crystal structures, 605
Phosphine
Palladium, Ferrocene, Suzuki–Miyaura coupling, Ortho-metallated complexes, X-ray crystallography, 921
Phosphine
Phosphonic acid, Platinum, 1375
Phosphine
Palladium, Platinum, Heterobimetallic, Oxadiazole ligand complexes, 2013
Phosphine
Ligand, Bidentate, Bridging, X-ray, 2569
Phosphine
Synthesis, Coordination, X-ray structure, 2575
Phosphine
Hemilabile, X-ray structure, 3125
Phosphine chalcogenides
X-ray structure, ^{31}P NMR, Tellurium, Selenium, 1923
Phosphine complexes
Heteroscorpionates, Ruthenium, Hydrides, Hemilabile ligands, 361
Phosphine complexes
Rhenium, Nitrosyls, DFT calculations, 2363
Phosphine oxide
Molybdenum, ^{95}Mo NMR, X-ray structures, 1915

Phosphine oxide ligands
Uranyl, Fluoride, Structural study, Spectroscopic characterisation, 3097
Phosphines
Zwitterions, Monoanionic ligands, Syntheses, Structures, Boron, 2901
Phosphinite ligands
Rhenium(I), Dichloromethane complexes, Crystal structures, 1045
Phosphino
Cyclopentadienyl, Indenyl, Phosphido, Molybdenum, Metallocenes, 1263
Phosphonic acid
Phosphine, Platinum, 1375
Phosphorescence
LLCT, Luminescence, Pt(II) and Pd(II), 3173
Phosphorus
Sulfur, Clusters, Phosphorus sulfides, Laser ablation synthesis, TOF mass spectrometry, 1199
Phosphorus
Silicon, Hypercoordination, Hypervalency, Spectroscopy, Fluorescence, X-ray crystallography, 2615
Phosphorus sulfides
Phosphorus, Sulfur, Clusters, Laser ablation synthesis, TOF mass spectrometry, 1199
Phosphorus–carbon bond cleavage
Alkali metals, Lithium, Chelates, O Ligands, 2499
Phosphorus–nitrogen donor
Crystal structure, Platinum, Palladium, 1159
Phosphorylated urea complexes
P,S-metallocycles, Supramolecular chemistry, Bipodal ligands, Crystal structures, Macrocycles, 2243
Photochromism
Absorption spectra, Complexation, Kinetics, Spiroindolinonaphthooxazines, 3147
Photoelectron spectra
Hydrotris(pyrazol-1-yl)borates, Scorpionates, Polypyrazolylborates, 429
Photoluminescence
Ionic complex, Rheological phase reaction, Crystal structure, Europium, Zinc, 529
Phthalocyanine
Cobalt, Zinc, Nickel, Naphthalene, 787
Phthalocyanine
Electrochemistry, Spectroelectrochemistry, Pyridine binding, 1279
Phthalocyanine
Metallo phthalocyanine, Liquid crystal, Metallo mesogen, Crown ether, Aza ether, 1931
Phthalocyanine
Unsymmetrical, Phenylacetylene, Cyclic voltammetry, 3155
S-2-picolyldithiocarbazate (Hydrazine carbodithioic acid pyridinium-2-yl methyl ester chloride)
Bidentate NS Schiff base, Tridentate NNS and NSS Schiff bases, Ni(II) complexes, Dithiocarbazate derivative, 161
Piperazine
Hydrothermal synthesis, Crystal structure, Iron phosphatooxalate, Template, Oxalate acid, 2357
Plasticity effect
Copper complexes, Di-2-pyridylamine, Nitrito complexes, *cis*-Distorted octahedron, Fluxional behaviour, 1685
Platinum
Imine, Benzimidazole, Benzoxazole, Benzothiazole, Pyridine, 155
Platinum
Crystal structure, Palladium, Phosphorus–nitrogen donor, 1159
Platinum
Phosphine, Phosphonic acid, 1375
Platinum
Palladium, Heterobimetallic, Phosphine, Oxadiazole ligand complexes, 2013
Platinum
Pyridinecarboxaldimine, Cytotoxicity, Palladium, Fluorine, 2169
Platinum complexes
Dithiocarbimates, Crystal structures, 1153
Platinum complexes
Thioether complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Diimine complexes, Crown thioethers, 1361
Platinum nuclear magnetic resonance
Thioether complexes, Platinum complexes, Trithiacyclononane, Diimine complexes, Crown thioethers, 1361
Polarizability
Clusters, Electron density distribution, Spherical potential well, Finite electric field, 1519
Polyamines
Azides, Copper(II) complexes, Crystal structures, Magnetic properties, Coordination polymers, 1243
Polyimidazole ligand
Cu-NIRs, Model complex, Crystalline structure, Tripodal ligand, 511
Polymer
Schiff-base, Polypyrrole, Electropolymerization, Iron complex, AFM, 1953
Polymer
Cadmium(II)thiocyanate, Schiff base, Imidazole, Supramolecular synthon, 2045
Polymeric copper(II) complex
2-Thiopheneacetic acid, Crystal structure, Vibrational spectra, Metal isotope effect, 1785
Polymeric network
Zinc, 1,3-Bis(4-pyridyl)propane, 4,4′-Pyridine, X-ray crystallography, 999
Polymerisation
Binuclear compounds, Isocyanides, Nickel, Ring-coupled bis-cyclopentadienyl ligand, X-ray molecular structure, 2715
Polymerisation
Iron, Radical, Styrene, Catalyst, 2921
Polymerisation studies
Phosphanylalkylcyclopentadienyl ligands, Chromium complexes, 1393
Polymers
Copper, 4,7-Phenanthroline, Coordination framework, Host–guest properties, Extended structures, 55
Polymers
Cadmium, Coordinate, Ligands, Supramolecular, 1003
Polymers
Supramolecular chemistry, Self-assembly, Transition metal, Crystal engineering, 1877
Polymethylene chains
Nickel, Schiff's bases, Hydrogenated Schiff's bases, Coordination geometry, X-ray crystal structures, 3201
Polyoxometalates
Hydrothermal synthesis, Crystal structure, Keggin, Cobalt, 773
Polyoxometallate
Molybdenum, Aqueous organometallic chemistry, Pentamethylcyclopentadienyl ligands, 2605
Polyoxomolybdates
Clusters, Complexity, Nanochemistry, 2381
Polyphosphoxane
Rotational barriers, Cage complexes, Cone angles, 125
Polypyrazolylborate
Rhodium(I), Cyclooctadiene, Norbornadiene, Structure, NMR, 219
Polypyrazolylborate complexes
Copper complexes, Rhodium complexes, Scorpionates, Coordination Polymers, Nitrile coordination, 235
Polypyrazolylborates
Scorpionates, Coordination chemistry, Nitrogen ligands, 197
Polypyrazolylborates
Hydrotris(pyrazol-1-yl)borates, Scorpionates, Photoelectron spectra, 429
Polypyridine complexes
Diruthenium(II), Rhodium(III) Ruthenium(II), Heterodinuclear complexes, Electrochemistry, 913
Polypyridine ligands
Ruthenium(II) complexes, Diethylenetriamine, 815
Polypyridyl
Osmium, Rhenium, Synthesis, Spectroscopy, 1427
Polypyrrole
Schiff-base, Electropolymerization, Iron complex, AFM, Polymer, 1953
Polystyrene supported
Hydrogermane, Reduction, Recycle, 177
Polyynes
Carbon allotropes, Carbyne, Dicyanopolyynes, Cyanopolyynes, Electric arc, Graphite, Liquid nitrogen, 1889
Porphyrazine
EPR, Naphthalene, Copper, Zinc, Cobalt, 1845

Potassium
Ammonolysis, Liquid ammonia/toluene two-phase system, Zirconium, 1125
Potentiometric titration
Uranium, Glycerol phosphate, Complex formation, TRLFS, 1793
Potentiometry
Copper(II) complexes, Thioether ligands, Stability constants, Monophosphono dipeptides, Vis, CD, EPR spectroscopy, 1939
PPh_3
Nickel, Dithiocarbamate, Dppe, X-ray crystal structure, NMR, 77
Precursor hydrolysis
Oxoalkoxides, Aluminium, X-ray, Structure studies, 109
Prochirality
Scorpionate ligands, Tripod ligands, Chirality, Menthone, 245
Proton exchange
Aluminium(III), Catecholates, Salicylates, Complexation, NMR, 2393
Proton sponge
Macrocyclic tetramine, Lanthanide complex, 1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane, 1089
Pseudoephedrine
Nickel, Triangulo, Cluster, Anion exchange, 1837
Pseudohalides
Crystal structure, Nickel(II) complexes, Magnetism, 2337
Pt(II) and Pd(II)
LLCT, Luminescence, Phosphorescence, 3173
o-Pthalate
Herometallacrown, Malonate, Cu(II) complexes, 943
Pyranopterin molybdenum enzymes
Sulfite oxidase, Electronic structure, Molybdenum complexes, MCD (Magnetic Circular Dichroism), EPR (Electron Paramagnetic Resonance), 499
Pyrazine
Pyridine, X-ray, NMR, Stacking, Twist, 1011
Pyrazole
Ruthenium arene complexes, Dimethylpyrazole, X-ray structure, Bond valence, 885
Pyrazole
Rhenium nitrosyl complexes, Arsine ligands, X-ray structure, Density functional theory calculations, 2523
Pyrazole
Thallium, ^{11}B NMR, B–H coupling, Tris(pyrazolyl)borate, 2533
Pyrazole
Crystal structures, Clusters, Copper, Molybdenum, Tungsten, Nitrogen heterocycle ligands, 3143
Pyrazole ligand
Rhenium complexes, X-ray structure, DFT calculations, 1819
Pyrazole ligand
Rhenium complexes, X-ray structure, DFT calculations, 2005
Pyrazoline
Nickel complexes, Ring opening, Ligand oxidation, Structures, 1997
Pyrazolone
Copper(II) complexes, Crystal structures, ESR study, 2465
Pyrazolyl ancillary ligands
Iridium, Cyclometalated Ir(II) complexes, Boat conformations, Luminescent, Electroluminescence, 419
Pyrazolyl thiosemicarbazone
Synthesis, Spectroscopy, Cobalt(III) complexes, X-ray crystallography, 5
Pyrazolylborate
Samarium, Lanthanide, Nitric oxide, Nitrite, Redox, 2709
Pyrazolylborates
Lanthanides, Neodymium, X-ray structures, Alkoxides, Borohydrides, 253
Pyrazolylborates
Thallium, NMR, CPMAS, 2985
Pyridine
Platinum, Imine, Benzimidazole, Benzoxazole, Benzothiazole, 155
4,4′-Pyridine
Zinc, 1,3-Bis(4-pyridyl)propane, Polymeric network, X-ray crystallography, 999
Pyridine
Pyrazine, X-ray, NMR, Stacking, Twist, 1011
Pyridine
Crystal structure, Thiazine, Cobalt(III) complex, Nickel(II) complex, 1453
2-Pyridinealdoxime complexes
Crystal structures, Manganese(II) carboxylate chemistry, Magnetochemistry, Metal-assisted reactions, 83
Pyridine binding
Phthalocyanine, Electrochemistry, Spectroelectrochemistry, 1279
Pyridine-2-carboxaldehyde
Cyclopentadienyl, Schiff bases, Ruthenium, 1567
Pyridinecarboxaldimine
Cytotoxicity, Platinum, Palladium, Fluorine, 2169
2-pyridineformamide
Thiosemicarbazone, Crystal structure, Zinc, Cadmium, 2303
Pyridyl
Mercury(II), 1,3-Dithiol-2-thione, ^1H NMR, Solid UV, 115
Pyridyl bispyrazolyl
Terpyridine, Iron, Complexation, Rearrangement, X-ray structures, 3193
Pyridylthioazophenol ligands
Copper(II) complex, Crystal structure, 2457
Pyrolysis
Organometallic compounds, Iron–platinum compounds, 63
Pyrolysis
Organotin derivatives, Tin sulfide, 2102
Pyrone
Enaminones, Molybdenum(VI) complexes, Molybdenum(V) complexes, X-ray crystal structure, NMR spectra, 1859
Quinones
Lawsone, 2-Hydroxy-1, 4-Naphthoquinone, Amine oxidase, Copper complexes, Antiferromagnetic coupling, H-bonding, EPR, 2541
2-Quinolinecarboxaldehyde Schiff bases of *S*-alkyl/aryl dithiocarbazates
Tin(IV) complexes, Dithiocarbazates, 2405
Radical
Iron, Styrene, Catalyst, Polymerisation, 2921
Radical salts
Bis(ethylenedithio)tetrathiafulvalene (ET), Crystal structures, Electrical conductivity, 1185
Reactivity
Crystal structure, Back-bonding, Ruthenium complex, NO, Molecular, 1063
Rearrangement
Terpyridine, Pyridyl bispyrazolyl, Iron, Complexation, X-ray structures, 3193
Recycle
Polystyrene supported, Hydrogermane, Reduction, 177
Redox
Kinetics, Mechanism, Silver, Glyoxylic acid, 895
Redox
Samarium, Lanthanide, Nitric oxide, Nitrite, Pyrazolylborate, 2709
Redox-polymers
Electropolymerisation, Ru-complexes, Thiophene, Differential pulse voltammetry, 4-((2-Thienyl)-ethenyl)-2,2′-bipyridine, 589
Reduction
Polystyrene supported, Hydrogermane, Recycle, 177
Reductive elimination
Molybdenum complexes, Carbonyl complexes, Pentafluorophenyl, Oxidation, Bond cleavage, 1371
Regioselectivity of nucleophile and electrophile additions
Acetonitrile reduction, Amine oxidation, Imido, Metal-nitrogen pi bonding, 311
Rhenium
Scorpionate ligands, Technetium, Uranium, 331
Rhenium
Benzimidazole, Bibenzimidazole, Crystal structure, Paramagnetic NMR, 1139
Rhenium
Osmium, Polypyridyl, Synthesis, Spectroscopy, 1427
Rhenium
Nitrosyls, Phosphine complexes, DFT calculations, 2363
Rhenium cluster, 2611
Rhenium complexes
Pyrazole ligand, X-ray structure, DFT calculations, 1819
Rhenium complexes
Pyrazole ligand, X-ray structure, DFT calculations, 2005

Rhenium nitrosyl complexes
Pyrazole, Arsine ligands, X-ray structure, Density functional theory calculations, 2523
Rhenium(I)
Phosphinite ligands, Dichloromethane complexes, Crystal structures, 1045
Rheological phase reaction
Ionic complex, Crystal structure, Photoluminescence, Europium, Zinc, 529
Rhodium
Trispyrazolylborate, C–H activation, 413
Rhodium
Acetylacetonato complexes, Pentachlorophenolato complexes, Carboxylato complexes, Diazoalkane complexes, C–C coupling reactions, 2645
Rhodium carbonyl complexes
Organotin complexes, Organorhodium complexes, Organorhodiumtin complexes, One-dimensional compounds, Two-dimensional compounds, 103
Rhodium complexes
Polypyrazolylborate complexes, Copper complexes, Scorpionates, Coordination Polymers, Nitrile coordination, 235
Rhodium complexes
Hydrocarboxylation, Oligomerization, Catalysis, Ethylene, Carbon monoxide, 1677
Rhodium complexes
Hydroformylation, Ionic liquids, Biphase catalysis, High-pressure NMR, 2679
Rhodium dicarbonyl complexes
κ^2-Tp ligands, Bridging Tp ligands, Isomers, X-ray structure, 301
Rhodium hydrides
Bridging boryls, Catalyzed hydroborations, 2665
Rhodium(I)
Polypyrazolylborate, Cyclooctadiene, Norbornadiene, Structure, NMR, 219
Rhodium(III)
C–H bond activation, Benzene activation, Aldehyde activation, 2943
Rhodium(III) Ruthenium(II)
Diruthenium(II), Heterodinuclear complexes, Polypyridine complexes, Electrochemistry, 913
Ring opening
Nickel complexes, Pyrazoline, Ligand oxidation, Structures, 1997
Ring-coupled bis-cyclopentadienyl ligand
Binuclear compounds, Isocyanides, Nickel, Polymerisation, X-ray molecular structure, 2715
Roof-shaped
Copper(II) complexes, Crystal structure, Dihydroxo-bridged, Triply bridged, 1641
Rotational barriers
Polyphosphoxane, Cage complexes, Cone angles, 125
Ru-complexes
Electropolymerisation, Thiophene, Differential pulse voltammetry, 4-((2-Thienyl)-ethenyl)-2,2′-bipyridine, Redox-polymers, 589
Ruthenium
Hydrotris(pyrazolyl)borate, Hydrogen bond, Oxidation, Aquo complex, 225
Ruthenium
Heteroscorpionates, Hydrides, Phosphine complexes, Hemilabile ligands, 361
Ruthenium
Scorpionate, Tris(pyrazolyl)borate, Hydride, C–H activation, 439
Ruthenium
Arene ligand, Ferrocene carboxylic acid, Ferrocene derivative, 687
Ruthenium
Cyclopentadienyl, 2,3-Bis(α-pyridyl)pyrazine, 1,3,5-Tris(pyridyl)-2,4,6-triazine, 2,3,5,6-Tetrakis(pyridyl)pyrazine, 1069
Ruthenium
Cyclopentadienyl, Schiff bases, Pyridine-2-carboxaldehyde, 1567
Ruthenium
Fluoroionophore, X-ray, Metallacrown, 1719
Ruthenium
Cymene, X-ray, 2695
Ruthenium arene complexes
Pyrazole, Dimethylpyrazole, X-ray structure, Bond valence, 885
Ruthenium complex
Crystal structure, Back-bonding, NO, Reactivity, Molecular, 1063
Ruthenium complexes
EPR spectroscopy, Hydrazido ligand, Mixed-valence, Spectroelectrochemistry, 701
Ruthenium complexes
Hexamethylbenzene, *p*-Cymene, Diphenyl-2-pyridylphosphine, Amines, 3115
Ruthenium(II) carbonyl complexes
Tertiary phosphine chalcogenides, "Soft–Hard" and "Soft–Soft" interactions, X-ray crystal structure, Octahedral structure, 1657
Ruthenium(II) complexes
Polypyridine ligands, Diethylenetriamine, 815
Ruthenium(II)-tris-chelates
Azoimidazoles, X-ray structure, Electrochemistry, 727

N-salicylidene-*n*-alkanoylhydrazines
Copper(II) complexes, Magnetochemical studies, Bis[monochloro(μ-*N*-salicylidenemyristoylhydrazine) ONO(−1)]dicopper(II), X-ray crystal and molecular structure, 23
S ligands
Coordination chemistry, Aurates, Thianthrenes, 1351
S,N ambidentate borate ligands
Synthesis, X-ray structure, Open frame material, 205
Saccharin complexes
Copper(II) complexes, Dithiocarbazates, 2031
Saccharin complexes
Cu(II) complexes, Dithiocarbazate Schiff base, *S*-Methyldithiocarbazate, Tridentate NNS Schiff base, 2491
Salicylates
Aluminium(III), Catecholates, Complexation, Proton exchange, NMR, 2393
Salicylketimine ligands
Nickel(II) complexes, Schiff bases, X-ray crystallography, 1649
Salt metathesis
Tris(pyrazolyl)hydroborate (Tp) ligands, Lanthanum, Neodymium, Aryloxide derivatives, 2437
Samarium
Lanthanide, Nitric oxide, Nitrite, Pyrazolylborate, Redox, 2709
Sandwich complex
Organometallics, Metallocene, Bonding, Density functional theory, Orbital analysis, 2993
Schiff base
Uranium, Cluster, Crystal structure, 623
Schiff base
Asymmetric oxidation, Chiral copper(II) complexes, Sulfide, Seven-membered, 1131
Schiff base
Cadmium(II)thiocyanate, Polymer, Imidazole, Supramolecular synthon, 2045
Schiff base
Dicopper(II) complex, 1D Coordination polymer, Crystal structure, Magnetic properties, 2177
Schiff base
Chiral, Copper, Cyclopropanation, Catalysts, Crystal structures, 3051
Schiff base
Copper(II) complex, X-ray structure, Imine activation, Coordination polymer, 3081
Schiff base complexes
Copper complexes, Tripeptide complexes, 849
Schiff base complexes
Ion recognition, Crown ether, UV–Vis, Lanthanides, 1401
Schiff bases
Tricopper(II) complex, Ascorbate oxidase model, Crystal structure, Magnetic properties, 643
Schiff bases
Iron complexes, Acetate ligands, η^2-Coordination modes, β-Cis arrangements, 963
Schiff bases
Cyclopentadienyl, Pyridine-2-carboxaldehyde, Ruthenium, 1567
Schiff bases
Dioxomolybdenum (VI) and oxomolybdenum (IV) complexes, Dithiocarbazate, X-ray structures, 1595
Schiff bases
Nickel(II) complexes, Salicylketimine ligands, X-ray crystallography, 1649
Schiff's bases
Nickel, Hydrogenated Schiff's bases, Coordination geometry, X-ray crystal structures, Polymethylene chains, 3201
Schiff-base
Polypyrrole, Electropolymerization, Iron complex, AFM, Polymer, 1953

Schiff-bases
Zinc complexes, Crystal structures, IR, UV and NMR spectroscopy, Thermal analysis, 1293
Scorpionands
Chromophores, Copper(II), Macrocycles, Nickel(II), 373
Scorpionate
Ruthenium, Tris(pyrazolyl)borate, Hydride, C–H activation, 439
Scorpionate ligands
Tripod ligands, Chirality, Prochirality, Menthone, 245
Scorpionate ligands
Technetium, Rhenium, Uranium, 331
Scorpionate ligands
Hydrotris(pyrazolyl)borate, Tantalum, Metal–metal multiple bond, Alkyne complex, Tetrahydrothiophene complex, 379
Scorpionates
Polypyrazolylborates, Coordination chemistry, Nitrogen ligands, 197
Scorpionates
Nickel(II) complexes, Crystal structures, Hydrotris(pyrazolyl)borate complexes, Coordination environment, 211
Scorpionates
Polypyrazolylborate complexes, Copper complexes, Rhodium complexes, Coordination Polymers, Nitrile coordination, 235
Scorpionates
Hydrotris(pyrazol-1-yl)borates, Polypyrazolylborates, Photoelectron spectra, 429
Secondary bonding
Cyclic telluranes, Metathetical reactions, Intermolecular, Supramolecular networks, 1629
Selenium
Phosphine chalcogenides, X-ray structure, ^{31}P NMR, Tellurium, 1923
Selenium
Palladium, Complexes, X-ray, 2967
Selenourea
Crystal structure, Gold complex, MAS NMR, 1
Self assembly
One-dimensional, Silver(I), Aliphatic amino ligands, Coordination polymers, Tubes, Topology, Supramolecular chemistry, Nanotubes, 2075
Self-assemble
Carboxylate bridges, Copper complexes, Dipeptides, Alkaline earth metals, Magnetic properties, 2125
Self-assembly
Lanthanide nitrate, *N,N'*-dioxide, Coordination polymer, 169
Self-assembly
Crystal structures, Bis(2-pyridylmethyl)amino acids, Ferromagnetism, One-dimensional chains, Copper(II) complexes, 903
Self-assembly
Copper, N,O-ligands, Dinuclear, EPR, 1769
Self-assembly
Supramolecular chemistry, Polymers, Transition metal, Crystal engineering, 1877
Semicarbazone
Cobalt(III), 2-Hydroxyacetophenone, NMR spectra, IR spectra, Electronic spectra, X- ray crystal structure, 41
Seven-coordinate tin(IV) complexes
Tin(IV) complexes, Dithiocarbazates, 2,6-diacetylpyridine Schiff bases of S-alkyldithiocarbazates, 2037
Seven-membered
Asymmetric oxidation, Chiral copper(II) complexes, Schiff base, Sulfide, 1131
Sheet structure
Arylazoimidazoles, Cadmium(II) complexes, End-on and end-to-end bridging, X-ray structure, 1D chain, 1669
Silanoles
Siloxides, Titanium, Zirconium, Oligosilanes, 2475
Silica gel
Immobilization, 2-Aminomethylpyridine, Epoxide, Adsorption, Thermodynamic, 719
Silica support
Immobilization, Cobalt(II) complexes, H_2O_2, 59
Silicic acid
Hydroxyaluminosilicate, Aluminium, Aluminium solubility, Aluminium biological availability, 3185
Silicon
Phosphorus, Hypercoordination, Hypervalency, Spectroscopy, Fluorescence, X-ray crystallography, 2615
Siloxides
Silanoles, Titanium, Zirconium, Oligosilanes, 2475
Silver
Kinetics, Mechanism, Redox, Glyoxylic acid, 895
Silver
Coordination polymers, Imidazolate, X-ray structure, 3063
Silver complexes
Diaza-fluorene, Crystal structures, Intermolecular interactions, Electronic spectra, 2259
Silver coordination complex polymers
1D, 2D, 3D topological structure, Multinitriles, 2209
Silver nitrate
Carboxylate, Coordination polymer, Double betaine, Hydrate, Hydrogen bonding, π–π Interaction, 2413
Silver(I)
Bis-imidazole, Bis(imidazol-2-yl)methane, X-ray structures, Argentophilicity, Antifungal, Candida albicans, 1249
Silver(I)
One-dimensional, Aliphatic amino ligands, Coordination polymers, Tubes, Topology, Supramolecular chemistry, Self assembly, Nanotubes, 2075
Silver(I) complexes
Naphthylazoimidazole, Helical structure, EHMO, 793
Silver(I) complexes
Dinuclear complex, Mononuclear complex, 2117
Silver(II) complexes
Ozone, X-ray crystal structure, Manganese(III) complexes, Cobalt(III) complexes, 2631
Sinambic
Multidentate ligand, Cobalt(III), ^{59}Co NMR, 2217
Single crystal X-ray diffraction
Iron(III) complexes, Thiosemicarbazone, Mössbauer spectra, EPR spectra, IR spectra, 969
Single-crystal X-ray diffraction
Tetrakis(3-isopropylpyrazolyl)borate, Solvent extraction, Zinc, Copper, 283
Six coordinate silicates
Ion exchange, Transition metals, Ligand environment, Thermal studies, Magnetism, 679
Sodium
Copper, Tris(pyrazolyl)borate, Fluorinated, Carbonyl, 273
"Soft–Hard" and "Soft–Soft" interactions
Ruthenium(II) carbonyl complexes, Tertiary phosphine chalcogenides, X-ray crystal structure, Octahedral structure, 1657
Solid UV
Mercury(II), 1,3-Dithiol-2-thione, Pyridyl, ^1H NMR, 115
Solid-state reactions
Iron clusters, Third-order nonlinear optical properties, 755
Solvent extraction
Tetrakis(3-isopropylpyrazolyl)borate, Single-crystal X-ray diffraction, Zinc, Copper, 283
Solvothermal synthesis
Thiostannates, Nickel, Crystal structures, Thermoanalysis, 937
Spectra
Mn(II) and Cd(II) complexes, Azides, 3-Aminopyridine, Synthesis, X-ray structures, Thermal properties, 2349
Spectral properties
Copper, Crystal structure, Dimer, Magnetic properties, 1303
Spectral properties
Copper, 3,5-Dinitrosalicylate complex, Trimer, Crystal structure, Magnetic properties, 2447
Spectroelectrochemistry
EPR spectroscopy, Hydrazido ligand, Mixed-valence, Ruthenium complexes, 701
Spectroelectrochemistry
Phthalocyanine, Electrochemistry, Pyridine binding, 1279
Spectroelectrochemistry
Vanadium, Diiminediaminediphenolate macrocycle, Magnetochemistry, EPR, FTIR, 2069
Spectroscopic characterisation
Uranyl, Fluoride, Phosphine oxide ligands, Structural study, 3097
Spectroscopic properties
Iron(II) complexes, Trithiocyanuric acid, Mössbauer spectra, Crystal structures, DFT calculations, 2193

Spectroscopic studies
Indomethacin, Diorganotin, Crystal structures, 2021
Spectroscopy
Synthesis, Pyrazolyl thiosemicarbazone, Cobalt(III) complexes, X-ray crystallography, 5
Spectroscopy
Carborane, DFT calculations, X-ray crystallography, 629
Spectroscopy
Hydrazones, Complex, Lanthanide, X-ray, Crystal structures, 1191
Spectroscopy
Osmium, Rhenium, Polypyridyl, Synthesis, 1427
Spectroscopy
Di-2-pyridyl ketone salicyloylhydrazone, Zinc(II) complexes, Stability constants, Thermal analysis, 2095
Spectroscopy
Silicon, Phosphorus, Hypercoordination, Hypervalency, Fluorescence, X-ray crystallography, 2615
Spherical potential well
Clusters, Electron density distribution, Polarizability, Finite electric field, 1519
Spin-crossover
Iron, Crystal structure, Magnetic measurements, 2141
Spin-exchange reactions
Electron-transfer reactions, Bis[tris(pyrazolyl)methane] complexes, Low-spin configurations, High-spin configurations, 1037
Spirocyclic
Cyclophosphazenes, Chiral, X-ray structure, 979
Spiroindolinonaphthooxazines
Absorption spectra, Complexation, Kinetics, Photochromism, 3147
Square antiprism
Eight-coordinate, Stereochemistry, Dodecahedron, Bicapped trigonal prism, Molecular mechanics, 145
Square antiprism
Cadmium(II), Chloranilate anions, Phenanthroline, Crystal structures, Chain polymers, 2587
Square grid structure
Hydrothermal synthesis, Coordination polymer, Magnetic property, Transition metal, 1,4-Naphthalenedicarboxylic acid, 1257
Square planar silver complex
Bitopic heteroscorpionate ligand, 291
Stability constants
Diporphyrins, Zinc(II) complexes, Nitrogen base ligation, 33
Stability constants
Copper(II) complexes, Thioether ligands, Monophosphono dipeptides, Potentiometry, Vis, CD, EPR spectroscopy, 1939
Stability constants
Di-2-pyridyl ketone salicyloylhydrazone, Zinc(II) complexes, Spectroscopy, Thermal analysis, 2095
Stacking
Pyrazine, Pyridine, X-ray, NMR, Twist, 1011
π–π stacking
Copper(II), Aminopolycarboxylate, Ferromagnetic coupling, Cylindrical channels, 1081
π–π stacking interactions
2,2′-Bipyrimidine complexes, Iron(III) carboxylate complexes, Oxo-bridged iron(III) complexes, X-ray crystal structure, 1271
π–π stacking interaction
1-(4-Hydroxyphenyl)-1H-tetrazole-5-thiol, Organotin(IV), Hydrogen bonding, Crystal structures, X-ray crystallography, 1547
π–π staking interaction
4,4′-Bipyridine, Lead(II), Coordination polymers, Lone pair, Crystal structure, 2427
Stereochemistry
Eight-coordinate, Dodecahedron, Square antiprism, Bicapped trigonal prism, Molecular mechanics, 145
Sterically hindered carboxylate
Non-heme iron, Water coordination, X-ray structure, Cyclic voltammetry, 2805
Structural elucidation
Tetranuclear copper(II) complex, Hydrogen bonds, 1169
Structural study
Uranyl, Fluoride, Phosphine oxide ligands, Spectroscopic characterisation, 3097
Structure
Polypyrazolylborate, Rhodium(I), Cyclooctadiene, Norbornadiene, NMR, 219
Structure
Copper, Magnetism, Dinuclear, EPR, 993
Structure
Copper, Infrared, Hydrogen bonds, Distortion isomers, 1969
Structure studies
Oxoalkoxides, Aluminium, Precursor hydrolysis, X-ray, 109
Structures
Tris(pyrazolyl)borate, Bis(imido), Molybdenum, Synthesis, 189
Structures
Zwitterions, Monoanionic ligands, Syntheses, Methyl, Hydrides, 489
Structures
Cobalt, Oxide, β-diketonates, Adducts, MOCVD[, 735
Structures
Cobalt, Copper, Zinc, Bis(8-quinolinyl)amine, 831
Structures
Nickel complexes, Pyrazoline, Ring opening, Ligand oxidation, 1997
Structures
Tantalum, Pentalene, Synthesis, 2625
Structures
Zwitterions, Monoanionic ligands, Phosphines, Syntheses, Boron, 2901
Styrene
Iron, Radical, Catalyst, Polymerisation, 2921
Sulfide
Asymmetric oxidation, Chiral copper(II) complexes, Schiff base, Seven-membered, 1131
Sulfite oxidase
Pyranopterin molybdenum enzymes, Electronic structure, Molybdenum complexes, MCD (Magnetic Circular Dichroism), EPR (Electron Paramagnetic Resonance), 499
Sulfonatothiacalixarene
Capsules, Diaza-Crown ether, Transition metal ions, Assembly, 1461
Sulfonatothiacalixarene
Capsules, Diaza-18-crown-6, Lanthanide ions, 2055
Sulfur
Phosphorus, Clusters, Phosphorus sulfides, Laser ablation synthesis, TOF mass spectrometry, 1199
Sulfur-rich complex
Lawesson's Reagent, Thiophosphoryl compound, Nickel(II) complex, Cobalt(II) complex, 1799
Superhyperfine
Binuclear copper complex, EPR, Half-field, X-ray, Electrochemical, 1115
Supramolecular
Coordination polymer, Europium, Hydrogen bonds, Luminescence, Terbium, 711
Supramolecular
Cadmium, Coordinate, Polymers, Ligands, 1003
Supramolecular associations
Te(II) thiourea complexes, Novel conformations, Unexpected colours, X-ray crystallography, 3021
Supramolecular chemistry
Self-assembly, Polymers, Transition metal, Crystal engineering, 1877
Supramolecular chemistry
One-dimensional, Silver(I), Aliphatic amino ligands, Coordination polymers, Tubes, Topology, Self assembly, Nanotubes, 2075
Supramolecular chemistry
P,S-metallocycles, Bipodal ligands, Crystal structures, Macrocycles, Phosphorylated urea complexes, 2243
Supramolecular frameworks
Isoorotic acid, Co(II) and Ni(II) complexes, Hydrothermal synthesis, Hydrogen bonds, 2227
Supramolecular networks
Cyclic telluranes, Metathetical reactions, Intermolecular, Secondary bonding, 1629
Supramolecular synthon
Cadmium(II)thiocyanate, Polymer, Schiff base, Imidazole, 2045
Supramolecule
Lanthanide(III) complexes, Hydrothermal syntheses, Isoorotic acid, Hydrogen bonds, 2085
Suzuki–Miyaura coupling
Palladium, Ferrocene, Phosphine, Orthometallated complexes, X-ray crystallography, 921

Syntheses
Zwitterions, Monoanionic ligands, Structures, Methyl, Hydrides, 489
Syntheses
Zwitterions, Monoanionic ligands, Phosphines, Structures, Boron, 2901
Synthesis
Spectroscopy, Pyrazolyl thiosemicarbazone, Cobalt(III) complexes, X-ray crystallography, 5
Synthesis
Tris(pyrazolyl)borate, Bis(imido), Molybdenum, Structures, 189
Synthesis
S,N ambidentate borate ligands, X-ray structure, Open frame material, 205
Synthesis
Cadmium(II), Calcium(II), Manganese(II), Crystal structures, Tetrazolate complexes, 1217
Synthesis
Osmium, Rhenium, Polypyridyl, Spectroscopy, 1427
Synthesis
Crystal structures, Indenyl ligand, Nickel complex, Catalysis, 1473
Synthesis
Zinc complex, Cadmium complex, 2-Oxo-1,3-dithiole-4,5-dithiolate, Crystal structure, Density functional calculation, 1701
Synthesis
Heteroaromatic carboxylic acid, Triphenyltin, Crystal structure, 1805
Synthesis
Mn(II) and Cd(II) complexes, Azides, 3-Aminopyridine, Spectra, X-ray structures, Thermal properties, 2349
Synthesis
Phosphine, Coordination, X-ray structure, 2575
Synthesis
Tantalum, Pentalene, Structures, 2625

Tantalum
Hydrotris(pyrazolyl)borate, Scorpionate ligands, Metal–metal multiple bond, Alkyne complex, Tetrahydrothiophene complex, 379
Tantalum
Pentalene, Synthesis, Structures, 2625
Te(II) thiourea complexes
Novel conformations, Unexpected colours, X-ray crystallography, Supramolecular associations, 3021
Technetium
Scorpionate ligands, Rhenium, Uranium, 331
Tellurium
Phosphine chalcogenides, X-ray structure, ^{31}P NMR, Selenium, 1923
Temperature effect
Manganese maleate, Coordination polymer, Helical architecture, Hydrogen bonds, π–π interactions, 987
Template
Hydrothermal synthesis, Crystal structure, Iron phosphatooxalate, Oxalate acid, Piperazine, 2357
Template reaction
Chirality, Tetra-azamacrocycles, Pendent arm, Conformational isomers, 869
Template synthesis
Decaazacyclooctadecane, Nickel(II) complexes, Macrocycle, 1325
Templating effect
Hydrothermal syntheses, Crystal structures, Gallophosphates, 1535
Terbium
Coordination polymer, Europium, Hydrogen bonds, Luminescence, Supramolecular, 711
Terephthalate ligand
Nickel(II) compounds, Crystal structures, Binuclear complexes, Magnetic properties, 1379
Terephthalate ligand
Copper(II) compounds, Crystal structures, One-dimensional complexes, Magnetic properties, 3043
Terpyridine
Iridium, Luminescence, Near infra-red, Charge-transfer, Intra-ligand charge transfer, 2769
Terpyridine
Pyridyl bispyrazolyl, Iron, Complexation, Rearrangement, X-ray structures, 3193
Tertiary phosphine chalcogenides
Ruthenium(II) carbonyl complexes, "Soft–Hard" and "Soft–Soft" interactions, X-ray crystal structure, Octahedral structure, 1657
2,3,5,6-Tetrakis(pyridyl)pyrazine
Ruthenium, Cyclopentadienyl, 2,3-Bis(α-pyridyl)pyrazine, 1,3,5-Tris(pyridyl)-2,4,6-triazine, 1069
1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane
Proton sponge, Macrocyclic tetramine, Lanthanide complex, 1089
Tetra-azamacrocycles
Chirality, Template reaction, Pendent arm, Conformational isomers, 869
Tetrachloroaurate(III)
Crystal structure, Phase transition, Isotope effect, Hydrogen bond, NQR, 1605
Tetradentate ligands
Aromatic aminoacidate, Cobalt(III), Non-covalent interactions, Octahedral inversion, NMR, 1749
Tetrahydrofurfurylindenyl
Lanthanide chlorides, Crystal structure, Ionic radius, 1075
Tetrahydrothiophene complex
Hydrotris(pyrazolyl)borate, Scorpionate ligands, Tantalum, Metal–metal multiple bond, Alkyne complex, 379
Tetrakis(3-isopropylpyrazolyl)borate
Solvent extraction, Single-crystal X-ray diffraction, Zinc, Copper, 283
Tetranuclear copper(II) complex
Structural elucidation, Hydrogen bonds, 1169
Tetrathiafulvalene
Copper(II), Charge transfer compounds, Electrical conductivity, 2111
Tetrathiomolybdate
Tetrathiotungstate, Dihydridobis(pyrazolyl)borate, Copper(I) complexes, Crystal structure, Model compounds, 637
Tetrathiotungstate
Tetrathiomolybdate, Dihydridobis(pyrazolyl)borate, Copper(I) complexes, Crystal structure, Model compounds, 637
Tetrazolate complexes
Cadmium(II), Calcium(II), Manganese(II), Synthesis, Crystal structures, 1217
Tetrazole
Titanium, Tin, Nitride precursor, Cycloaddition, 801
Thallium
Bis(mercaptoimidazolyl)borate complexes, Crystal structure, 617
Thallium
Parabanic acid, Iron, Cyclopentadienyl, Carbonyl, Gold (I) complex, Alkylation, 1441
Thallium
Metalloporphyrins, Indium, 1777
Thallium
^{11}B NMR, B–H coupling, Tris(pyrazolyl)-borate, Pyrazole, 2533
Thallium
Pyrazolylborates, NMR, CPMAS, 2985
Thermal analysis
Copper(I) complexes, Hexafluorocetylacetonate, Olefin complexes, Divinyl organics, Crystal structure, 809
Thermal analysis
Zinc complexes, Schiff-bases, Crystal structures, IR, UV and NMR spectroscopy, 1293
Thermal analysis
Di-2-pyridyl ketone salicyloylhydrazone, Zinc(II) complexes, Stability constants, Spectroscopy, 2095
Thermal behaviour
Nickel, Copper, Zinc, Imidazole, α-Hydroxycarboxylato complexes, Crystal structures, 1505
Thermal decomposition
Cerium, Oxazolines, Chiral, MOCVD, β-ketoesterates, 1467
Thermal decomposition
1,3,4-thiadiazole, Zinc, Crystal structure, Kinetics, Bioactivity, 1851
Thermal properties
Magnesium carboxylate, Meltable, Dispersion processing, 1739
Thermal properties
Mn(II) and Cd(II) complexes, Azides, 3-Aminopyridine, Synthesis, Spectra, X-ray structures, 2349
Thermal studies
Six coordinate silicates, Ion exchange, Transition metals, Ligand environment, Magnetism, 679
Thermoanalysis
Solvothermal synthesis, Thiostannates, Nickel, Crystal structures, 937
Thermochromism
Chemical vapour deposition, Thin films, Vanadium dioxide, 3087

Thermodynamic
Silica gel, Immobilization, 2-Aminomethylpyridine, Epoxide, Adsorption, 719
Thianthrenes
S ligands, Coordination chemistry, Aurates, 1351
Thiazine
Crystal structure, Cobalt(III) complex, Nickel(II) complex, Pyridine, 1453
Thiazolidine
Vic-dioximes, Ferrocene, Transition metal complexes, Electrochemistry, 1987
1,3,4-thiadiazole
Zinc, Crystal structure, Thermal decomposition, Kinetics, Bioactivity, 1851
4-((2-Thienyl)-ethenyl)-2,2′-bipyridine
Electropolymerisation, Ru-complexes, Thiophene, Differential pulse voltammetry, Redox-polymers, 589
2-Thiopheneacetic acid
Polymeric copper(II) complex, Crystal structure, Vibrational spectra, Metal isotope effect, 1785 Thin films
Chemical vapour deposition, Thermochromism, Vanadium dioxide, 3087
Thiodiglycolic acid complexes
Nickel(II), X-ray structures, Magnetic properties, 1573
Thioether complexes
Platinum complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Diimine complexes, Crown thioethers, 1361
Thioether ligands
Copper(II) complexes, Stability constants, Monophosphono dipeptides, Potentiometry, Vis, CD, EPR spectroscopy, 1939
Thioethers
Copper, *N*-ligands, Multi-armed ligands, X-ray structures, Coordination polymer, 1055
Thiolate
Zinc, Enzyme, Alkylation, 481
Thiophene
Electropolymerisation, Ru-complexes, Differential pulse voltammetry, 4-((2-Thienyl)-ethenyl)-2,2′-bipyridine, Redox-polymers, 589
Thiophosphoryl compound
Lawesson's Reagent, Sulfur-rich complex, Nickel(II) complex, Cobalt(II) complex, 1799
Thiosemicarbazone
Iron(III) complexes, Single crystal X-ray diffraction, Mössbauer spectra, EPR spectra, IR spectra, 969
Thiosemicarbazone
Di-2-pyridyl ketone, Ni(II) thiosemicarbazone complex, Electronic spectra, IR spectra, X-ray crystal structure, 1225
Thiosemicarbazone
2-pyridineformamide, Crystal structure, Zinc, Cadmium, 2303
Thiosemicarbazone
Copper(II) complexes, 2-Hydroxyacetophenone, EPR, Antimicrobial studies, Cyclic voltammetry, X-ray crystallography, 2549
Thiosemicarbazone
Copper(II) complexes, 2-Benzoylpyridine, EPR, Antimicrobial activity, Crystal structure, 3069
Thiostannates
Solvothermal synthesis, Nickel, Crystal structures, Thermoanalysis, 937
Third-order nonlinear optical properties
Iron clusters, Solid-state reactions, 755
Three-dimensional oxide
Octamolybdate, Hydrothermal synthesis, Organic–inorganic hybrid, Building block approach, Hartree–Fock calculations, 1145
Tin
Ferrocene, Dithiocarbazate, Ligand, Complex, Crystal structure, 567
Tin
Titanium, Tetrazole, Nitride precursor, Cycloaddition, 801
Tin sulfide
Pyrolysis, Organotin derivatives, 2102
Tin(IV) complexes
Dithiocarbazates, 2,6-diacetylpyridine Schiff bases of S-alkyldithiocarbazates, Seven-coordinate tin(IV) complexes, 2037
Tin(IV) complexes
Dithiocarbazates, 2-Quinolinecarboxaldehyde Schiff bases of *S*-alkyl/aryl dithiocarbazates, 2405
Titanium
Bipyridine, Aluminum, Coordination compound, Crystal structure, 561
Titanium
Tin, Tetrazole, Nitride precursor, Cycloaddition, 801
Titanium
Enolato, Enamido, Zirconium, Aluminum, 1587
Titanium
Silanoles, Siloxides, Zirconium, Oligosilanes, 2475
Titanium iodide
Phosphine, Arsine, Iron iodide, Crystal structures, 605
Titanium phosphate
Hydrothermal, Layered, Intercalation behavior, γ-Phase, 3033
TOF mass spectrometry
Phosphorus, Sulfur, Clusters, Phosphorus sulfides, Laser ablation synthesis, 1199
Topological analysis of electron density
MP2 geometry optimization, Bis(methoxycarbimido)amine, 2235
Topology
One-dimensional, Silver(I), Aliphatic amino ligands, Coordination polymers, Tubes, Supramolecular chemistry, Self assembly, Nanotubes, 2075
κ^2-Tp ligands
Bridging Tp ligands, Rhodium dicarbonyl complexes, Isomers, X-ray structure, 301
trans-1,2-Diaminocyclohexane
Crystal structure, Zinc complex, Catalytic enantioselective reduction, 2063
Transfer hydrogenation
N-Heterocyclic carbenes, Homogenous catalysis, Ketones, Aldehydes, Imines, 2857
Transformation
Molybdenum phosphate, Hydrothermal synthesis, Crystal structure, 2153
Transition metal
Hydrothermal synthesis, Coordination polymer, Magnetic property, Square grid structure, 1,4-Naphthalenedicarboxylic acid, 1257
Transition metal
Supramolecular chemistry, Self-assembly, Polymers, Crystal engineering, 1877
Transition metal complexes
Vic-dioximes, Thiazolidine, Ferrocene, Electrochemistry, 1987
Transition metal ions
Sulfonatothiacalixarene, Capsules, Diaza-Crown ether, Assembly, 1461
Transition metals
Six coordinate silicates, Ion exchange, Ligand environment, Thermal studies, Magnetism, 679
Triangulo
Pseudoephedrine, Nickel, Cluster, Anion exchange, 1837
Triazenido complexes
Diruthenium compounds, Metal–metal bonds, Formamidinato complexes, Multiple bonds, Low spin complexes, 2637
Triazolopyrimidine
Zn complexes, Copper dimers, EPR, 743
Triazolopyrimidine
Palladium dimers, Head–head, Head–tail, 2373
Tricopper(II) complex
Schiff bases, Ascorbate oxidase model, Crystal structure, Magnetic properties, 643
Tridentate NNS and NSS Schiff bases
S-2-picolyldithiocarbazate (Hydrazine carbodithioic acid pyridinium-2-yl methyl ester chloride), Bidentate NS Schiff base, Ni(II) complexes, Dithiocarbazate derivative, 161
Tridentate NNS Schiff base
Cu(II) complexes, Dithiocarbazate Schiff base, Saccharin complexes, *S*-Methyldithiocarbazate, 2491
Trimer
Copper, 3,5-Dinitrosalicylate complex, Crystal structure, Magnetic properties, Spectral properties, 2447
Tripeptide complexes
Copper complexes, Schiff base complexes, 849
Triphenyltin
Heteroaromatic carboxylic acid, Synthesis, Crystal structure, 1805
Triply bridged
Copper(II) complexes, Crystal structure, Dihydroxo-bridged, Roof-shaped, 1641
Tripod ligands
Scorpionate ligands, Chirality, Prochirality, Menthone, 245

Tripodal
Heteroscorpionate, Alkylthiolate, Imidazole, Iron, Zinc, 471
Tripodal amine ligand
Hypodentate, Cu(II) complexes, Crystal structure, Five-coordinate, 97
Tripodal ligand
Cu-NIRs, Model complex, Crystalline structure, Polyimidazole ligand, 511
Tripodal ligand
Nickel complex, Cyclic voltammetry, 1829
1,3,5-Tris(pyridyl)-2,4,6-triazine
Ruthenium, Cyclopentadienyl, 2,3-Bis(α-pyridyl)pyrazine, 2,3,5,6-Tetrakis(pyridyl)pyrazine, 1069
Tris(2-pyridylmethyl)amine
Iron(II) complexes, Cobalt(II) complexes, X-ray crystal structures, Bis(2-pyridylmethyl)amine, 3105
Tris(cyclohexyl)tin
Halostannanes, Crystal structures, 2331
Tris(mercaptoimidazolyl)borate complexes
Nickel, Bis(mercaptoimidazolyl)borate complexes, Diphosphine, Hydrogenases, Crystal structure, 395
Tris(pyrazolyl)borate
Bis(imido), Molybdenum, Synthesis, Structures, 189
Tris(pyrazolyl)borate
Lanthanides, Ytterbium, Aryloxide, Crystal Structures, Divalent, 263
Tris(pyrazolyl)borate
Sodium, Copper, Fluorinated, Carbonyl, 273
Tris(pyrazolyl)borate
Ruthenium, Scorpionate, Hydride, C–H activation, 439
Tris(pyrazolyl)borate
Cyanide bridged clusters, Iron(III) complex, Magnetic properties, 1333
Tris(pyrazolyl)borate
Thallium, ^{11}B NMR, B–H coupling, Pyrazole, 2533
Tris(pyrazolyl)hydroborate (Tp) ligands
Lanthanum, Neodymium, Salt metathesis, Aryloxide derivatives, 2437
Trispyrazolylborate
C–H activation, Rhodium, 413
Trithiacyclononane
Thioether complexes, Platinum complexes, Platinum nuclear magnetic resonance, Diimine complexes, Crown thioethers, 1361
Trithiocyanuric acid
Iron(II) complexes, Mössbauer spectra, Crystal structures, Spectroscopic properties, DFT calculations, 2193
TRLFS
Uranium, Glycerol phosphate, Complex formation, Potentiometric titration, 1793
Tubes
One-dimensional, Silver(I), Aliphatic amino ligands, Coordination polymers, Topology, Supramolecular chemistry, Self assembly, Nanotubes, 2075
Tungsten
η^2-nitrile, Oxo, Oxidation, Methylation, Dimerization, 2831
Tungsten
Crystal structures, Clusters, Copper, Molybdenum, Nitrogen heterocycle ligands, Pyrazole, 3143
Twist
Pyrazine, Pyridine, X-ray, NMR, Stacking, 1011
Two-dimensional compounds
Organotin complexes, Organorhodium complexes, Organorhodiumtin complexes, One-dimensional compounds, Rhodium carbonyl complexes, 103

Unexpected colours
Te(II) thiourea complexes, Novel conformations, X-ray crystallography, Supramolecular associations, 3021
Unsymmetrical
Phthalocyanine, Phenylacetylene, Cyclic voltammetry, 3155
Unsymmetrical oximinato dicopper(II) complexes and unsymmetrical oximinato dinickel(II) complexes
Electrochemistry, Magnetic properties, Oximinato monocopper(II) and mononickel(II) complexes, 665
Uranium
Scorpionate ligands, Technetium, Rhenium, 331
Uranium
Schiff base, Cluster, Crystal structure, 623
Uranium
Glycerol phosphate, Complex formation, Potentiometric titration, TRLFS, 1793
Uranium
Crystal structure, N, O donor ligands, 2285
Uranium
Actinide, Lanthanide, Oxides, Carbene, 2689
Uranyl
Fluoride, Phosphine oxide ligands, Structural study, Spectroscopic characterisation, 3097
Uranyl bis(β-diketonates)
Bis(diphenylphosphino)methane dioxide, Uranyl nitrate, Monodentate, Bidentate chelate, Bridging bidentate, Coordination modes, 1527
Uranyl ion
Alkali metal ions, Calixarenes, Homooxacalixarenes, Crystal structures, 649
Uranyl ions
Diols, Hydrogen bonding, Crystal structures, 1613
Uranyl nitrate
Bis(diphenylphosphino)methane dioxide, Uranyl bis(β-diketonates), Monodentate, Bidentate chelate, Bridging bidentate, Coordination modes, 1527
UV and NMR spectroscopy
Zinc complexes, Schiff-bases, Crystal structures, IR, Thermal analysis, 1293
UV–Vis
Ion recognition, Schiff base complexes, Crown ether, Lanthanides, 1401
UV–Vis, EPR and IR spectra
Dinuclear copper(II) complex, Magnetic properties, Bidentate ligand, Crystal structure, 1309

^{51}V NMR spectra
Crystal structure, Vanadium(V) peroxo mandelato complex, IR spectra, 655
Vanadium
Diiminediaminediphenolate macrocycle, Magnetochemistry, EPR, FTIR, Spectroelectrochemistry, 2069
Vanadium complexes
Nitrilotriacetate, X-ray crystal structure, Hydrogen bonding, 1975
Vanadium dioxide
Chemical vapour deposition, Thermochromism, Thin films, 3087
Vanadium(V) peroxo mandelato complex
Crystal structure, IR spectra, ^{51}V NMR spectra, 655
Vibrational spectra
2-Thiopheneacetic acid, Polymeric copper(II) complex, Crystal structure, Metal isotope effect, 1785
Vinylic polymerizaition
Neutral palladium(II) complex, X-ray crystallography, Catalyst, Methylaluminoxane, Norbornene, 1619
Vis, CD, EPR spectroscopy
Copper(II) complexes, Thioether ligands, Stability constants, Monophosphono dipeptides, Potentiometry, 1939

Water coordination
Non-heme iron, X-ray structure, Cyclic voltammetry, Sterically hindered carboxylate, 2805
Weak ferromagnetism
Malonate complexes, 2D antiferromagnets, 929

X–ray structure
Rhenium nitrosyl complexes, Pyrazole, Arsine ligands, Density functional theory calculations, 2523
X- ray crystal structure
Cobalt(III), Semicarbazone, 2-Hydroxyacetophenone, NMR spectra, IR spectra, Electronic spectra, 41
X-ray
Oxoalkoxides, Aluminium, Precursor hydrolysis, Structure studies, 109
X-ray
Pyrazine, Pyridine, NMR, Stacking, Twist, 1011
X-ray
Binuclear copper complex, EPR, Halffield, Superhyperfine, Electrochemical, 1115
X-ray
Hydrazones, Complex, Lanthanide, Spectroscopy, Crystal structures, 1191

X-ray
Ruthenium, Fluoroionophore, Metallacrown, 1719
X-ray
Ligand, Bidentate, Bridging, Phosphine, 2569
X-ray
Cymene, Ruthenium, 2695
X-ray
Palladium, Selenium, Complexes, 2967
X-ray crystal and molecular structure
N-salicylidene-*n*-alkanoylhydrazines, Copper(II) complexes, Magnetochemical studies, Bis[monochloro(μ-*N*-salicylidenemyristoylhydrazine) ONO(−1)]dicopper(II), 23
X-ray crystal structure
Nickel, Dithiocarbamate, PPh_3, Dppe, NMR, 77
X-ray crystal structure
Diorganotin, Dicyanoethylene-1,2-dithiolate, 4,4′-Bipyridyl, 1,10-Phenanthroline, Co-crystallization, 1207
X-ray crystal structure
Di-2-pyridyl ketone, Thiosemicarbazone, Ni(II) thiosemicarbazone complex, Electronic spectra, IR spectra, 1225
X-ray crystal structure
2,2′-Bipyrimidine complexes, Iron(III) carboxylate complexes, Oxo-bridged iron(III) complexes, π–π stacking interactions, 1271
X-ray crystal structure
Ruthenium(II) carbonyl complexes, Tertiary phosphine chalcogenides, "Soft–Hard" and "Soft–Soft" interactions, Octahedral structure, 1657
X-ray crystal structure
Enaminones, Molybdenum(VI) complexes, Molybdenum(V) complexes, Pyrone, NMR spectra, 1859
X-ray crystal structure
Vanadium complexes, Nitrilotriacetate, Hydrogen bonding, 1975
X-ray crystal structure
Ozone, Silver(II) complexes, Manganese(III) complexes, Cobalt(III) complexes, 2631
X-ray crystal structures
Iron(II) complexes, Cobalt(II) complexes, Bis(2-pyridylmethyl)amine, Tris(2-pyridylmethyl)amine, 3105
X-ray crystal structures
Nickel, Schiff's bases, Hydrogenated Schiff's bases, Coordination geometry, Polymethylene chains, 3201
X-ray crystallography
Synthesis, Spectroscopy, Pyrazolyl thiosemicarbazone, Cobalt(III) complexes, 5
X-ray crystallography
Ferrocene, Enaminone, Ligand, Copper, Complex, 15
X-ray crystallography
Heteroscorpionate ligands, Hydrogen bond, Divalent metals, 239
X-ray crystallography
Carborane, Spectroscopy, DFT calculations, 629
X-ray crystallography
Ferrocene, Enaminone, Ligands, Complexes, 749
X-ray crystallography
Palladium, Ferrocene, Phosphine, Suzuki–Miyaura coupling, Ortho-metallated complexes, 921
X-ray crystallography
Zinc, 1,3-Bis(4-pyridyl)propane, 4,4′-Pyridine, Polymeric network, 999
X-ray crystallography
Macrocyclic complexes, Cyclic voltammetry, Imidazole, 1317
X-ray crystallography
Ferrocene, Enaminone, Ligand, Copper, Complex, 1541
X-ray crystallography
1-(4-Hydroxyphenyl)-1H-tetrazole-5-thiol, Organotin(IV), Hydrogen bonding, π–π stacking interaction, Crystal structures, 1547
X-ray crystallography
Neutral palladium(II) complex, Catalyst, Methylaluminoxane, Norbornene, Vinylic polymerizaition, 1619
X-ray crystallography
Nickel(II) complexes, Schiff bases, Salicylketimine ligands, 1649
X-ray crystallography
1H-5-mercapto-1,2,3-triazolato, Organotin, Organogermanium(IV), Crystal structure, 1981
X-ray crystallography
Group 11 phosphine complexes, 1-azaallyls, Iminoalkyl bonding mode, 2273
X-ray crystallography
Copper(II) complexes, Thiosemicarbazone, 2-Hydroxyacetophenone, EPR, Antimicrobial studies, Cyclic voltammetry, 2549
X-ray crystallography
Silicon, Phosphorus, Hypercoordination, Hypervalency, Spectroscopy, Fluorescence, 2615
X-ray crystallography
Te(II) thiourea complexes, Novel conformations, Unexpected colours, Supramolecular associations, 302i
X-ray crystallography diffraction
2-Mercapto-6-nitrobenzothiazole, Organotin(IV), Non-bonded interaction, Crystal structure, 779
X-ray diffraction
Ferrocenes, Oxazolines, Non-symmetrical ligands, 611
X-ray diffraction
Nickel complexes, Heterocyclic carbenes, Functionalised carbenes, 2813
X-ray molecular structure
Binuclear compounds, Isocyanides, Nickel, Polymerisation, Ring-coupled bis-cyclopentadienyl ligand, 2715
X-ray single crystal structure
Hydrazones, Copper(II) hydrazonate complexes, 1,10- Phenanthroline, 2,2′-Bipyridine, EPR, 575
X-ray structure
S,N ambidentate borate ligands, Synthesis, Open frame material, 205
X-ray structure
κ^2-Tp ligands, Bridging Tp ligands, Rhodium dicarbonyl complexes, Isomers, 301
X-ray structure
Ligand, Catalysis, Complex, 693
X-ray structure
Ruthenium(II)-tris-chelates, Azoimidazoles, Electrochemistry, 727
X-ray structure
Ruthenium arene complexes, Pyrazole, Dimethylpyrazole, Bond valence, 885
X-ray structure
Cyclophosphazenes, Chiral, Spirocyclic, 979
X-ray structure
Arylazoimidazoles, Cadmium(II) complexes, End-on and end-to-end bridging, 1D chain, Sheet structure, 1669
X-ray structure
Manganese(III), N,O ligands, Magnetochemistry, Dimer, Azide, 1811
X-ray structure
Rhenium complexes, Pyrazole ligand, DFT calculations, 1819
X-ray structure
Phosphine chalcogenides, ^{31}P NMR, Tellurium, Selenium, 1923
X-ray structure
Rhenium complexes, Pyrazole ligand, DFT calculations, 2005
X-ray structure
Phosphine, Synthesis, Coordination, 2575
X-ray structure
Diimine, Coordination complex, Zinc, Palladium, 2789
X-ray structure
Non-heme iron, Water coordination, Cyclic voltammetry, Sterically hindered carboxylate, 2805
X-ray structure
Coordination polymers, Silver, Imidazolate, 3063
X-ray structure
Copper(II) complex, Schiff base, Imine activation, Coordination polymer, 3081
X-ray structure
Phosphine, Hemilabile, 3125
X-ray structure determination
Lead, Coordination polymer, Hydrothermal synthesis, 2161
X-ray structures
Lanthanides, Neodymium, Alkoxides, Pyrazolylborates, Borohydrides, 253
X-ray structures
Copper, *N*-ligands, Thioethers, Multiarmed ligands, Coordination polymer, 1055
X-ray structures
Bis-imidazole, Bis(imidazol-2-yl)methane, Silver(I), Argentophilicity, Anti-fungal, Candida albicans, 1249
X-ray structures
Nickel(II), Thiodiglycolic acid complexes, Magnetic properties, 1573

X-ray structures
Dioxomolybdenum (VI) and oxomolybdenum (IV) complexes, Dithiocarbazate, Schiff bases, 1595
X-ray structures
Bis-imidazole, Metal complexes, Manganese(II), Copper(II), Zinc(II), 1731
X-ray structures
Molybdenum, ^{95}Mo NMR, Phosphine oxide, 1915
X-ray structures
Mn(II) and Cd(II) complexes, Azides, 3-Aminopyridine, Synthesis, Spectra, Thermal properties, 2349
X-ray structures
Terpyridine, Pyridyl bispyrazolyl, Iron, Complexation, Rearrangement, 3193
Xanthate
Diamine, Zinc, Cadmium, CdS, Nanoparticles, 2315

Ytterbium
Lanthanides, Aryloxide, Crystal Structures, Tris(pyrazolyl)borate, Divalent, 263
Yttrium
Lanthanides, Diketiminato, 183

Zinc
Tetrakis(3-isopropylpyrazolyl)borate, Solvent extraction, Single-crystal X-ray diffraction, Copper, 283
Zinc
Heteroscorpionate, Tripodal, Alkylthiolate, Imidazole, Iron, 471
Zinc
Enzyme, Thiolate, Alkylation, 481
Zinc
Ionic complex, Rheological phase reaction, Crystal structure, Photoluminescence, Europium, 529
Zinc
Phthalocyanine, Cobalt, Nickel, Naphthalene, 787
Zinc
Cobalt, Copper, Bis(8-quinolinyl)amine, Structures, 831
Zinc
1,3-Bis(4-pyridyl)propane, 4,4′-Pyridine, Polymeric network, X-ray crystallography, 999
Zinc
Nickel, Copper, Imidazole, α-Hydroxycarboxylato complexes, Thermal behaviour, Crystal structures, 1505
Zinc
Porphyrazine, EPR, Naphthalene, Copper, Cobalt, 1845
Zinc
1,3,4-thiadiazole, Crystal structure, Thermal decomposition, Kinetics, Bioactivity, 1851
Zinc
2,5-Bis(2-pyridyl)-1,3,4-thiadiazole, Energy minimization, Crystal structures, Monomeric complexes, 1903
Zinc
Thiosemicarbazone, 2-pyridineformamide, Crystal structure, Cadmium, 2303
Zinc
Xanthate, Diamine, Cadmium, CdS, Nanoparticles, 2315
Zinc
X-ray structure, Diimine, Coordination complex, Palladium, 2789
Zinc complex
Cadmium complex, 2-Oxo-1,3-dithiole-4,5-dithiolate, Synthesis, Crystal structure, Density functional calculation, 1701
Zinc complex
trans-1,2-Diaminocyclohexane, Crystal structure, Catalytic enantioselective reduction, 2063
Zinc complexes
Crystal structures, Copper complexes, Molecular rectangles, 673
Zinc complexes
Schiff-bases, Crystal structures, IR, UV and NMR spectroscopy, Thermal analysis, 1293
Zinc(II)
Bis-imidazole, Metal complexes, X-ray structures, Manganese(II), Copper(II), 1731
Zinc(II) cobalt(II) compounds from *N*-(benzothiazol-2-yl)-dithiocarbamic methyl ester
1-Benzothiazol-2-ylid-3-methyl-thiourea, 1-Benzothiazol-2-yl-2,3-dimethyl-*iso*thiourea, *N*-(benzothiazol-2-yl)-*S*,*S*′-dimethyl-dithio-carboimine, 2481
Zinc(II) complexes
Diporphyrins, Nitrogen base ligation, Stability constants, 33
Zinc(II) complexes
Di-2-pyridyl ketone salicyloylhydrazone, Stability constants, Spectroscopy, Thermal analysis, 2095
Zinc(II)azide
Mononuclear, Dinuclear, 2,2′-Dipyridylamine, Luminescence, Crystal engineering, 545
Zirconium
Ammonolysis, Liquid ammonia/toluene two-phase system, Potassium, 1125
Zirconium
Enolato, Enamido, Titanium, Aluminum, 1587
Zirconium
Silanoles, Siloxides, Titanium, Oligosilanes, 2475
Zn complexes
Triazolopyrimidine, Copper dimers, EPR, 743
Zwitterionic ferrocenyldithiophosphonates
Molecular structures, 2281
Zwitterions
Monoanionic ligands, Syntheses, Structures, Methyl, Hydrides, 489
Zwitterions
Monoanionic ligands, Phosphines, Syntheses, Structures, Boron, 2901